

"Teulluny" The Pather of my June June the 20 1392

eld laur the alm







And God said Let us make man in our image, ther our likenel; and let them have dominion overy fish of the sed, and over if both of your, and over if both es your all if earth, gover every every everying thing vertex inpositions.

Of Three Hundred

ANIMALS,

VIZ.

REASTS, BIRDS, FISHES,

INSECTS.

WITH

A particular Account of the Manner of their Catching of Whales in Greenland.

Extracted from the best Authors, and adapted to the Use of all Capacities.

Minfrated with COPPER-PLATES.

whereon is curioufly engraven every BEAST,
BIRD, FISH, SERPENT, and INSECT,
deficibed in the whole BOOK.

The ELEVENTH EDITION.

Carefally corrected and amended.


PSALM I. 10, 11.

For every Beast of the Forest is mine, and the Cattle upon a thousand Hills. I know all the Fourls of the Mountains, and the wild Beasts of the Field are mine.

LONDON.

Printed for J. and F. Rivincton, Hawes, Clarke and Collins, T. Caslon, S. Crowder, B. Law, F. Newbery, G. Robinson and H. Baldwin.

MDCCLXXIV. [Pr. 21, 64]





READER.

HE Instruction of Children having been always thought, by wife Men, of great Use, both with regard to the present Age, and to Posterity; and most of the Books, which have been made use of to introduce Children into an Habit of Reading, being fuch as tend rather to cloy than entertain them; I have thought fit, with short Defcriptions of Animals, and Pictures fairly drawn (which last Experience shews them to be much dalighted with) to engage their Attention. I have therefore extracted from some of the most considerable Authors a short Account of Beafts, Birds, Fiftes, Serpents, and Infects; which, I hope, will prove the more acceptable, there having been nothing done (that I know of) in this Nature, fo compendiously, for the Entertainment of Children. I have forborne to be very particular in the Description of those Animals, which almost every Child is acquainted with. If this brief Essay shall any Ways contribute to the End proposed, let God have the Glory, and the Compiler the good Wishes and Prayers of Parents.

A 2 BOOKS

BOOKS printed for J. and F. RIVINGTON, R. BALDWIN, S. CROWDER, T. CASLON, HAWES, CLARKE and COLLINS, and G. ROBINSON.

T. A NEW GENERAL ENGLISH DICTIONARY; peliarly calculated for the Ufe and Improvement of fuch as are unacquainted with the Learned Languages. Whereinthe different words and Technical Terror and use of the Words.

cally Words, and Technical Terms made use of an ANATOMY. Hawring, MEGHANICKS, ARCHITECTURE, HERALDRY, MILIT. AFFAIRS. ARITHMETICE. HISTORY. Musick. ALCEBRA. HORSEMANSHIP. NAVIGATION. ASTRONOMY HUNTING. PAINTING, BOTANY, HUSSANDAY. PORTRY. CHEMISTRY, RHETORICK. LAW. DIVINITY, Locick, SCHLPTURE. GARDENING, MATHEMATICES, SURCERY, &C.

GRAMMAR. Are not only fully explain'd, but accented on their proper Syllables, to prevent a vicious Pronunciation; and mark'd with mitial Letters, to denote the Part of Speech, to which each Word peculiarly belongs. To which is prefixed, a Compendious ENGLISH GRAMMAR, with feveral Rules for the ready Formation of one Part of Speech from another ; by the due Application whereof, such as understand English only, may be able to write as correctly and elegantly, as those who have been some Years converfant in the Latin, Greek, &cc. Languages. Together with a Supplement, of the proper Names of the most noted Kingdoms, Provinces, Cities, Towns, Rivers, &c throughout the known World. As also of the most eelebrated Emperors, Kings, Queens, Priefts, Poets, Philosophers, Generals, &r. whether | Towish, Pagan, Mahametan, or Christian ; but more especially such as are mentioned either in the Old or New Teld. ment. The whole alphabetically digefied, and accented in the fame Manner, and for the fame Purpofe, as the preceding Part; being collected for the Ufe of foch, as have but an imperfect Idea of the Eeglife Orthography. Originally begun by the late Rev. Mr. THOMAS DYCHE, School-Mafter at Stratford le Bow, Author of the Guide to the English Tongue, the Spelling Diffionary, &c. And now finish'd by WILLIAM PARRON, Gent. The Fourteenth Edition, with Additions, Price 6 s.

2. The Personne Instructions, or, Enter rather to Monatist's Constning felder Elliny, Winner, and Allegones, Defigued for the Ute of Schoolean well as the Clofe; with a View to from the right Minds of the Youth of buth Seas to Vertex and effects in the Bud thole Vices and Frailites which Mankind, and Youth in particular, are addicated to. To which are precisely. Thoughts on Education, and the Maning of conveying Instruction properly. The Sight Batton, Price 3. bound.



ATABLE of CREA

A TABLE of the CREATURES described in the Book.

First, Of the BEASTS.

86 June 86	Page	in Cres thill	Page
I ION Liones	2002	Manticora	19
Liones	ibid.	Antelope	ibid.
Juccall	ibid.	Lamia	22
Panther	3	Elke	ibid.
Leopard	ibid.	Allocamelus	ibid.
Tiger	ibid.		.23
Rhinoceros	6		\$0100
Unicorn	ibid.	Ibex	ibid.
Bear	7	Musmon	ibid.
Ant. Bear	ibid.	Baboon	26
Wolf	ibid.	Monkeys	ibid.
Очисе	10	Ape	27
Rompo	ibid.	Bear-Ape	ibid.
Buffala	ibid.	Fox-Ape	ibid.
Bull	11	Lynx	30
Corv	ibid.	Cameleon	ibid.
Ox	ibid.	Roe-Buck	31
Horse	14		ibid.
Als	ibid.	Wild-Boar	34
Mule	ibid.	Stuine	ibid.
Fox	15	Camel	3 A 35
Racgon	ibid.	Dromedary	ibid.
Sagoin	ibid.	Mastiff Dog	38
Berbe	ibid.	Bult. Dog	ibid.
Porcupine	18	Greyhound	ibid.
Badger	ibid.	Blood-Hound	39
Hedge-Hog	ibid.	Water-Spaniel	ibid;
Hyena	19	Land-Spaniel	· ibid.
Il " Parings	1000	ar in all the	Bison

A TABLE of CREATURES.

11 1 11 11	2020	of CKLAICKLS.	
BEASTS.	Page	BIRDS.	Page
Bison	40	Buzzard	74
White Scottish Bifon	ibid.	Merlin	75
Camelopardal	43	Honey Buzzard	ibid.
Rein Deer of Lapland		Moor-Buzzard	.78
Hare	1346	Golbaruk A	ibid.
Rabbet	ibid.	Sparrow-Hawk	ibid.
Mole	ibid.	Kite ()	79
Otter		Mountain Falcon	ibid.
Beaver	ibid.	Red Indian Falcon	82
		Great Butcher-Bird	ibid.
Elephant	50	Little Butcher-Bird	83
Goat	52		ibid.
Sea-Horse	., 54	Cuckow	86
Mountain-Cow	ibid.	Horn Owl	ibid.
Civit-Cat	. 55		
Gennet-Cat	ibid.		ibid.
Pole Cat	ibid.		ibid.
Common Cat	ibid.		87
Mice	58	Crofted Parrot	ibid.
Rat	ibid.	Macao	ibid.
Musk-Rat	ibid.	Rawen	90
Land-Tortoife	ibid.	Graw	ib d.
Opossum	159	Rook	91
Potto	ibid.	Tackdary	ibid.
Canti mondi	ibid.	Magpie	ibid.
Tatus	ibid.	Fay	94
Squirrels	60	Yowean	ibid.
Weefil	ibid.	Roller	ibid.
Lizards	. 6.3	:Woodpecker	95
Fernet	· ibid.	Nuthatch	ibid.
Marten	ibid.	Wall Creeper	ibld.
Crosodile	66	Ox-eye-Creeper	ibid.
C. 440mm	1.1.1.1	Ноорог	98
7.50	-	King fifter	ibid.
MARIR CRI	DC	Bee eater	ibid.
TABLE of BII	KDS.	Water-Ouzel	ibid.
OIDENE	andi mo	Offrich	99
OLDENE		Coffewary	ibid.
Black Eagle		Pracock	102
Ender Edgle	7.1	Turkey	103
Eagle called Morphno	ibid.	Cock	ibid.
Vulturine Eagle			ibid.
Vulture	73	Pheajant	Partridge
		2	urtilage

A TABLE of CREATURES.						
BIRDS.	Page	BIRDS.	Page			
Partridge	106					
Quail	ibid.	Woodcock	ibid.			
Turele Dove	.107					
Stock-Dowe	ibid.	Godaoit	ibid.			
Pigeons	ibid.	Curlen	ibid.			
Miffel-Bird	FIO		138			
Thrush	ibid.	Lapwing	ibid			
Blackbird	111	Savan	ibid.			
Radioing	ibid:	Goofe				
Fieldfare	ibid.	Duck	ibid.			
Stare	114	Wigeon	ibid.			
Ring Ouzel	ibid.	Knot	ibid.			
Martin	ibid.	Ruff	140			
Black Martin	ibid.	Tamatia	ibid.			
Stuallow	Pag	Coot	ibid.			
Redflart	ibid.	Plane	143			
Robin Red-breaft	1/18	Doronel	ibid.			
Sky-Lark	ibid.	Water Hen	ibid.			
Wood-Lark	119	Toal .	146			
Crefted-Lark	ibid.	Pelecan	ibid.			
Nightingale	ibid.	Cormorant	ibid.			
Virginia Nightingale	122	Shap	147			
Black-cap	ibid.	Cornish Chough	ibid			
Humming Bird	ibid.	Scare- Crow	ibids			
Wren	123	Cock of the Mountain	ibid.			
Titmouse	ibid.	1	20201.			
Indian Sparrow	ibid.	100	-			
Parrakeet	126	TABLE of FLS	HRC			
Foolish Sparrow	ibid.	1	11 15 00.			
Common House Sparron	v ib.	TATHALE	150			
Bullfinch	ibid.	VV Shark	153			
Goldfinch	127	Pilot Fift	156			
Linnets	ibid.	Remora	ibid.			
Yellow bammer	ibid.	Dotphin	157			
Water wagtail	ibid.	Flying Filb	ibid.			
Canary Bird	ibid.	Sea Unicorn	160-			
Crane	130	Picked Dog	ibid.			
Balearick Crans	ibid.	Porpeffe	ibid.			
Heron	131	Savord Fift	16%			
Bittern	ibid.	Sheat Fift	164			
Stork	134	Sea Wolf	ibid.			
	-	*	Butter			

A TABLE of CREATURESA

A LABLE OF CREATURES.						
FISHES.	Page.	FISHES.	Page			
Butter Filb	165	Pike	188			
Trumpet Fish	ibid.	Bream	189			
Sun Fift	ibid.	Sea Tertoife	ibid.			
Sea Adder	ibid.	141				
Father Lasher	ibid.	The state of the s	170.00			
Miller's Thumb	ibid.	TABLE of SE	DENITE			
Sea Fox	168	and INSE	PE ENTO			
Mank Filb	ibid.	Sud HARE	LI STATE OF			
Turbot	ibid.	RAGON	S 191			
Plaife	169	Dart	193			
Dab	ibid.	Cockasrice	ibid.			
Flounder	ibid.		195			
Sole 1		Ruttle-Snake	1196			
Cod Fift		Salamander	ibid.			
Haddock		Viper	198			
Whiting	ibid.	Frogs	199			
Ling	ibid.	Toad	?bid.			
Mackrel	173		1-1-5			
Herring	ibid.	Of INSE	CTS.			
Sprat	ibid.					
Smele:	176	Caterpillars	201			
Poggs	ibid.		ibid.			
Sea Gudgeon	ibid.	Lause	203			
Lump	ibid.	Flea	200			
Grayling	177	Bee	206			
Salmon	ibid.	Scorpion	211			
Gîlt Charre	180	-Grhishopper 7				
Salmon Trout	ibid.	Spider .				
Trout	ibid.	Hornet				
Tabacco-pipe Fift	181	Fly	Law Marian			
Harn Filb	ibid.	Dragen Fly				
Anchovy	ibid.	Gnat >	211			
Old Wife Fife	184	Wasp				
Cavallo	ibid.					
Carp	ibid.	Ear-wig				
Sturgeon	185					
Silver Fish	188					
Gold Fish	ibid.	The Mermaid 1				
Lady Fish	ibid.		707			
191			an A			





ALION .



A LIONESS.



A JACCALL

A DESCRIPTION of

BEASTS.

BOOK I.

Of Quadrupeds, or Four-footed Beafts.

HE LION, jufily filed by all Writers T the King of Beafts, is generally of a dun Colour; but not without fome Exceptions, as black, white and red, in Ethiopia, and fome other Parts of Africa and Afia. The Hair of some of them is curl'd, and some long, shage ged and thin. His Head is vastly large and strong; his Nose thick, his Mouth very wide; his Eyes are red, fiery, and hollow, not very round, nor long, looking awry. His fore Feet have five diffind Claws on each Foot, and the hinder but four; all crooked, fharp, and exceeding hard. His Sight and Smelling are very acute, and he fleeps with his Eyes open. He can't endure Fire. When other wild Beafts hear his terrible roaring Noise, all are surprized with Fear, and dare not stir; tho' he is not without his Fear of fome Creatures, fuch as (is reported) the great Dogs of India, &c. with which they hunt and kill Lions. He is most commonly taken with Nets and other Snares. Lions are thought to be long-liv'd, because many of them have been found toothless; but this is no certain Sign, as it may proceed from their corrupt Breath, or other Caufes.

2. THE LIONESS, the Female of the same Kind, is found in the same Countries, with the same Nature and Properties; but has no Mane at all, which is proper to the Male only, to whose Shoulders and Neck

tis a great Ornament.

3. THE JACCALL, or Wila Dog, (commonly called the Lion's Provider) though not much bigger

B

than a Fox, yet is fo fierce and bold, that it feizes on fuch Beafts, as Cows, Hogs, Sheep, &c. and fome-times it will attack a Man. It is reported, that when this Creature feizes his Prey, he makes an hidcous Noffe, which gives Notice to the Lion, who immediately comes, if within hearing; at whofe Sight the Jaccall goes a little affec, fell the Lion has fully faits-fied his Hunger, and marches off; and then returns, to leed on what the Lion has left. His Head is like a Fox's, and his Body like a Badger's.

- 4. THE PANTHER is in Shape fomewhat like a Lionefs, but not quite to large. His Hair is flort and amoffy: his Skin is of a bright yellow, beautifully mark'd with round black Spots, and is faid to fend forth a fragrant Smell, and bears a great Price. He is a very fierce and cruel Beaft, greedy of Blood, very fwift, and catches his Prey by leaping. It is the Nature of this Creature, in fome Places, to hide himfelf amongft the tick Boughs of Trees, and to furprize his Prey, by leaping upon it fuddenly. His Tongue, in licking, grates like a File.
- 5. THE LEOPARD is both in Shape, Nature and Colour, very much like a Panther, being spotted like shat Creature, and is said to be engendered between a Panther and a Liones, &c.
- 6. THE TIGER is in Shape fomewhat like a Lionets, but has a flout Nock. His Skin is beautifully footed, not with round Spots, like a Panther, nor with feveral different Colours. It is very wild and ferce, exceeding ravenous, and of a prodigious Swiftnes. He spares neither Man nor Bealt, but if he can faisfy his Hunger with the Fish of Bealts, he'll not attempt on Mankind. It is feldom taken but in Defence of its Young.
 - 7. THE RHINOCEROS, fo called because of the Horn in his Nose, is bred in India and Africa. His Colour is like the Bark of a Box-Tree. He is said to be in Shape somewhat like a wild Boar, and



PANTHER





A TYGER



A RHINOCEROS



AN UNICORN

not much unlike an Elephant; and near as long, but not fo high, having shorter Legs. He has two Girdles upon his Body, like the Wings of a Dragon, from his Back down to his Belly; one towards his Back and Mane, and the other towards his Loins and hinder Parts. His Skin is fo hard, that no Dart is able to pierce it, and covered over with Scales, like the Shell of a Tortoife. His Legs are also scaled over down to the Hoofs, which are parted into four diffinct Claws. The Horn upon his Nose is fo very hard and sharp, crooked towards the Crown of his Head, that some say it will pierce through Iron or Stone: He is faid frequently to whet his Horn against a Plint, &c. that he may be prepared, whenever he is attacked by an Enemy. He is a mortal Enemy to the Elephant, whom he feldom meets without a Battle; and aims chiefly at his Belly, being the foftest Place, which if he misses, the Elephant is too hard for him with his Trunk and Teeth. The Naturalists say, that he grunts like an Hog. The Manner of taking him being so variously and uncertainly related, I thought it not worth describing.

8. THE UNICORN, a Beat which, the doubted of by many Writers, yet is by others thus deferibed: He has but one Horn, and that an exceeding rich one, growing out of the Middle of his Forchead. His Head relembles as Hart's, his Feet an Elephant's, his Tail a Boar's, and the reft of his Body an Horfe's. The Horn is about a Foot and a half is Length. His Voice is like the Lowing of an Ox. His Mane and Hair are of a yellowith Colour. His Horn is as hard as Iron, and as rough as any File, twifted or curled like a flaming Sword; very fraight, tharp, and every where black, excepting the Point. Great Virtues are attributed to it, in expelling of Poifon, and caring of feveral Diffcafes. He is not a Beatt of Prey.

9. OF BEARS there are two Kinds, a greater and leffer; the latter of which is more apt to climb Trees. Mulcoup, and other Northern Countries produce white Bears, for the most Part of a very large

Size. The Head of a Bear is his weakest Part, as the Head of a Lion is the strongest. By a small Blow on his Head he has often been killed. His Mouth is like an Hog's, but longer; being armed with Teeth on both Sides, like a Saw. He will not willingly fight with an armed Man, but, when he does, he flands upright, and takes the Man between his fore Feet, and hugs him : but the Man, being covered all over with a Kind of Iron Armour, receives no Hurt; and may eafily, with a sharp Weapon, pierce through his Heart. He is generally taken with Nets, into which he is driven, or allured by a Stratagem. The Bear is a great Sleeper, and a fluggish, indolent Creature, yet not observed to be long lived; they should rather feem to be fhort-lived, from their very short Period of Gestation, or going with Young, scarce reaching to forty Days. 10. THE ANT-BEAR is a four footed Beaft, as

big as a pretty large Dog, with rough, dark brown Hair. It has fhort Legs, a long Nofe, little Eyes, a very little Mouth, and a Tongue like an Barthworm, five or fix Inches long. It feeds on Ant, and is commonly feen near an Ant's Neft. It takes its Food by laying its Nofe-down flat on the Ground, upon or near the Path that the Anst sravel in: and puts out his Tongue crofs the Path, the Ants pathing to and fro, when they come to it making a Stop, and, in a few Minntes the Tongue will be covered all over with Ants; which the Creature draws in fuddenly, and fo east them very greedily. It is to be met with

in feveral Parts of Armenia.

11. THE WOLF is a very ravenous Creature, and adangerous to meet with, when hungry, as any Beaft whatever. But, when his Belly is full, he is to Men and Beafts as meck as a Lamb. It inhabits the Mountains, except in Winter-Time, when it roars about the Gates of Cities and Towns; and kills both Sheep and Goats, & Cr. He is very fubil in feizing and destroying such Creatures as are stronger than himself. When he falls upon an Hogo, or a Goat, or such finall Bealts, he does not immediately





THE OUNCE



А КОМРО



A BUFFALO

kill them, but leads them by the Ear, with all the Speed he can, to a Crew of ravenous Wolves, who instantly tear them to Pieces.

- 12. THE OUNCE is a most cruel Beaft, bred in Libya, about as big as a Mastiff Dog, his Face and Ears being like a Lion's; his Body, Tail, Feet and Nails like a Cat's. It is of a very terrible Afpect. His Teeth are fo tharp and ftrong, that he can bite Wood afunder with them. His Claws are a good Defence, being, like his Teeth, both fo sharp and strong, that he fights with them. The Colour of the upper Part of his Body is like whitish Oak, the lower Part of an Afh-Colour, being every where covered with black Spots; but his Tail more black than the rest of his Body, with large Spots. It is very ravenous, hates and destroys all Creatures he can master, especially Men. The Gall of this Beaft is deadly Poison.
- 13. A ROMPO, or Man-Eater, is fo called because he feeds upon dead Men,; to come at which he greedily grubs out the Earth off their Graves, as if he had Notice of some Body there hid. He keeps in the Woods; his Body is long and slender, being about three Feet in Length, with a long Tail, at the End of which is an hairy Sort of Brush. The Negroes fay, that he does not immediately fall on, as foon as he has found the Body, but goes round it feveral Times, as if afraid to feize it. Its Head and Mouth are like an Hare's; his Ears like a Man's; his fore Feet like a Badger's, and his hinder Feet like a Bear's .: It has likewife a Mane. This Creature is bred in India and Africa.
- 14. A BUFFALO has an Head like the Head of an Hart. His Horns are branched, and ragged. His Body is, for the most Part, like a wild Ox's; and about the same Size. His Hair is deep and harsh, like a Bear's. His Head is so hard and thick. that the Scythians make Breast-plates of it, that no Dart can pierce through. It is reported of this Crea-

A Description of BEASTS.

II

ture, that when he is hunted, or put into a Fright he'll change his Colour to the Colour of every Thing he fees; as, among Trees he is green, &c. He is bred in Tartary, Poland, &c. He is moftly valued for his Hide, which is much efteemed in all the cold Coustries, efpecially in England, whereof our valiant Trained Bands frequently make their military Coat, Belt. &c.

15. The BULL is a very firong, fierce Creature; its Strength, in all Parts of his Body, is very great; but efpecially about the Head and Neck. His Forehead feems to be made for Fight, having fhort thick Horns, with which he can tofs up itto the Air a large Dog, &r. which he furioudly receives again as it falls, and fo gores it fonctiones with his Horns, that at length he deftroys it. Bulls are Enemies to all Beafts of Prey, as Lions, Bears, Wolves, &r. The Roaring of a Bull is very dreadful. The Bull is very fhort-lived for his Size and Strength, fearce exceeding fixteen Years.

16. The COW is the Female of the aforefaid Kind; fomewhat shorter-lived than the Bull. She has feldom more than one Calf at once; and goes about fix Months. Her Nature and Ufe being fo well known, there needs no farther Defcription.

17. The OX is a flrong Creature, yet very genule; of great Ufe in Hulbandry, fuch as drawing the Plow, Cart, & C. His Flesh is excellent Food: His Hide is made into Leather, for feveral Ufes. There are Oxen in all Parts of the World. Those of Egypt, about the River Nile, are as white as Snow, of exceeding Stature; yet so meek and gentle, that they are eafly governed by Men. This Creature, as well as the Bull and Cow, is of a fluggish and fleshy Nature, that eafily grows fat, and feeds wholly apon Herbage.



A BULL



18. A HORSE is a very fine flately Beaft; and one of the most useful Creatures to Man. This Creature is bred now in most Parts of the World. The Horses of Turkey, Arabia, and Persia, are accounted better limbed and proportioned than many others: but the English Race may juftly claim the Precedence of most European Nations, and are not, perhaps, inferior in Strength and Beauty to those of any other Country. The Horse is a sagacious and docile Animal, fierce and courageous in War. It is faid, that it was very much owing to Horses, that the Spaniards gained fuch large Acquifitions in America; for, when first the Natives saw a Man on Horseback, they thought the Man and the Horse to be one individual Creature; which struck them into a very great Terror. The Horse shares a middle Life, scarce attaining to forty, and usually not to more than twenty; but this Shortness of Life he probably owes to Men : For the Breed of the Sun is now no more, that ranged at large in fresh Pasture; yet the Horse continues growing till Six, and generates in old Age. The Mare also goes longer with Young than the Woman : and but feldom foals double. It is wholly superfluous too nicely and particularly to describe the several Parts and Properties of this Creature, which fall almost under every one's Observation. 10. An ASS is a Beaft of Burden, very ferviceable

10. As A SS is a Bealt of Burden, very ferviceable to Mankind in carrying a Man, and fuch Utenfils as he pleafes to lade him with; of greater Strength than moil Animals of his Size; but of a fluppid and fluggiff Nature. The Female is much effectmed by Physicians, for its Milk, in Confumpions. This Creature is ufually of a dun Colour, and has the Form of a Crofs upon its Back and Shoulders. He has nearly the fame Age as the Horfe. To be more particular, in defcribing a Creature for well known, is altocether needlefs.

20. A MULE is a Beaft of a mixt Nature, engendered of a Mare and an Afs, and refembles an Afs more than an Horfe; having long Ears, a Crofs upon the Shoulder, fmall Feet, and lean Body; but in mod other Refpedis 'tis like an Horfe. I don't propagate at all. The Mule is longer lived than either the Horfe or Afs.

21. A FOX is produced in most Countries; nor does one of them differ much in Size from another, but much in Colour. In Muscowy, some of them are black, some white, and others red. The Abode of this Creature in the Day-Time is in Holes of the Earth, which he never is at the Trouble of making ; for the Fox by leaving his Excrements in the Badger's Hole, or Den, thereby takes Poffession of it for himfelf, the Badger never caring to come into it any more. The Fox feems well provided for long Life, as being well covered, of a greedy Appetite, and living under Ground, yet he is not observed to be long-lived. Doubtless he is of the Dog Kind, which is but shortlived. The Male of this Species will fometimes couple with a Bitch, and the Female with a Dog. When he is hunted, and the Dogs are ready to take him, he is faid to urine upon his Tail, and strike it into the Faces of the Dogs. And as many as he touches with his piffed Tail commonly leave off the Chace, unless very good of the Kind. But, his Wiles and Stratagems being fo numerous, I shall forbear to fay any more of him or them.

22. A RACOON is a Monkey, lefs than a Fox; is grey-haired, has a large black Eye, with Whifters, and Nofe like a Pig, Tail and Feet like a Rat, a brownish Fer on his Back, and a white Belly. It is very prejudicial to Poultry.

23. THE SAGOIN is about the Size of a Rabbet, of a grifled Colour, a Tail like a Rat, Feet like a Squirrel, Face almost like a Martin, a short round Ear, and in other Respects like a Monkey. 'Tis bred in Brazil in South-America.'

24. THE BERBE (called by Europeans Winsbibber, because 'tis very greedy of Palm-Wine) is almost like a Cat; only its Snout is much tharper, and the Body smaller, and spotted like the Civet Cat.



A RACOON



THE BERBE



PORCUPINE



A BADGER



HEDG HOG

25. A PORCUPINE grows to the Height of about two Feet and an half. Its Bite is fo flarp, that no wooden Work, as fome fay, can withfland it. It is fo daring, that it will encounter the moit dangerous Snake. When it is provoked, it fhoots its Quills, which are about two Spans long, at Man or Beath, with funch Volence, that, if they happen to hit on a Board, they will flick in it; which Difcharge of those Weapons of Artillery, which Nature hath provided for its Defence, if too often repeated, tends to its own Defruction. Its Flesh, in those Countries where it breeds, is esteemed by the Natures as good Food.

26. A BADGER is of two Kinds; one Sort like a Dog, the other like a Swine: It differs likewife in the Shape of the Snout, one refembling a Dog's, the other an Hog's; the former of which eats Fleth and Carrion, like a Dog; the latter Froit and Roots, like a Swine. Tis about as big as a Fox, but of a florter and thicker Body. His Skin is hard and rugged; his Hair hardh and flubborn. His Back is broad; his Legs are longer on the right Side than the left. His Teth are prodigious sharp; and, when he fights with a Dog, he uteth his Teeth and Nails, which are both very flarp.

27. A HEDGE-HOG is about the Bigness of a Rabbet, but more like an Hog; being covered alk over with sharp thorny Hair, as well as on the Face and Feet, and those sharp Prickles covered with a Kind of foft Moss; but, when 'tis angry, or gathers its Food, it strikes them by natural Instinct, as sharp as Pins, or Needles. He has two Holes under his Tail to discharge his Excrements; which no Creature living has besides. His common Food is Apples, Worms, or Grapes. It is reported, that when he finds Apples on the Ground, under the Trees, he rolls himself upon them, until he has filled all his Prickles. and then carries them to his Den; never having above one in his Mouth. When it is apprehentive of Danger. it draws itself up as round as a Foot-ball; so that nothing appears but the Prickles.

23. The HYENA, of which there are feveral Sorts, is, in Cefarea, about the Size of a Pox; it has Brilles like an Horie's Manco on its Back. It is faid, it can change the Colour of its Eyes at Pleafure, a thouland Times in a Day. When it is very hongry, it enters the Graves of Men, and eats their dead Bodies; yet its Flein, in Syria, Demofus, &c. is eaten by Men. Its Pect and Legs are like a Man's; its Colour like a Bear's; and is hought to be engendered of a Bear and a Dog. It is a Beaft of great Subtility, that barks and makes an indeous Noise in the Night. This Creature is faid, when it goes to drink at the River Nile, to take a Sup and away. For feat of the Crocodile.

29. THE MANTICORA, (or, according to the Perfinus, Mantiora) a Devouter, is bred among the Indian; having a triple Row of Teeth beneath and above, and in Bigness and Roughness like a Lion's; as are also his Fect; Face and Ears like a Man's; his Tail like a Scorpion's, armed with a Sting, and sharp-pointed Quills. His Voice is like a fmall Trumpet, or Pipe. He is so wild, that 'cis very difficult to tame him; and as swift as an Hart. With his Tail he wounds the Hunters, whether they come before or behind him. When the Indian take a Whelp of this Beath, they bruike its Buttocks and Tail, to prevent its bearing the sharp Quills; then it is tamed without Danger.

30. AN ANTELOPE is as large as a Goat, of a Chefinst Colour, and white under the Belly. His Horns are almost firsight from his Head up, tapering gradually, with Rings at a Distance from one another, till within an Inch and half of the Top. It has fine large black Eyes, a fong and flender Neck, Peet, Legs, and a Body finaped like a Deer. There are many in an Herd; when at the fame Tinhe they have Scouts, who by running give them Notice of an approaching Foe. They are generally thot, Gr. being too fwilf for a Grey-hound.











THE ALLOCAM ELUS

21. THE LAMIA, concerning which there are many fictitious Stories, is (according to the Opinion of fome Writers) the Creature mentioned in the 24th Chapter of Haiah, called in Hebrew Lilish: as also the same which is mentioned in the 4th of Lamentations. It is thought to be the swiftest of all four-footed Creatures, fo that its Prey can feldom or never escape it: And by its Fraud it deflroys Men, for, when it fees a Man, it lays open its Breaft, and entices him to draw near; and, when it has him within Reach. it falls upon him and devours him. It is faid to be bred in Libra; and to have a Face and Breafts like a very beautiful Woman. It has no Voice but that of hiffing like a Serpent. Its hinder Parts are like a Goat's, its fore Legs like a Bear's : its Body is scaled all over. It is faid, they fometimes devour their own Young.

32. The ELKE is twice as big as an Hart, and bigger than an Horfe in Norway, Nowedon, &c. It is tamed, and put into a Coach, Chariot or Sledge, to draw Men thro great Snows, and upon the Ice. It is fail to be more fewfr, and to run more Miles in one Day than a Horfe can in two. This Creature was formedly uffed to be prefenced to Princet, and much effecen dir for its fingular Strength and Swiftnefs. Its Forenead is broad, and has two very large Horns: The Female has likewife Horns. His Neck is fhort, but thick, his Ears and Back very long. Its Colour is generally like an Hart's, but fometimes all white. Its Horns weigh twelve or forteen Pounds. There is great Virtue afribed to its Hoof in Medicine.

33. THE ALLO CAMELUS is a Beaft of Pere; it is about two Yards high, and about five Feet in length: His Head, Neck, a'd Ears, are like a Mule's; but his Neck as white as a Swaris, his other Parts of a yellowlift Colour: His Body is like a Camel's, and Feet like an Othrich's. It has no Horns. The Males difeharge their Urine backwards.

94. A SHERP is a Creature univerfully known, being one of the chief for human Food. Its Wool is of great Ule for Cloathing. Most Countries have Plenty of this Creature, but none exceed the English Sheep. They feldom live ten Years, tho' a Creature of a moderate Size, and well covered; and flaring but a very fmall Proportion of Gall, yet their Coat is exceeding; by curled, beyond that of any other Animal. The Ram generates not till the third Year; and continues fit for Generation to the eighth. The Ewe continues to bear as long as the lives. This a Creature fullyef to Diffesfes, and feldom lives out its full Courfe. She goes with Young about twenty Weeks.

The African Sheep are shaped like ours, but not near so big: They have no Wool; but that Want is supplied with Hair; so that here the World seems inverted, the Sheep being hairy, and the Men woolly. They are but a sir and indifferent Sort of Meat.

35. The STREPSICEROS is a Kind of Sheep bred in Crete, not unlike our common Sheep, its Horns excepted, which grow and shoot straight out, like the Unicorn's, being curied about with Wreaths, like the Goat's Horn. This Creature is about as big

as an Hart, having likewise red Hair.

36. The IBEX, taken by some to be a wild Goat, is bred in the Alps. 'Tis of an admirable Swiftness, tho' its Head is loaded with Horns, as no other Beaf of its Stature wears, being fix or seven Spans long. His Hair and Neck are like a Buck Goat's, with a long Beard; the other Parts of his Body resemble thoie of an Hart. It inhabits the Tops of Cliffs, Rocks, and Mountains.

37. The MUSMON is not unlike a Sheep, except in the Wool, which relembles rather the Hair of a Goat. It is bred in 8pain and Corfica, and is faid to be begotten betwixt a Ram and a Goat. His Breath is rough and hairy, his Horas bend backwards only to his Bars. It has a very floort Tail. It is not infection in Swiftness to any other Beath. It frequents the steep Mountains, and feeds on Grass and Herbs. Its Fleth is reckoned very good to eat.

38. THE





A BABOON





28. THE BABOON is commonly black and hairy, rough fkin'd, has red and bright Eyes, a long Face like a Dog's; but his Teeth are both longer and stronger. His fore Feet are armed with very strong Nails. He is very swift, and hard to be taken. Some of them delight in Fishing, and will stay a great while in the Water hunting for Fish, which they catch in great Abundance, and lay up in Store. The antient Egyptians held these Creatures in great Veneration, and kept them in their Temples. It is a Lover of Sheep and Goats, and drinks their Milk. It knows how to take the Kernels out of Nuts, well as a Man. It will also drink Wine, and eat human Food. It is very furly and ill-natured. It will imitate a great many of human Actions; loving, as is faid, wonderfully to wear Garments, and will, of its own Accord, cloath himfelf with the Skins of fuch Creatures as he kills. It will fland upright, or fit down, and in many Things will behave, as if it had some Degree of rational Under-Standing.

39. MONKEYS are bred in many Countries, and are of various Sorts and Sizes. There are some in the Bah-India sinely spotted. Monkeys, when wild, seed chiefly upon Nuts, Apples, &c. but when tamed, will eat many Sorts of human Food. They are very expert in climbing, mischievous and unlucky; and participate much of the subtle Nature of Apas and Bahoons.

27 A Description of BEASTS.

40 As APE (the most common Sort of which is that called Smitton) is of a pale Mouse-Colour, and grows to a wonderful Size, some of them being five Feet long. It is so bold and mischievous, that it will attack a Man. The Negroes are so filly, as to believe these Apes can speak, but will not, left they should be fet to Work, which, they suppose, they don't like. Baboons and Monkeys have Tails, but the Apes rome.

41. The BEAR-APE, a very deformed Beaft of Manrica, has his Belly hanging very low, his Head and Face-like a Child's, his Skin of an Afh-Colour, and Hair like a Bear's; he has but three Claws upon a Foot, as long as four Fingers, whereby he climbs up the highest Trees, and for the most Part lives upon the Leaves of a certain Tree common in those Parts. It will not eat the Flesh, nor attempt the Life of Man: But, when tamed, is very fond of Mankind. He does not feem wet, tho' he has been long in the Rain.

42. THE FOX APE is in the fore Part like a Fox, and in the hinder Part like an Ape. Under the common Belly it has a Skin like a Bag, wherein it keeps, lodges, and carries its Young, till they are able to provide for themfelves. Neither do they come out of that Receptuale, except it be to fack the Dam, or fport themfelves; fo that it is the beft Shelter against all its Enemies. For it is exceeding fwift in running with that Load, as if it had no Burden at all.





THE BEAR APE



THE FOX APE



THE LYNX



A CAMELEON

43. THE LYNX, by some esseemed the same Creature with the Ounce, has from others met with this following Description. It is about as big as a Lamb of two or three Years old. His Head, Mouth, Feet, and Nails, are like a Cat's. His Beard hangs down on both Sides, divided in the Middle, being of fundry Colours. His Tail is short and thick. His Ears are erected upright as the Ears of a Cat. His Colour in the outermost Parts is red; in the innermost white. sprinkled with black Spots; and on both Sides his Nose there are four Spots set in Order. In the upper Lip, on both Sides, are white Hairs, rougher than those in a Cat, or Lion. He is a quick-moving Creature, and hardly ever known to stand still. His Skin is effeemed and used by Nobles. He is loving and gentle to his Keeper, and not cruel to any Man.

44. A CAMELEON is very rare to be feen. It is firmly afferted by some Naturalitis, that it lives on Air. Tho' others have afferted, from their own Experience, as they affure us, that upon the Diffection of this Animal, Flies have been found in its Belly ; from whence it feems reasonable to conclude, that, however it may live some Time by sucking in the Air, vet that is not its only Nourishment. It is faid frequently to change its Colour, very often three or four Times in Half an Hour, which commonly is grey. The Colour it mostly changes to, is a very fine green, spotted with yellow. Its Skin is very thin, and almost transparent. Its Tongue is as long as its whole Body. It is faid to be fo timorous, that, when it descends from any Height, it moves very cautiously, and curls its Tail, by which it can hold fast about some Thing or other in its Way, lest it should flip. This Creature is like a Lizard.

45. THE ROE BUCK is a Beaft commonly found in most Countries, being a Creature of a pretty large Size. The Male has large branched Horns, but the Female has none. It is commonly brinded, or fandy on the Back, &c. having a black Streak down the Back. Its Tail is about as long as a Calf's. Its Belly and Sides are spotted with white, which Spots it loses in old Age. Its Flesh is good for Nourishment : but its Blood, when eaten, occasions Melancholy, Its Swiftness is very furprising.

46. THE HART has his Face fleshy, his Nostrils flat, his Neck very long, his Ears pretty large, and Florns twenty Inches long at most, somewhat branched like those of the Roe-Buck. This Creature is bred in many Countries, but the British feem to have the Preference of most. The Hind, the Female of this Creature, has no Horns. Every Year, in the Month of April, the Hart sheds, or loses his Horns, and having loft them, he hides himfelf in the Day-time in flady Places, to avoid the Annovance of Flies, and feeds only in the Night, till his new Horns sprout out and harden. He is a great Enemy to all Kinds of Serpents, which he labours to deftroy wherever he finds any, but is afraid of almost all other Creatures. His Flesh is accounted excellent Food, and, as well as his Horns, is esteemed good in Physic. Little need be faid of the Pleafure taken in hunting this Creature and the Roe-Buck, it being a Matter fo well known.

THE STAG is vulgarly famed for long Life, but upon no certain History. There goes a Report of a certain Stag found with a Chain about his Neck, buried in Fat. That he should be a long lived Creature scems less probable, because he comes to his full Growth at five, foon after which his Horns, which are yearly shed and renewed, grow from a narrower Basis, and less branching.



THE HART



WILD BOAR



47. THE WILD BOAR inhabits, for the most Part. Marshes and Woods; and is commonly of a black, or brown Colour. His Tufks, when living, cut like sharp Knives; but, when dead, lose their Keenness. It is said, when this Creature is hunted down, his Tufks are fo inflamed, that they will burn and finge the Hair of the Dogs. His Tail is thort: and his hind Feet are (fome fay) not cloven, but stand upon one Claw. His Flesh is very tender, and good for Food. The hunting the Wild Boar is dangerous to Men and Dogs, both having been killed fometimes in the Pursuit of this fierce Beaft.

48. THE SWINE is bred in most Parts of the World. Its Skin is all over rough and hairy, not fo thick as an Ox's, yet much longer and stiffer, standing up on the Ridge of the Back. This Sort of Animals differ in Colour, according to the feveral Countries wherein it is produced. The Swine in Germany are for the most Part red, in France and Italy black, and in other Parts, of various Colours. The Snout of this Creature is long, strong, and broad, to cast up the Earth for its Food; having on the Tip a rifing Griftle, round and picked at the End, between the Nostrils, wherewith it first enters the Ground in digging. Upon its under Chap, there are Teeth which grow out of the Head of the Male, which the Female hath not. For, as the Elephant has two Teeth growing downward, fo has the Boar two growing upward. As the Horse has his Mane, so has the Swine flrong Briftles on his Neck; which Neck is broad and thick, wherein lies the Strength of the Beaft. The Swine of Italy and Germany, chiefly feeding on Acorns. are generally effeemed the best Food. The Hog fometimes lives to fifteen, or even twenty Years; and tho' its Flesh be the moistest of all Animals, yet this feems to contribute nothing to the Prolongation of Life. But for the Wild Boar, there is no certain Account of him.

40. THE CAMEL, of which there are divers Sorts, is diffinguished according to the different Countries, which produce this Animal. In India it is faid to be bred in the Mountains; and hath two Bunches on its Back, and one on its Breaft. His Colour is for the most Part brown : yet there are Heids of white. Its Feet are fleshy, like a Bear's, and are shod with Leather when it travels. There is an Herb, which has a Seed like a Myrtle Seed, that is poisonous to Worms, vet it is Food for Camels. It will not drink clear or clean Water, but that which is flimy, or muddy. It will endure Thirst for some Days; for which Reason it is more useful for Travellers than Horses, in the Libran or Arabian Deserts: When it drinks, it takes a very large Quantity. The Camel is long-lived; a lean finewy Creature, that commonly reaches to fifty, and fometimes to a hundred. It is faid to be so chaste by natural Instinct, that the Male will not cover its Dam, &c. Of its Hair is made Camblet. Camel's Milk is the thinnest of all others; and is therefore very wholesome for Food. There are feveral medicinal Virtues in Camels. These Creatures are produced in great Plenty in Arabia, &c.

50. THE DROMEDARY is like a Camel, of less Stature, but much swifter; and has but one hard Bunch on his Back. It cheweth the Cud. It is a very tall, large Creature. Its upper Lip is cloven in the Middle like a Hare's; and it has two broad Nails on his Feet, which in the upper Part appear cloven, but underneath whole, round and fleshy, without Division. It has an hard Bunch on its Breast, whereon it leans, fitting down and rifing; and also one npon each Knee. It is faid to live fifty or fixty Years. This Creature was formerly used to draw a Chariot. and presented to Princes: and in Time of War, every one carried two Archers, who fat upon him Back to Back, shooting their Darts, one against the Front of the Enemy, and the other against the Followers. It is faid to travel an hundred Miles in a Day, and to carry a Burden of fifteen hundred Weight; bending his Knee, like the Camel, to take up his Load and Rider. 51. THE





DROMEDARY



A MASTIFF



A BULL DOG



GREYHOUND

- 51. THE MASTIFF-DOG is the largest of the whole Species, vaftly firong, and fierce. It is chiefly used for guarding Houses, especially in Country Places, against Thieves and Robbers: and fometimes by Drovers, and oftentimes for baiting of Beafts.
- 52. THE BULL-DOG is much less than the Mastiff, but not inferior in Fierceness. It has a pretty large Head, Neck, and Breast. Those of a brinded Colour are accounted the best of the Kind. This Creature will naturally run at, and feize the fiercest Bull, without barking, running directly at his Head, and fometimes catching hold of his Nose, and pin the Bull to the Ground, and make him roar in a terrible Manner; nor can he. without great Difficulty, be made to quit his Hold. Two of these Dogs, let loose at once, are thought to be a Match for a Bull, three for a Bear, and four for a Lion.
- 53. A GREYHOUND has a long Body, a neat tharp Head, a full Eye, a long Mouth, tharp Teeth, little Ears, with thin Griffles in them, a straight Neck, and a broad and strong Breast; his fore Legs are firaight; his hind Legs also long and firaight; his Shoulders broad, Ribs round, strong, and full of Sinews, and taper about the Belly. He is the fwiftest of all Dogs. The best Time to try him, and train him to his Game, is at twelve Months old. He courses by Sight, and not by Scent, as other Hounds do. He is faid to outlive all other Kinds of Dogs.

54. The English BLOOD-HOUND is larger than the Beagle, or any other hunting Hounds. It is of the Colour of other Hounds, being red and black, and white spotted, but most commonly red and brown. It has long Ears, and seldom barks except in hunting, and then will follow its Game through Woods, Thickets, Gr. and never leave what it is in Pursuit of, for any other, till it kills; which it seldom fails to do. It is employed in hunting the Hare, Fox, Hart, Badger, Gr.

55. The SPANIEL is another Kind of finelling Dog, very docile, that may be taught to do very furprizing Tricks, fuch as fetching, carrying, &c. There are two Sorts, ene called a Water-Spaniel, and the other a Land-Spaniel: The first of thele is very excellent at hunting of Otters, Ducks, &c. and will watch the Stroke of a Gun, and, as foon as the Fowler shoots a Fowl in the Water, will instantly go after it, and bring it to his Maffer.

56. THE LAND-SPANIEL is used in settingfer Partridges, Hawking, &c. and, in regard to its Usefulness for such Kind of Sport, is escensed andvalued more than most other Dogs. The Colour and Size of this Creature are so well known, that there need be no more said about them.

The DOG is a short-lived Creature, that lasts not above twenty Years, and seldom sees sourcen. He is hot, and lives unequally; as being often in violent Motion, and then sleeping. The Bitch has many young ones at a Litter, and goes with them nine Works.



BLOOD HOUND



A WATER SPANIEL



LAND SPANIEL



THE BISON



THE WHITE SCOTISH
BISON

C7. THE BISON, or Wild Ox, is bred chiefly in the Northern Parts of the World, viz Muscowy, Scythia, &c. It is as big as a Bull, or Ox; being maned about the Neck and Back, like a Lion; and his Hair hanging down under his Chin, or nether Lip, like a large Beard; and a Rifing, or little Ridge, down along his Face, from his Fore-head to his Nofe, very hairy. His Horns are large, very fharp, and turning up towards his Back, like those of a wild Goat on the Alps. It is of such great Strength, that it can (if some Writers may be believed) tofs an Horse and Horseman. With its Tongue, which is hard and rough, like a File, it can draw a Man to him, whom by licking he can wound to Death. Its Hair is red, yellow, or black; its Eyes very large and fierce. It fmells like a Musk-Cat. Its Flesh is very fat in Summer-time, but not good to eat, being frong. The Blood is thought to be the pureft in the World, excelling in Colour any Purple.

58. The white Scatifib BISON, or Wild Ox, is maned about the Necks, like a Lion; but in other Parts like a common Ox. The Animals of this Kind once overfpread the Woods of Callinder, or Caldiar; but now they are all flain, except in that Scatifib Part which is called Caminnal. The Bifon is fail to dread and abhor Mankind to that Degree, that he will not feed on any Grafs or Heebs, if he can differ many Days together. If he meets a Man, he prefently makes at him, fearing neither Dogs nor Spears, nor any Kind of Weapons. It is excellent Food; and used formerly to be very acceptable to Perfons of the first Rank.

CQ. THE CAMELOPARDAL is bred in Ethiopia, India, Georgia, &c. The Head of it is like a Camel's; its Colour, for the most Part, red and white, beautifully mixed together, and the Skin full of Spots. It has two little Horns upon its Head, of the Colour of Iron; has a fmall Mouth, like an Hart's; a Tongue near three Feet long, and a Neck of divers Colours, of a very great Length, which he holds higher than a Camel's, and is far above the Proportion of his other Parts. His fore Feet are much longer than his hinder. His Pace is different from all other Beafts; for he moves right and left Feet together. This Creature is like both a Camel and a Paother. The Skin of this Beaft is very valuable. It is a folitary Beaft, and keepeth in the Woods, if it be not taken when it is young. It is very tractable, and eafy to be governed, fo that a Child may lead it, with a small Line or Cord about its Head. The Flesh of this Creature is good Meat.

60. THE REIN-DEER of Lapland is somewhat bigger than a Stag; with Horns branching out into feveral fmall ones; Feet thick, like a Bull's; Colour near an Afh. but white on the Belly and Haunches. It refembles more an Ass than a Stag. Though its Hoof be cleft, it does not chew the Cud. It is naturally wild, but tamed for domestic Service, fuch as drawing a Sledge, Cart, or carrying of Burdens. In the Summer-time it feeds on Grafs, and Leaves of Trees; and at other Times on a Sort of white Mofs, which that Country abounds with: When the Mountains are covered with Snow, it scrapes out this Moss with its Feet. It goes a rutting about the Middle of September, and goes with Young ten Months, and breeds one at a Time. It is at its full Growth at four Years; and feldom lives above ten. With the Milk of this Creature they make Cheefe, but no Butter







RABBET



MOLE

61. THE HARE has every Limb and Part of it made for Swiftnefs. Its hinder Legs are longer than its fore Legs. It always looks backwards when purfued. It has, like all fearful and unarmed Creatures, long Ears; that, from the Advantage of Hearing; it may avoid its Enemies by Flight. The Hare and Rabbet fearce last feven Years; they are both great Breeders, and have many Young at once. They differ in this, that the Rabbet lives under Ground, and the Hare above; and that the Fligh of the Hare is the darkeft.

62. The RABBET is bred in mof Countries, but few have greater Plenty of them than Evgland. It is almost like an Hare, except in it. Head and Tail, which are shorter; and in its Colour, which is brighter. There are Rabbets of several Colours, as white, black, &r. The Rabbet begins to breed in England, at a Year old, and bears every Month, or, at least, seven times in a Year. Its Skin is much esteemed for several Uses, as its Flesh is for Food. The Male will kill the Young, if it can get at them; to prevent which, the Female will cover her Litter with Gravel, or Earth.

63. THE MOLE is about the Bignefs of a Rat. The Snout is like an Hog's; its Feet are like a Bear's, and Legs short; its Foes, with which it digs up the Earth, have sharp Nails. It lives in the Earth upon Worms. It has no Ears that can be difference; yet it hears in the Ground perfectly well, It is generally of a blacking Colour, with short smooth Hair, and soft as Wool. Its Eyes are commonly shut, or covered.

64. An OTTER is an amphibious Animal, that lives both on Land, and in Water; yet it never goes into the Sea. It abounds in all Nations, where there are Rivers, or Fish-pools, as Italy, France, Germany, Enoland, &c. It is less than a Beaver, and resembles it in most Parts, except in the Tail. It has a rough Skin, and the Hair of it is very foft and neat. like the Hair of a Beaver, and of a Chefnut Colour, Its Feet and Tail are like a Dog's, and Teeth very sharp. Though it lives in and upon the Water, yet it is forced to take Breath. It is exceeding fwift in Purfuit of its Prey, which are melly Fish, with which he fills his Den fo full, that it flinks to that Degree, as to corrupt the Air. In the Winter-time it lives chiefly upon Land, and feeds upon Fruit, Bark of Trees, &c. It is hunted with Dogs, and by Men with fharp Spears.

6c. THE BEAVER builds an House as the Musk Rat, only much larger; and with Timber makes Dams over narrow Rivers, to catch Fish, by flanding to watch them thereon, and jumping upon them on a sudden. It is a very subtle Creature; and there is an orderly Government among their Species. In their Works each knows his proper Business and Station: and the Overfeers beat those young ones that loiter, and will make them work floutly. It is about the Size of a Fox, or a Badger. His Head is fhort, his Ears are very small and round; its Teeth very long, the under Teeth standing out beyond its Lips three Fingers Breadth, and the upper about half a Finger's, being very broad, crooked, sharp and strong. His fore Feet are like a Dog's, his hinder like a Goose's; but the Tail is most strange of all, being covered over with a Skin, like the Scales of a Fish, and is in Shape like a Soal, about fix Fingers broad, and half a Foot long. It lives both in the Water, and on the Land.



AN OTTER



THE BEAVER



66. THE ELEPHANT is bred in the hot Eaft and South Countries: That of India is the largest, being about thirteen Feet high, and seven broad ; and is much the largest of all Land Animals. It is for the most Part of a Mouse Colour, or black. The Skin is fo hard, that a sharp Sword cannot penetrate through it, especially on the Back; the most tender Part being under the Belly. Its Eyes are like Swine's. It has four Teeth on each Side, with which it grinds its Meat like Meal; besides there it has two others, which hang out beyond the reft; in the Male downwards, in the Female upwards: Those of the Male are the largest; those of the Female are smaller, but sharper. One of them it keeps always fharp, to revenge Injuries; and with the other it roots up Trees and Plants for its Meat. The Tooth of the Male of this Beatt grows to be ten Feet long; fome Elephants Teeth have been feen. that (they fay) have weighed fingly three hundred Pound Weight. The Teeth of the Female are reckoned more precious than those of the Male. These they lose once in ten Years; which falling off, they very carefully bury in the Earth (as is thought) on Purpose that Men may not find them. The two Teeth hanging out beyond the rest are Ivory. The Elephant's Tongue is very fmall, but broad. His Trunk, through which he draws Breath, ferves him as an Hand, to receive his Food; it is crooked, griftly, and flexible. At the Root, next to the Nofe, in the Trunk, are two Passages, one into his Body and Head, by which he breathes, and the other into his Mouth, whereby he takes in his Food. With this he fights in War, and can take up a small Piece of Money from the Ground. It has Joints in its Legs, which it can bend at Pleasure. Its Feet are round like an Horfe's, and vally broad. It is a great Lover of Wine, and will drink (if Fame be true) about fourteen Gallons at a Time, of eitner Wine or Water. It goes with Young, according to fome Writers, three Years, and others, but two Years : and brings forth but one at a Time, and that but little bigger than a Calf, and grows till thirty. When it crosses a River, the Dam takes her Young up with her Snout, with which she grasps it, and carries it fafe over. The Female is more ftrong and courageous than the Male, and will bear a greater Burden : but in War the Male is more graceful, because taller. When it is most loaded, it will go fwift; and can carry a wooden Tower upon its Back, and thirty Men, with their Ammunitions and Provisions of War. It is one of the most docile of all Animals, and may be taught to do many Things. If it receives no Hurt, it will live an hundred Years, and fometimes two hundred. The Blood of the Elephant is observed to be the coldest of all Animals.

67. THE WILD GOATS are dispersed into many Countries beyond the Sea, the Alps, Italy, &c. It is faid, that on the Top of the Libyan Mountains there are Goats of a monstrous Size, whose Horns hang crooking backwards to their Shoulders, not like other Goats. This Sort of Goats is faid to be very dextrous at climbing, and leaping from the Top of one craggy Hill to another, fometimes at a very great Distance, and feldom or never receiving Hurt from Falls. They are remarkable in their Care of their Young; which Care, when the Dam grows old, is returned with a becoming Gratitude by the Young, when grown up, bringing them both Food and Water. The Male of this Animal differs not from the Female either in Horn, Colour, or Proportion. In the Summer-time these are red, and in the Winter brown.

THE GOAT approaches the Sheep in Age, and almost every thing else; tho' a more nimble Creature, and of a fomewhat firmer Flesh; whence he should feem longer-lived; but he is much more falacious, and

therefore fhorter-lived.



SEA HORSE



MOUNTAIN COW



68. THE SEA. HORSE lives as well on the Land. as in the Water. It is shaped like an Ox, but somewhat bigger, weighing fifteen or fixteen hundred Weight. It is covered with Hair of a Mouse Colour, and very fleek. The Head is flattish on the Top: It has no Horns, but large Lips, and wide Mouth, and firong Teeth; four of which, viz. one in each Jaw, are longer than the rest, being four or five Inches long. It has large broad Ears, great goggle Eyes, a thick Neck, strong Legs, but weak Fetlocks. His Hoofs are cloven in the Middle; his Tail is short, tapering like a Swine's. It is very good Meat. He grazes on Shore, and dungs like an Horse; but retires to the Water, if purfued, and will fink down to the Bottom, tho' very deep, and there walks as on dry Ground.

69 THE MOUNTAIN COW (according to Captain Dampier) is as big as a Bullock of two Years old, and shaped like a Cow; but has a much larger Head, without Horns. Her Nose is short : her Eves are round, full, and of a prodigious Size. She has great Lips; and her Ears are in Proportion to her Head. Her Neck is thick and short, and her Legs shorter than ordinary. She has a coarse thin Hair, and a pretty long Tail, but no Bunch of Hair at the End. Her Hide is near two Inches thick, and her Flesh red, and very wholsome Meat. This Beast never feeds in Patture, like other Cows, but upon long Grafs, or Mofs, on the Banks of Rivers. When her Belly is full, the lies down to fleep by the Waterfide, and at the least Noise slips into the Water, where finking down to the Bottom, tho' very deep, it is faid, the walks as on dry Ground. She is bred near the Bay of Honduras, in America.

A Description of BEASTS.

70. The CIVET-CAT requires a large Share of Trouble and Atendance to breed it up. Its Food is Pap boiled, or made of Millet, with a little Fleffier Fifb. It praduces Civet, even when very young; of which that of the Male is greater, and better than that of the Femle, because the latter cannot avoid withing into the Civet-Bag, which spoils is

71. THE GENNET-CAT, (fo called, as fome fuppofe, from its Likeness to a common Cat) is in Size between a Cat and a Fox. The Skin, wherein there is Abundance of Spots, is very beautiful; the thining Brightness and Splendor of it not being inferior to that of any other Creature. It is meek and gentle, except it is provoked; and is fuffered, in Conflaminaple, to go up and down from House to House, like a common Cat. The Wild of this Species keep in Valleys and markin Places.

72. THE FITCH, or POLE-CAT, differs from the Wild-Caron account of her fitrong and flinking Smell. Its Skin is fulf, harth, and rugged; and lalfs long in Garments. It Tail is not above two Hands long, its Breatt, Tail, and Legs, are of a blackinh Colour, but the Belly and Sides yellow. It keeps in the Tops of Houfes and fevere Corners, and devours Hens, Chickens, &c. by biting off their Heads, to prevent their Crying. Some Pole-cats wander, and keep in Woods, and live upon Birds; others by the Sea fule, and Rocks, and feed upon Fifth.

75. The Common HOUSE-CAT is in all Parts like a Lionefs, except in her tharp Ears. Her Flesh is fost and smooth; her Tongue, in licking, is rough like a Lion's; her Teeth are like a Saw, her Nails are streamed to the things of a Lion; striking with her fore Feet both Dogs and other Things, as a Man doth with his Hand. The Age of the Cat terminates between fix and ten; a nimble Creature, abounding in Spirit, that eats voraciously, and swallows without much chewing. She catches her Peep by Leaping. The Cat is near, cleanly, and a very useful domestic Creature.



A COMMON CAT



A MUSK RAT



LAND TORTOISE

74. MICE are of various Colours; but mostly Ashcoloured. In Savoy, and some Parts of France, there are white Mice. They also differ in Size. Their Hearts are very large; and their Liver and Lights (according to fome Writers) increase in the Winter. the Fibres in them increasing and decreasing with the Moon; for every Day of the Moon's Age there is a Fibre increased in their Liver; which gave Occasion to the Observation, The Moon feeds Oysters, fills Hedgehogs, and increases the Fibres in Mice. In Africa there are Mice which afford a musky Scent, but have no Bags like the Civet-Cat; whence fome think, that the pleasant Odours proceed from the Skin. Their Place of Living, Food, &c. are so well known, that it is needless to trouble the Reader any farther about them. 75. A RAT somewhat resembles a Mouse in its

Shape, but is four Times as big, being of a dufky Colour, more white under the Belly; having a long Head, fhort and round Ears, fhort Legs, long Claws, very large Eyes, and a long Tail, almost void of Hair, and accounted venomous. What has hitherto been described is the Land-Rat. There is also a Water-Rat, which has Holes by the Water-Side, and feeds upon Fish. It is in all Respects like the Land-Rat, except in the Snout, which is rounder and blunter.

76. THE MUSK-RAT is faid to be shaped like one of our Water Rats, but larger. It has a fine musky Scent. It builds in the Marshes, by the Water-Side, with two or three Ways into them; and is finely daubed within, having three lodging Rooms very neat, one higher than another. It is thought to live mostly on Fish.

77. THE LAND-TORTOISE lives upon Grafs; moves very flowly; and, if any Thing comes near its Head, draws it under the Shell, which is fo ftrong, that nothing can hurt it. It also draws in its fore Legs with its Head; fo that all is fecured. It will carry a Man on its Back. Its Flesh eats and looks like Buffalo, and makes good Broth.

78. The OPOSSUM is in Shape and Size fomewhat like our Badger, but of a lighter dun Colour; with a long Tail like a Rat's, but thicker. The Skin of its B-lby is very large, and folded fo as to meet like a Purie, wherein it fecures its Young, while little; which will naturally run thither. In this falle Belly it will carry its Young. It feeds upon Fifn. It is bred in Projetia.

70. The POTTO (fo called by the Negroes, but by the English, Slaggard, from its lazey, fluggish Nature; a whole Day being little enough for it to advance ten Steps forward) is faid, when he climbs a Tree, not to leave it till he has eaten up not only the Fruit, but the Leaves allo, and then deficends fat and in good Cafe; but before he can get up another Tree, he becomes very lean, at least, if he does not perish with Hunger. It is fuel an horrible ugly Creators, that featec any Thing besides can be found to disagreeable.

So. THE COATIMONDI is an Animal of Brazil, having a Snout of about a Foot long; which is much bigger in Proportion than any other Part of his Body. His Eyes are fimall, like a Pig's; and his Ears round, like thole of a Rat. The fore Feet have each five Toes; thole of the fore Paws are longer than thole of the hinder. Its Hair is flort, rough, knotty, and of a blacklih Colour on the Back; and the reft of the Body a Mixture of black and rod.

21. The TATUS, or ARMADILLO, is bred in Gainea, and the Wigh halier. It is covered with an hard Shell, like the Fins of a Fifth, which feems to be buckled to his Back, like a Coat Armoor, within which the Beaft draws up his Body, as an Hedgehog does within his prickled Skin. It is not much bigger than a little Fig. refembling that Creature in his Snout, Ears, Legs and Feet. In Tall is very long like a Rat's; and covered all over with a featy Shell. Its Mouth is wider than a Swine's. Upon his fore Feet are four Tocs, and upon his hind Feet five Toes.

82. Or





82. OF SOUIRRELS there are three Kinds, bred in Virginia. The first is the great Fox-Squirrel, much larger than the English, and grey; this Sort is very common, and as good to eat as a Rabbet. The fecond is the Flying Squirrel, of a light dun Colour, and less than the English. The Skin, on either Side the Belly, extended, is very large, betwixt the fore Leg and hind Leg, which helps it in fkipping from one Bough to another. This Sort, though less, will leap farther than the Fox-Squirrel. The third is the Ground-Squirrel, a little bigger than a Moufe, finely fpotted, like a young Fawn. The English Squirrel is about the Size of a Weefil, but hardly fo long. Its Head, Tail, and Colour, are much like those of a Fox. It will, like other Squirrels, leap from Bough to Bough, crack Nuts, feed on Fruits and Vegetables; and is very acceptable to the Ladies.

83. The WEESIL has a long and thin Body. There are fonce of this Species of different Colours; as red, brown, black, and some all white. There are two Sorts, one a domettic Weefil, living in the Woods sam Mountains. In the Northern Parts of Europe, there are proligious Quantities of white Weefils. The Ladies of the first Rank in Ress. The Colont themselves with their Skins, instead of Ermine, which is very cossly. The domettic Weefils kill and defiroy Rats, Mice, and Moles; as also Hens; Chickens, Eggs, Etc. There's nothing more strange, than what is reported of their Conception and Generation; for they are said to ingender at the Ear, and bring forth their Young at the Mouth.


A Description of BEASTS.

63

84. LIZARDS are of various Species; fome of the largeft having the Tail about a Foot long, and an Haad broad. The Lizard is of a dark Colour, but half the Head is red. There are fome other Sorts of Lizards which are green, and fome grey; the laft much lefs than the first; and these are suffered to creep up and down the Chambers (at the Guinne Paetories) cleansing them from all Vermin. These, according to some, are called Salamanders. Lizards are bred in Spain, Portugal, &c.

85. THE FERRET is a bold Creature, Enemy to all others, but nhose of its own Kind. It is in Size and Make somewhat like a Weefil. It breeds in England, but not in several other Countries of Expape. Here it is tamed, to hunt Rabbets out of their Holes in the Barth; but it is put in always muzzled, lest it should kill them, and suck their Blood in their Burrows, which it is very greedy of. Its Head is little, like a Moule's, and its Eyes very fiery. The tame of this Species lives upon Milk, Barley, Bread, Ur. and the William of the Blood of Rabbets, Hares, Hens, Chickens, and other Creatures, that it can surprise and overcome.

86. THE MARTIN is about the Bigness of a Cat. having a longer Body but shorter Legs, with Head and Tail like a Fox's. Its Skin is fomewhat brown, with white on the Throat, and yellow on the Back. Its Teeth are exceeding white and unequal, one longer. than another, and most prodigious sharp. In the nether Chap stand fix small eating Teeth, in a right Line over-against one another; which don't happen In any other Beaft. The grinding Teeth are like a Saw, triangular in Fashion, being eight above and eight beneath. It is bred in feveral Countries, as France, Italy, Saveden, and Muscowy; but not without some Difference. The Skin of this Creature bears a great Price; Princes and Noblemen being cloathed therewith. 87. THE.





87. THE CROCODILE is a Creature that liveth on Land and Water. Its Colour is like to Saffron, that is, betwixt yellow and red, but more inclining to yellow. The Belly is fomewhat whiter than the other Parts. Its Body is rough, being covered all over with a certain Bark, or Rind, fo thick, firm, and firong, that it will not yield (and especially about the Back) unto a Cart-Wheel, when the Cart is loaded; and in all the upper Parts, and the Tail, it is impenetrable by any Dart or Spear: But the Belly is foster, wherein it receiveth Wounds more eafily. The Covering of its Back is diffinguished into divers divided Shells, standing up far above the Flesh; but on the Belly it is more smooth. The Head of this Beast is very broad; and his Snout is like a Swine's. When it eateth or biteth, it never moveth its under Chap. The Opening of the Mouth reacheth to the Place of his Ears. Its Teeth are white, long, fharp, a little crooked and hollow. It has fixty Joints or Bones on the Back, which are tied together with fo many Nerves. The Tail is near as long as the whole Body; and the same is also rough, and armed with hard Skin upon the upper Part, and the Sides; but beneath, it is smooth and tender. It hath Fins upon the Tail, by the Benefit whereof it swimmeth; as also by the Help of its Feet, which are like a Bear's, except that they are covered with Scales instead of Hair. Its Nails are very fharp and firong. It is doubtful, whether it hath any Place of Excrement, except the Mouth. By Reason of the Shortness of its Legs, his Pace is very flow; and therefore it is not very difficult for a Man to escape from him by Flight; especially, if he does not go firaight forward, but turns and winds out of the direct Path; for the Crocodile's Body is fo hard and fliff, that it cannot easily turn and wind after him. It brings forth Young every Year; and lays its Eggs (which are about as big as a Goose's) in the Earth, or dry Land. During the Space of threescore Days it lays every Day an Egg; and within the

67 A Description of BEASTS.

the like Space of Time they are hatched into young ones, by fitting or lying upon them by Courfe, the Male one while, and the Female another; which is in a moderate and temperate Season; otherwise they perish, and come to nothing. So soon as the young ones are hatched, they instandly fall into the Water. The Crocodile is thought to live fixty Years. Some have thought, that the diligator is a distinct Species from the Crocodile; but it is the received Opinion of the Naturalist, that it is no other than a Crocodile not arrived to its full Growth. There are many Crocodiles in Egypt, about the River Nile, in the Wipl-Indias, &c. Those about the Mie are much the largest; some of the m being (according to very credible Testimony) not less than thirty Feet long.

With regard to the Length and Shortnefs of Life in Animals, the Information procurable is but flender, Obfervation flight, and Tradition fabulous. Tame Creatures are corrupted by a degenerate Life; and wild ones intercepted by the Inclemency of the Weather. Neither do the Things, which may feem concomitant, stiffit as much in this Enquiry; as the Bulk of the Body, the Period of Geflation, the Number of Young, the Time of Growth, Gr., thefe being complicated Confiderations, that fometimes concur, and fometimes not.







A Description of

BIRDS.

BOOK II.

HE GOLDEN EAGLE is in E Length, from Point of Beak to Tip of Tail, about three Feet nine Inches : The Breadth, from Tip to Tip of the Wings extended, is eight Spans : The Length, from the Bill to the Talons, is four Spans and a half. The Bill is very strong, crooked, and exceeding sharp. The Tongue is like a Man's, broad, round, and blunt at the Tip. The Feathers of the Neck are hard, and of a rufty Colour. The Eye by Nature is very carefully preserved; for, instead of one, as in another Animals, it has four Lids or Covers for it. The Wings and Tail are of a dufky Colour : The other small Feathers of the whole Body are of a Chefnot Colour, sprinkled with white Spots, fewer on the Back, more on the Belly; the Bottoms of all being white. The Legs are feathered down to the Feet, of a dusky Colour : the Feet are vellowish. It has four Talons, very sharp and crooked. This Fowl is of an extraordinary Fierceness, and will affault a Cat, Dog, &c.

2. The SEA EAGLE, or Ofrey (which feems to be the fame with the Englife Bald Buzzard) hath been thus deferibed: From the Point of the Beak to the End of the Tailons is about three Feet long; from Tip to Tip of the Wings nine Spans broad. The Bill and the Tongue are very much like the Golden Engle's. From the Chin hang down fmall Feathers like Hair,

imitating

imitating a Beard; whence by some it is called The Bearded Eagle. The Feathers of the whole Body are party-coloured, being whitish, duskish, and rusty. Its Legs are almost wholly covered with dusky Feathers, fomewhat inclining to yellow. Besides the Feathers, the whole Body is covered with a white and foft Down, as the Skin of a Swan. The Talons are very black and hooked. This Eagle feeds only on Fish.

3. THE BLACK EAGLE is about twice as big as a Raven. The Jaws and Eye-lids are bare of Feathers, and somewhat reddish; the Head, Neck, and Breaft, black. In the Middle of the Back, between the Shoulders, it has a large white Spot dashed with red; the Rump red. The leffer Rows of Feathers in the Wings are of a Buzzard Colour; then a black Streak or Bar cross the prime Feathers, after that a white one; the remaining Part of the Feathers to the Tips, of a dark Ash Colour. The Eyes are of an Hazle Colour. The Legs are feathered down a little below the Knees, the naked Part being red. The Talons are very long.

4. THE Eagle called MORPHNOS, or Morphno Congener, is about the Height and Bigness of a large Dunghill Cock. Its Beak is pretty long, hooked, and tending almost directly downward. The Colour of the Feathers is rufty, like that of old Iron, except that at the End of the Wings it hath many Spots. The Legs are all over feathered down to the Beginning of the Toes, and fprinkled with whitish Ashcoloured Spots. The Feet are yellow; the Toes above toward the Leg, covered with Scales; toward the

Talons, with round Tables.

5. THE VULTURINE EAGLE, called Gypaetos. is of a very large Size, being not much less than the Golden Eagle, but of an unufual and ridiculous Shape; the Beak, not, as in other Eagles, bending from the Root to the Tip, but firaight almost to the Middle, toward the Point bowed into a remarkable Hook, after the same Manner as in Vultures. The whole Head whitish, inclining to dusky (fuscum) The upper Part of the Neck, about half Way down,





almost bald, beset with very few, and those small Feathers of a white Colour. At the End of this bald Part, almost in the Middle of the Neck, grow small Feathers like certain rough, curled Hairs, standing up above the rest of the Plumage, as it were, very fine, flender, long Briftles. It hath on the Back a kind of Hood, reaching to the Middle thereof, ending in a tharp Peak. The Colour of the whole Body is a dark Chefnut, inclining to black; the Tail long; the Feet and Legs white, and the Claws dufky.

6. THE VULTURE is somewhat bigger than an Eagle. Its Beak is large, and crooked at the End. It is faid, that the Vulture has an excellent Sagacity of Smelling, above all other Birds; fo that it can perceive the Savour of dead Carcasses from far. The Ancients have delivered, that the Vulture is content only with dead Carcaffes, abflaining from the Rapine and Slaughter of living Animals. But some Moderns affirm. that it purfues living Birds, and preys upon living Fawns, Hares, Kids, Lambs, &c. Its Neck is, for the most Part, bare of Feathers. The Craw hangs down, like a Bag, before the Stomach, or Breaft. Under the Throat it has a Space of about an Handbreadth, clothed rather with Hair, like to those of a Calf, than with Feathers. That the Female, contrary to the Manner of other Birds of Prey, doth not exceed the Male in Bigness. That all the Infide of the Wings is covered with a foft Fleece of Down, which is peculiar to the Vulture alone, among rapacious Birds.

7. THE Common BUZZARD, or Puttock, is about the Bigness of a Pheatant, or young Pullet. The Head is great, the Crown broad and flat, the Beak thort, hooked, and of a dark blue. Its Tongue is thick, fleshy, blunt, as in the rest of this Kind. The Colour of all the upper Part is of a dark dun, approaching to black, or a rufly black. Some Birds of this Kind have many white Spots in the covert Feathers of the Wings, which, when the Wings are fpread, appear like a white Line: The like white Spots it hath in the long Feathers fpringing from the Shoulders, which cover the whole Back. The Edges of these Feathers are of a cirty yellow; the lower Side of the Body of a yellowish white. The Breast is stained with rushy Spots. Between the Byes and Nostrils grow long black Bristles. On the Middle of the Back grow no Feathers, but only Down; for the spaniar Feathers cover the whole Back. The Thighs are long, strong, and fiethy: The Lege short, thick, and strong, leathered down a little below the Kuces. The Lags and Feet yellow, and covered with Scales. It seeds upon Mice, Moles, and Birds, and its a great Delitoyer of Rabbets. Bezzards Eggs are white, stained with a few great reduith Spots; sometimes all over white without Spots.

8. THE MERLIN is one of the least Birds our Falconers u'e for Hawking; it being not much bigger than a Blackbird. The Back and upper Part are party-coloured, of a dark blue and brown; the flag Feathers of the Wings black, with rufty Spots. The Train is about five Inches long, of a dark brown or blackish Colour, with transverte white Bars. The Breaft and Belly are of a rufty white, with brown Spots. The Legs are long, flender, and yellow; the Talons black. Below the Head it has a Ring of yellowish white, incircling the Head like a Coronet. In the Male the Feathers on the Rump, next the Tail, are bluer; by which Note, and its Bigness, Falconers difcern the Sex; for the Female in this, as in other Birds of Prey, is greater than the Male, being for Colour less red, with a certain Mixture of blue. The Merlin, tho' the least of Hawks, yet for Spirit and Mettle gives Place to none. It flrikes Partridges on the Neck, with a fatal Stroke, killing them in an Inflant. No Hawk kills her Prey fo foon.

G. THE HONEY BUZZARD for Bigness equals or exceeds the common Buzzard; and is also like it in Figure or Shape of Body. The Head is Ash-coloured; the Crown flat, broad, and narrow toward the Beak. The Bottoms of the Feathers in the Head and Back are white. The Colour of the Back is of a Mouse dun; the Tips of the flag Feathers, as also those in the fecond and third Rows in the Wings, are white; the Feathers under the Chin and Tail are white; the Breath and Belly also white, spotted with black





black Spots; the Legs are feathered down below the Knee, thort, throng, and yellow, as are also the Feet. The Talons long, throng, tharp and black. It builds its Neft of fmall Twigs, laying uson then Wool, and upon the Wool its Eggs. This Bird runs very (wiftly, like a Hen.

to The MOOR-BUZZAR D is leffer than the common Buzzard, of about the Bignefs of a Crow. The Crown of the Head is of a Kind of clay Colour; the whole Body, as well lower as upper Side, is of a dark rafty Colour; only at the middle John of both Wings there is a Spot of the fame reddift clay Colour with the Head; and the Feathers at the Root or Rife of the Tail are dun. The Tail is about nine Inches long, being party-coloured, of a dark and light yellow, or bay; the Legs are about an Hand-breadth long, feathered down a little below the Knee, longer, and flenderer, for the Bignefs of the Bird, than in others of this Kind; the Legs and Feet yellow; the Talons black.

11. The GOSHAWK is bigger than the com-

mon Buzzard. The Colour of the Head, Neck, Back, and upper Side of the Wings, is of a drik brown. The whole Breat and Belly white, with transverse black Lines; standing very thick; the Thighs are covered over with reddish Feathers, having a black Line in the Middle down the Shaft; the Legs and Peet are yellow; the Talons black, the Beak blue. The Wings, when closed, fall much short of the End of the Train, by which Note alone, and its Bignels; it, is sufficiently diltinguished from all other Hawkis; the Train is long, of a Jun Colour, with four or five cross blackish Bars, standing at a great Diltance from each other. It takes not only Partitidges and Pheafants, but also greater Fowl, as Geefe and Cranes; sometimes also it castech Rabbets.

12. The SPARROW HAWK is about as big as a large Wood Figeon. It Beak is hort, hooked, blue, and black toward the Tip; the Tongue thick, bluck, and a little left; the Byes of a mean Size; the Crown of the Head is of a dark brown. Above the Byes, and in the hinder Part of the Head fometimes, are white Feathers. The Bottoms of the Feathers in the

Head and Neck are white. The reft of the upper Side, Back, Shoulders, Wings and Nick, are of the fame dark brown, except fome Feathers of the Wings, which are flotted with white. The Colour of the under Side, wiz. the Neck, Breatl, Belly, Sides and Wings, when cloted, fearer each to the Middle of the Tail. The Thighs are fitting and flelhy, as in all Birds of Prey, the Legs long, flender, and yellow; the Toes alfo long, the Taions black. It lays about five white Eggs, fported near the blunt End with a Circle of Blood red Specks. It feels only upon Birds; and for its Bigness is a very bold and courageous Bird.

13. THE KITE, or Glead, is bigger than the common Buzzard. The Head and Chin are of a pale Ash-colour, varied with black Lines along the Shafts of the Feathers : the Neck is red, the middle Part of the Feathers being black, the Back dufky, or brown, like a Buzzard : the Feathers next the Tail are of the fame Colour with it, having their Middle Parts, or Shafts, black. The leffer Rows of Wing-feathers are party coloured, of red, black, and white: The Feathers covering the Infide of the Wings are red, with black Spots in the Middle; the Tail is forked, the Colour red, the extreme Feathers blackish, and the Tips of all are white; the Bill is black, the Tongue broad and thick; the Eyes' are great; the Legs and Feet vellow : the Talons black. By the Figure of its Tail alone, it is diftinguished from all other Birds of Prey. Her Tail serves her for a Rudder, to direct her Flight thro' the Air, whence fome learned Men have thought, that Men at first learned the Art of sleering a Ship by this Bird. It is a very bold Bird, and a great Destroyer of young Poultry. It is faid, that when it fees a young Duck, Chicken, &c. far from Shelter, or by any other Means lying fit and exposed to Rapine, it fingles it out and flies round and round for a while, marking it; then of a fudden it darts down as fwift as Lightning, and catches it up before it is aware.

14. THE MOUNTAIN FALCON is near as big as the Goshawk, but shorter bodied. It has a







round Head and Breaft, a taper Crown, and black, enconngaffed with a Kind of Ah-coloured Coronet: In the Porchead, not far from the Beak, fland up certain very fine and fleader Feathers, as it were, Hairs, among the black and brown ones; which yet are but few, and in fome Birds none at all. The Thora, as far as the Breast bone, is fomewhat whirth, hefprink-led with great Spots; the reft of the Brealt is beautified with certain Marks, which are fometimes of the Colour of rully Iron, fometimes red, and fometimes blackful; befices thefe, it has other finaler Specks; the Back and Loins are covered with final brown Feathers. It is faid to prey only upon great Birds, neglecting the finaller. It is very ravenous, and of an indocile Nature.

15. The Red INDIAN FALCON is about the Bignels of the Mountain Falcon. The Head is of an Ah colour, tending to brown; as is alfo the Neck, the whole Back, and the Outfide of the Wings; the whole Breatl, and allo the upper Part of the Infide of the Wings, the Belly and the Rump, the Hipt and Thighs, are all fulvous, or red, of a pale vermilion Colour; but the Chin in this red Colour is marked with a long Aft coloured Spot, produced downwards. The Beatl allo vefore is fprinkled with fmail Specks of the fame Colour. The Legs and Feet are yellow, pretty thick and firong; the Talons black, and very share.

16. This Greater BUTCHER BIR D, or Makagen, in the North of England is called Workingel; in fome Parts of Germany it is called by a Name, which in our Language fignifies. Simbility, because it is faid to kill nine Brads before it centes, or every Day nine. It is in Bignefs equal to the common Blacke bird; the Head, Back, and Rump are Althe-Glowerd, the Chin and Belly white; the Breaft, and lower Part of the Throat varied with dark Lines, roffing each other; the Tips of the Fenthers of the Wings are for the most Part white; the outmost Feathers of the Male are all over white, the two middlemost have only their Tips white, the refl of the Feathers being black. The Legs and Feet are black. It is faid to build among

thorny Shruks, dwarf Trees, and Brothes, making its Neit of Moís, Wool, and certain downy Herbs; but the Bottoms thereof of Heath, upon which it lays withinfue the foit and tender Stalks of Hay; and moft commonly lays ût Eggs. It feeds commonly on

Infects; yet doth it often kill small Birds.

17. The Lefter BUTCHER-BIRD, called in Zorkjüre, Flujber, is about the Biguefs of a Lark, and hath a great Head. About the Noftil: and Comers of the Mouth grow black Hairs or Britlles. The Back and Upperide of the Wings are of a rufty Colour; the Head and Rump of an Aft: the lower Belly is white, the Throat and Breaft white, dafhed with red. It builds its Nell of Grafs, Bents and Feathers; and lays fix Eggs, towards the flarper End almott wholly white; towards the blunter encompaffed with a

Circle of brown, or dark red.

18. THE CUCKOW is about the Bigness of a Magpie; its Length, from the Tip of the Bill to the End of the Tail, being above 12 Inches; the upper Chap of the Bill iomewhat hooked, and longer than the lower, for the most Part of a dark or blackish Colour; the nether of a pale or whitish yellow. The Infide of the Mouth, and the Tongue, are of a deep vellow, or Saffion Colour. The Throat, Breaft, and Belly are white. The Feathers of the Head are of a dark brown, with white Edges. The Neck and Back are brown, with a Tincture of red. The Rump is Ath-coloured. The covert Feathers of the Wings are of the fame Colour with those on the Back, only the outmost darker. Its Feet and Claws are yellow. It hath two back Toes. It feeds on Caterpillars, and other Infects. The Cuckow herfelf builds no Neft, but having found the Nest of fome little Bird, the either devours or deflroys the Eggs she there finds, and in the Room lays one of her own, and fo forfakes it. The filly Bird returning, fits on this Egg, hatches it, and with a great deal of Care and Toil broods, feeds, and cherishes the young Cuckow for her own, until it be grown up, and ready to fly, and shift for itself: Which Thing feems fo strange, monstrous and abfurd, that the learned and ingenious Dr. Willoughby, in his Ornitbology.





Omitbology, published by the learned and ingenious Mr. Ray, (to which Book I own my lef very much indebted for my Deferption of Bird) declares, that he could not have been induced to believe that fuch a Thing had been done by Nature's Inflint, had he

not with his own Eyes feen it.

19. The HORN OWL is in Length, from the Point of the Bill to the End of the Tail, about four-teen Inches; its Breadth, measuring from Tip to Tip of the Wings extended, three Feet and four Inches; the Feathers which cover the lower Belly and Legs are reddift; in the Throat and Breaft the middle Parts of the Feathers are black, the outer Parts partly white and partly yellow; those under the Wings are red. The covert Perishers of the Wings are party coloured, of a dark ash and yellow; the Back of the same Colour with the Wings; the Horns are above an Inch long, confising of fix Feathers. The Legs and Feet are feathered down to the Claws, which are black.

20. THE Common BARN OWL, or White Owl. is about the Bigness of a Pigeon. Its Bill is white, hooked at the End, more than an Inch and half long, This Bird hath a Circle or Wreath of white, foft, downy Feathers, encompassed with vellow ones, beginning from the NoArils on each Side, passing round the Eyes, and under the Chin, somewhat resembling a black Hood, such as Women used to wear: fo that the Eyes appear to be funk in the Middle of these Feathers. The Breaft, Belly, and covert Feathers of the Infide of the Wings are white, marked with a few dark Spots. The Head, Neck, and Back, as far as the prime Feathers of the Wings, variously, and of all Night-Birds the most elegantly coloured. The Legs are covered with a thick Down to the Feet : but the Toes are only hairy, the Hairs also thin fet,

21. THE GREY OWL is bigger than the common Barn Owl. The Head, Back, Wings, and Tail, are of an Ash colour, speckled with whistin and black Spots. Under the Belly the Feathers are white, with blackish Spots. The Head is very great, thick, round, and full of Feathers. In other Respects, it is like the

common Owl.

22. The FBRN OWL, or Churn Owl, or Goatfuctor, is a very beautiful Bird for Colour, being more
like a Cuckow than an Owl; and it is eafly diffinguithed from all other Birds, by the Strecture of his
Bill and Feet. Its Bill, in Proportion to his Body, is
the leaft of all Bird, and a little crooked. It has a
huge wide Mouth and Swallow. On the Sides of
the upper Chap of the Bill, as allo under the Chin, it
has fifth Black Hairs, like Biiffles. The under Side
of the Body is printed with black and pale red Lines;
the binder Part of the Head of an Alh colour. The
Wings are part: coloured, of black and red. The
Legs are very finall in Proportion, feathered on the
forefide half Way. It is found in the mountainous
Woods in many Places of England, as in Yorkpiner,

Derbyshire, &c.

23. THE PARROT hath a great Head, an hard Beak and Skull. This Bird, in descending, or climb. ing up Boughs, Grates, &c. first carches hold with her Bill, as it were with an Hook, then draws up her Body, then fastens her Feet; then reaching up higher, claps on her Beak again, and fo puts forward her Body and Feet by Turns. The Parrot only, with the Crocodile, moves the upper Jaw, as all other Animals do the lower. The Tongue is broad, and refembles a Man's. The Feet are of a fingular Fashion, for they have not three Toes standing forward, and one backward, but two each Way, like Woodpeckers. It does not only imitate Man's Voice, but in Wit excels all other Birds. It is faid, that a Parrot, which fell out of King Henry the Eighth's Palace at Westminster, into the River of Thames, that runs by, then very feasonably remembering the Words it had often heard fomewhere in Danger, or in Jest, used, cried out amain, A Boat, a Boat, for twenty Pounds. A certain experienced Boatman made thither prefently, took up the Bird, and restored it to the King, to whom he knew it belonged, hoping for as great a Reward as the Bird had promifed. The King agreed with the Boatman, that he should have as the Bird being asked anew thould fay; and the Bird answered, Give the Krave a Groat. Parrots are bred in both the East and West-Indies.



They breed not in cold Countries; for they are impatient of Cold, fo that they can hardly bear our Winters, unleis they be kept in hot Places. They are faid to be very long-lived. There are feveral Sorts of Parrots, differing both in Size and Colour. The foregoing Defeription belonging to Parrots in general, I shall forbear to give a particular Defeription of each; but have given the Figures of three, wize, the Common, the Whitererified, and the Parrot called the Macao.

24. The RAVEN is a very large Fowl, being in

Length, from the Tip of the Bill to the End of the Tail, about two Feet. The Bill is long, thick, harp, and very black; the upper Chap fomewhat hooked, but not fo as in Hawks; the lower flraight; the Feathers are black all over the Body, having a blue Splendor, or Gloss; which is seen especially in the Tail and Wings. The Belly is fomething paler, inclining to brown. It has large crooked Claws. The Raven feeds not only upon Fruits and Infects, but also upon the Carcasses of Beafts, Birds, and Fishes; moreover, it fets upon, kills, and devours living Birds, after the Manner of Hawks. Ravens abound in all Countries, they being hardy Birds, that will easily bear all Changes of Weather, fearing neither Heat nor Cold. The Raven lays about five or fix Eggs before it begins to fit, of a pale greenish blue, full of black Spots. This Bird is said to live to a very great Age, 40 or to Years or upwards. 25. THE Common, or CARRION CROW, is

lesser than the Raven, being about eighteen lockes in Length. The Bill is strong, thick, and straight. The Colour of the whole Body is black, only the Ground or Bottom of the Feathers of a lead or darkiss Colour. This Bird delighet to feed upon Carrion, that is, Carcasses of dead Animals when they begin to putterly, 2t likewise fields, and devours living Birds, in like Manner as the Raven; moreover, it eateth Grain and all Sorts of Ingless, in England at least. For beyond Seas (they fay) it meddles with no Sort of Grain, It builds upon high Trees, and lays four or sive Egga at a Time, like the Raven, but lefs. The Crow is fail to have a wery fagacious Scent, so that it is difficult to shoot it, the Eird smelling the Gunpowder afar off.

26. THE ROOK is fomething bigger than the Crow. It has no Craw, but, instead thereof, the Gullet below the Bill is dilated into a Kind of Bag, wherein it brings Meat to feed its Young. Its Colour is black, but brighter than that of the Crow. The Rooks build many together, upon high Trees about Gentlemen's Houses, who are much delighted with the Noise they make in Breeding-time. Both Cock and Hen fit by Turns. Their Eggs are like a Crow's, but leffer, spotted with greater Spots. It is faid, that when Rooks build, one of the Pair always fits to watch the Nett, till it be finished, whilst the other goes about to fetch Materials; elfe, if both go, and leave the Nest unfinished, as sometimes they venture to do, their Fellow Rooks, ere they return again, will have robbed them, and carried away to their feveral Nefts all their Sticks, and whatever elfe they had got together. Hence, perhaps, the Word Rooking with us is used for Cheating or Abusing. Young Rooks are good Food.

27. The JACKDAW is much leffer than the Crow. It has a large Head, and a ftrong Bill. The binder Part of the Head, as far as the Middle of the Neck, inclines to an Afti-colour, as alfor the Breaft and Belly, but left; elfe the whole Plumage is black, with a Kind of blue Glofs; the fore Parr of the Head is of a deeper black. It feeds upon Nuss, Fruits, Seeds, and Infeds. Jackdaws ufually frequent and build in antient Cattles, Towers, Cliffs, Houles, and Stone-Walls, effecially if they be defolate and rulnous. They lay five or fix Eggs, leffer, paler, and having fewer Spots than those of Crows. The Jackdaw, being a very flobil and canning Bird, may be taught to

imitate the human Voice like a Magpie.

28. The MAGPIB is about the Bigness of the Jackdaw; and excepting the Whiteness of the Breast and Wings, and the Length of the Tail, its very much like that Bird. The Head, Neck, Throat, Back, Romp, and lower Belly, are of a black Colour. The Breast and Sides are white, as also the first Joint of the Wing. The Wings are smaller than the Bigness of the Body would feem to require. This a very trafty and counting



Bird, and may eafily be taught to speak, and that very plainly. It builds its Nest in Trees, with that Art and Cunning as is admirable, fencing it round on the Outside, both above and below, with sharp Thorns, leaving only one Hole, and that a very narrow one, for itself to pas in and out by.

29. The JAY is leffer than a Magpie. The Feathers of the Head and Body of this Bird are taller, flenderer, and fland more flating and erect than ordinary. Near the lower Chap of the Bill are two black Spots, on each Side one; the chin and lower Part of the Belly whitih; elfe the Breatl and Belly are of a Colour mixed with ash and red. The Rump above is white; the Back red, with a certain Mixture of blue; the Wings are very beautiful, being chequered with black, white, and lovely fining blue Lines. The Tail is wholly black. Its Egg are of an Ahr-colour,

with darker Spots, scarce appearing.

30. THE TOUCANIAN PIE, or Brafil, is about the Size of a Magpie. It is faid, that the Bill of this Bird is thicker and longer than almost the whole Body besides; and of a yellowish Colour. The Head, in Proportion to the Body, is great and thick; as is fuitable and requisite to fustain a Bill of that Length. The Head, Neck, and Wings, are black. The Breaft thines with a most bright and lovely Gold, or Saffron Colour, with a certain Redness near the Reginning : the Belly and Thighs with a most beautiful Vermilion. The Tail is black, but in the End of a notable red. It is faid that this Bird, to fecure her Young from the Monkeys (which are very notiome to the Young of most Birds) when she perceives the Approach of those Enemies, fo fettles herself in her Neft, as to put her Bill out at the Hole, and gives the Monkeys fuch a Welcome therewith, that they presently pack away. and are glad they escape fo.

21. The ROLLER is about the Bigness of the Jay. Its Bill is black, sharp, and fomething hooked; the Head is of a fordid green, mingled with blue; of which Colour is also the Throat, with white Lines in the Middle of each Feather. The Breat and Belly are of a pale blue, like those of a Figeon. The Middle of the Rough I are those of a Figeon.

dle of the Back, between the Shoulders, is red. The Rump and leffer Rows of covert Feathers of the Wings are of a lovely blue. The Feet are short, and, like

those of a Dove, of a dirty vellow Colour.

32. This Common GREEN WOOD-PECKER, or Woodpire, is about the Size of the Jay. The Top of the Head is of a Crimfon, or Vermition Colour, fipotted with black; the Eyes are encompaffed with black; under the black, on each Side, is another Vermition Spot. The Throat, Breath, and Belly, are of a pale green; the Back, Neck, and effer Rows of covert Feathers of the Wings, green; the Rump of a pale yellow or Straw Colour. This Bird has a straight, hard, strong, and sharp Bill, very fit and proper to pierce and bore Holes in Trees. Its Tongue is of a very great Length; with which it strikes Ants and other Inselfs.

33. THE NUTHATCH, or Naijebler, is left than a Chaffinch. The Head, Neck, and Back, are of an Afth-colour; the Sides under the Wings red; the Throat and Breaft of a pale yellow; the lower Belly, under the Tail, hath fome red Feathers, with white Tips. The Chin is white. It builds in the Holes of Trees, and if the Entrance be too big, it doth artificially flop up Part of it with Clay, leaving only a finall Hole for itself to pafs in and out by, it is a pretty Sight to fee her fetch a Nut out of her Hoard, place it faft in a Chink, and then standing above it, with its Head downwards, striking it with all its Force, breaks the Shell, and catches up the

Kernel.

54. The WALLCREPPER, or Spider-catcher, is bigger than an Houck Sparrow. It hath a long, flenoer, black Bill. The Head, Neck and Back are of an Afh-colour, the Breatt is white; the Wings partly of an Afh-colour, and partly red. It is a brift and chearfol Bird, and hath a pleafant Note. It builds its Nett in the Holes of Trees.

35. THE OX-EYE CREEPER is a very small Bird, scarce bigger than the Copped Wren. It hath a long, slender, sharp Bill. The Throat, Breast and Belly white; the Head, Back and Wings, inclining





60 a Fox-Colour; the middle Parts of the Feathers being whitifh. Above the Eyes, on each Side, is a white Spot. It is frequent in England, and builds in the Hollows of Trees, after the Manner of Wood-Peckers. It lays a great Number of Eggs, fometimes

(they fay) not fewer than twenty.

36. The HOOPOB is in Length, from the Point of the Bill to the End of the Tail, about twelve Inches. Its Bill is two Inches and a half long, black, shapp, and fomething bending. The Head is adorned with a mott beautiful Crest, two Inches high, confitting of a double Row of Peathers, reaching from the Bill to the Nape, of the Nead, all along the Top of the Head, which it can at Pleasure set up, or let fall. The Neck is of a pale red; the Breast white, with black Strokes tending downwards. The Rump is white; the Wings and Back are varied with white and black cross Lines or Bars.

37. The KING-FISHER is fomething bigger than a Spirrow. The Chin is white with a certain Mixture of red; the Middle also of the Break Mixture of red; the Middle also of the Break Belly, is of the lke Colour. The lower Belly under the Tail is of a deep red, as are also the Sides and Feathers under the Wings. The Break is red, the oatmoft Borders of the Feathers being of a dirty bluing green. From the Neck, through the Middle of the Back to the Tail, it is of a molt lovely bright, but pale blue, which by its Splendor is faid to hurt their Eyes, that look long and intently upon it.

38. The BBE ÉATER is as big as a Blackbird. The Crown of the Head is red, but in fome Birds having fomething of a green mixt. The Neck and Shoulders are green, with a certain Mixture of red. The whole Belly and Breaft, as far as the Chin, are blue; this Colour is deeper near the Chin, fainter on the Breaft and Belly. It is faid, that it feeds chiefly on Bees; flying in the Air, it catches and preys upon

them, as Swallows do upon Flies.

39. THE WATER OUZEL, or Water-Crake, is night as big as the common Blackbird. The Head and upper 3sde of the Neck are of a dark dufky Colour, or black, with an Eye of red; all the Back,

and both prime and covert Feathers of the Wings, are party coloured, of ash and black. The under Side of the Neck, and fore Part of the Breaft, are milkwhite. It feeds upon Fish, yet refuseth not Insects. It is to be met with in feveral Counties of England, It is a folitary Bird, companying only with its Mate

in coupling and breeding l'ime.

40. THE OSTRICH is the greatest of all Birds. When it holds up its Head, it approacheth to the Height of two Yards. The Head is small, flat-crowned like a Goose's. The Head and Neck, almost as far as the Breast, are bare of Feathers, as are also the Thighs. The Head and Neck are covered with a certain Down, or thin fet Hairs, instead of Feathers. The Sides under the Wings, and the Thighs, are absolutely bare. The lower Part of the Neck, where the Feathers begin, is white. The Wings are small, and altogether unuseful for flying, defigned by Nature only to affift the Bird in running. The Feathers on the Back in the Cock are coal black, in the Hen only dufky; fo foft, that they refemble a Kind of Wook The Wing Feathers are of the fame Colour beneath, but above in their upper Part purely white. The Tail is thick, buffy, and round; in the Cock whitish, in the Hen duskish, with white Tops; which Feathers are in great Request for Soldiers Hats, Helmets, &c. It swallows Iron, Leather, Bread, Hair, and whatever else you offer it : Howbeit it doth not digest Iron, and other hard Things, but voids them entire by Excrement. Its Eggs are as big as a young Child's Head, covered with an hard and stony Shell; which, being buried in the Sand, are cherished only by the Heat of the Sun, till the Young be excluded. Offriches are bred in Africa, America, and

41. THE CASSOWARY, or EMEU, is almost as big as the Offrich. It hath an horny Crown on the Top of the Head. The Head and Neck are bare of Feathers, only thin fet with an hairy Down. In the lower Part of the Neck hang down two Wattles of Flesh, as low as the Breast, of a Vermilion Colour. The back Part of the Neck is likewife defitute of Feathers.



Feathers, from the Head all along; being also of a red Vermilion Colour: the lower Part covered with fome few red Feathers, wherewith black ones are intermingled. The Feathers covering the whole Body, with those on the lower Part of the Neck, next to the Breaft, Belly and Thighs, are all double, two coming out of the fame small short Pipe, and lying the one upon the other, and of a blackish Colour. These Feathers have that Form and Situation, that, to those that behold the Bird afar off, its Skin appears to be covered not with Feathers, but only with Hairs, feeming like a Bear's, and to want Wings; though it has Wings, which lie hid under the Feathers covering the Sides. It is a gentle-natured Bird, and eafily made tame. It has three Toes on each Foot, all flanding forward, for it wants the back Toe. This Bird is

found on the Molucea Islands, &c.

42. A PEACOCK is a Bird well known, and fufficiently characterized by the Length and glorious Eyelike Spots of his Tail. His Head, Neck, and Beginning of the Breaft, are of a deep blue. It hath a Tuft on the Top of its Head, not entire, as in some other Birds, but confifting of a Kind of naked, but very tender green Stalks, or Shafts of Feathers, bearing on their Tops, as it were, Lilly Flowers of the same Colour. The Neck is long, and for the Bigness of the Fowl very flender. The Back is of a pale Ash Colour, besprinkled with many black Spots. The Rump is of a deep green. The long Feathers of the Tail are of a Chefnut Colour, beautified with most elegant gold Lines, tending upwards, but ending in Tips of a very deep green, and those forked, like Swallows Tails. The circular Spots, or the Eyes of the Feathers, are party coloured, of a deep green, shining like a Chryfolite, a Gold, and a Sapphire Colour: For those Eyes confist of four Circles of different Colours; the first a golden, the second a Chesnut, the third a green, and the fourth or middle Place is taken up by a blue or fapphire-coloured Spot, almost of the Figure and Bigness of a Kidney Bean. The Hips, Legs and Feet, are of an Ash-Colour, with black Spots. The Belly, near the Stomach, is of a bluish green. Its Food is the fame with that of the common Cock and Hen. The Flesh of this Fowl resembles much in Tafte that of a Turkey, only rather coarfer; tho' dreffed never fo thoroughly, yet when cold, it appears as if perfectly raw; and has been proved by Experience (as we have it from good Authority) that, when dreffed, it will keep a great while, even fome

Months, without Putrefaction.

43. THE TURKEY is as tall as a Peacock; its Neck, together with its Head, is altogether bare of Feathers, and only covered with a purplish-coloured Skin. The Feathers of this Bird do fomewhat refemble an Hawk's, and have their Ends white. It hath very long Legs; its Toes and Claws have the fame Diffinction and Figure with the Dunghill Cock. Turkeys love hot Countries; yet they can bear cold ones well enough after they are grown up, and have been used to them; but their young Chickens are very tender, and not to be reared without Care and Attendance. The Antipathy this Fowl hath against a red Colour, fo as to be much moved and provoked at the Sight thereof, is very ftrange and admirable.

44. THE Common COCK being fo well known, it will be but loft Labour to bestow any Words about it. It is a very courageous and high spirited Bird, that, if of a good Breed, will rather die than yield; and being a most lecherous Bird, doth suddenly grow old, and feldom liveth above ten Years. It hath been delivered and received by Antients and Moderns, with unanimous Confent and Approbation, that the Lion is afraid of a Cock, cannot endure the Sight of him, yea is terrified by his very Crowing; and divers Reasons sought and affigned for this Antipathy; whereas the Thing itself

is by Experience found to be falle.

45. THE PHEASANT is a large Bird, weighing forty or fifty Ounces, according to its being fat-ter or leaner. The Crown of the Head, and upper Part of the Neck, are tinctured with a dark green, thining like Silk, which Colour is more faint on the Crown of the Head. The Sides of the Neck, and the Throat, are of a shining purple Colour. The Feathers under the Chin, and at the Corners of the Mouth.







Mouth, are black, with green Borders; below the green, the reft of the Neck, the Breaf, and Shoulders, Middle of the Back, and Sides under the Wings, are clothed with a most beautiful Colour, which, as it is diverify objected to the Light, appears either black or purple. The Legs are armed with Spurs, Morter than in a Cock, but finarp, and of a black Colour, The Hen is nothing to beautiful as the Cock, almost of the Colour of a Qualit. It lives in the Woods; and feeds upon Acorns, Berries, Grain, and Seeds of Plants. The Pheafant is accounted better Meat than almost all other Fowls, as well because it is rare, as because it is of a most delicate Tafte, and yields fo excellent a Nourishment.

46. THE Common PARTRIDGE is in Weight about fourteen Ounces. The Chin, and Sides of the Head, are of a deep yellow or faffron Colour. The Cock has on his Breaft a red Mark, of a semicircular Figure, resembling an Horse-shoe. The Hen has not fo much red on her Breaft; below the Chin, as far as the Horse shoe Mark, it is of a bluish Ash Colour, adorned with black Lines running across; the upper Side of the Body is party-coloured, of red, ash, and black. It feeds upon Ants, Ants Eggs, the Grains of Corn, and also upon green Leaves. It layeth fixteen or eighteen Eggs, ere it fits. In Winter time Partridges fly in Company, for they are of that Nature, that they breed, and bring up fifteen or fixteen together, which company all Winter with the old ones; but in the Spring-time, when they pair together, they fly by two and two: for then the old ones beat away the young from them.

47. The QUAIL is the leaft Bird in this Kind, being in Length about feven Inches. The Colour of the Breaft and Belly are of a dirty pale yellow, the Throat hath a little Mixture of red. The Head is black, only the Edges of the Feathers reddith. The middle Part of each covert Feather of the Back, and lower Part of the Neck, is marked with a yellowish white Stroke. The Wings are of a desky Colour, crosted with pale red Lines. The Tail is not above an Inch and haif long. Pheasants, Partidges, Quils,

and fome other Birds, are taken by a Net, by the Help of a Setting-Dog, trained up for this Sport, who finds out the Birds, and, when he fees them, either flands fill, or lies down on his Belly, not going very near them, left he should spring them; but, looking back on the Fowler his Master, wags his Tail, by which the Fowler knows, that the Birds are near the Dog: and so he and his Affistant run with the Net. and cover both Birds and Dog.

48. THE TURTLE DOVE is fomething lefs than a common Pigeon. Its Head, and the Middle of its Back, are blue, or ash coloured; the Breast and B ily white; the Throat tinctured with a lovely vinaceous Colour, Each Side of the Neck is adorned with a Spot of beautiful Feathers, of a black Colour, with white Tips. The Wings are dufky and afh-

coloured.

49 THE STOCK-DOVE, or Wood-Pigeon, is as big, or bigger than a common Pigeon. The Colour and Shape of the Body is almost the same with that of a common Pigeon; the Bill also like, of equal Length, and of a pale red Colour.

50. OF TAME-PIGEONS there are divers Sorts, which vary very much in Colour, as do most other domeffic Birds; and therefore I shall content myself with little more than the bare Mention of the Names of fome of them, they being generally well known.


1. The Runt may be diftinguished by greater and leffer; the Greater is more fluggish, and of flower Flight. The Leffer is a better Breeder, more nimble,

and of a fwifter Flight.

2. The Cropper, fo called, because it can, and usually does, by attracting the Air, blow up its Crop to that strange Bigness, that it exceeds the Bulk of the whole Body.

2. The Broad-tailed Shaker, called Shaker, because it does almost constantly shake, or wag its Head and Neck up and down. There is the Narrow-tailed Shaker, which differs only in the Narrowness of its Tail, as the Name imports. 4. The Carrier is of equal Bigness with a common

Pigeon, or somewhat less, of a dark blue or blackish





Colour. It is faid, that Carriers have been, and aremade ufe of, to convey Letters to and fro; chiefly in the Turkiß Empire. For the Nature of these Birds is fuch, that, the carried far away, they will return speedly thither, where either themselves were bred or brought up, or where they had hatched and brought up Young.

5. The Tumbler is a small Sort of Pigeon. Tumblers are of divers Colours; they have strange Motions, turning themselves backward over their Heads,

and thew like Footballs in the Air.

6. The Light-Harfman is a Battard Kird, of one Parent a Cropper, and the other a Carrier; and fo it parakes of both, as appears by the Wattles of its Bill, and its fwellen Throat. Light-Horfenen are the beff Breeders of all; and will not lightly forfake any Houfe to which they have been acculomed. It is faid, that a Pigeon will breed for twenty Years; and if it receives no Hurt, live above thirty.

SI. THE MISLE-BIRD, or Shrite, is somewhat

bigger than a Blackbird. The Head is of a Lead Colour: The Back, Tail, and Rump, have fome Mixture of yellow. The under Side of the Body, from the Bill to the Tail, is speckled with pretty great blackifh Spots. The upper Part of the Breaß, the Sides, and Feathers under the Tail, are yellow; the Middle of the Belly white. Sitting upon the Tops of high Trees, as Oaks, Elms, Oc. in the Spring, is finger arely well. It abides the Year round with us in England; and breeds here. It is a foliary Bird, accompanying and flying only with its Mate. Cz. The SON G-THRUSH, in the Colour and

Spots of the Breaft and Belly, agrees with the Milde-Bird, for the Spots are dufky, the Breaft is yellowith, the Belly white. The upper Surface of the Body is all over dufky, with a Mixture of yellow in the Winga, The Coek cannot be known from the Hen by its Colour. It abides all the Year, and breeds with ms in Expland. It builds its Neft outwardly of Earth, Mofi, and Straws, and within daubs it with Clay; laying its Eggs and Young upon the bare Clay. It lays at one Sitting five or fax Eggs of a bluish grees Colour, speckled with a few small black Spots. In the Spring time it fits opon Trees, and fings moft

fweetly; but it builds in Hedges.

53. THE Common BLACKBIRD is little or nothing less than a Fieldfare. The Cock whistles and fings very pleafantly all the Spring and Summertime. The Blackbird builds her Neft very artificially, without-fide of Moss, slender Twigs, Bents, cemented or joined together with Clay, daubing it also all over within-fide with Clay, and covering the Clay with fmall Straws, Bents, Hair, or other foft Matter, upon which the lays her Eggs. She lays four or five Eggs. of a bluish green Colour spotted.

54. THE REDWING is rather less than the Thrush. The upper Side of the Body is of the same Colour with that of the Thrush; the Breast not so much spotted. The covert Feathers of the under Side of the Wings, and of the Sides of the Body under the Wings, which in the Thrush are yellow, in this Kind are of a red Orange Colour; by which Mark it is chiefly diftinguished from it. The Belly is white: the Throat and Breast yellowish, spotted with dusky Spots. It comes to us from beyond Seas, as the Fieldfare, with which it flies in Company, observing

the same Times of coming and returning.

SS. THE FIELDFARE is somewhat bigger than the Blackbird. The Head, Neck, and Rump, are ath-coloured; in fome, of a deep blue. The Crown of the Head is fprinkled with black Spots. The Back, Shoulders, and covert Feathers of the Wings, are of a dark red, or Chesnut Colour; the middle Parts of the Feathers being black. The Throat and upper Part of the Breast are yellow, spotted with black; the Bottom of the Breast and Belly is white, and less spotted. Fieldfares fly in Flocks together with Stares and Redwings. They shift Places, according to the Season of the Year. About the Beginning of Autumn come over incredible Flights of them into England, which flay with us all Winter, and in Spring fly all back again, not one Bird remaining. It is faid, that there were never feen any young Fieldfares, or Redwings, or fo much as a





Nest of those Birds with us in England. Whither they betake themselves, or where they breed, is not

to us perfectly known.

56. A STARE or STARLING is of the Bignels and Shape of a common Blackbird. The Tips of the Feathers on the Neck and Back are yellow; the Feathers under the Tail of an Afth Colour; elfe they are black all the Body over, with a certain blue or purple Glois, varying, as it is variously exposed to the Light. In the Hen the Tips of the Feathers on the Breath and Belly, to the very Threat, are white. Starlings company with Redwings and Fieldfares; yet do they not fly away with them, but abide with us all the Summer, breeding in the Holes of Towers, Houses, Trees, &c. It lays four or five Eggs, lighty tintured with a greenith blue.

57. THE RING-OUZEL nearly refembles the common Blackbird in Biguefs, Figure, and Colour, but hardly fo dark. The Top of the Head, the Shoulders, Back, Wings, and Tail, are of a dark brown or dußy Colour. Its Bill is every Way like the Blackbird's, excepting the Colour, which in this is of a dark brown or blacklift, It is ufually convertant about Rocks, and the fence Cliffs of hish Mountain

tains.

58. THE BLACK MARTIN, or Swift, hath a great Head; an huge wide Mouth; but a very finall Bill. The Colour of the Feathers of the whole Body is black, only under the Chin is a Spot of white or Aft Colour. Its Legs are very flort, but thick; its Fect very finall. They fay, that by reason of the Length of its Wings, and Sortents of its Legs, this happens to alight, or fall on the Ground, it cannot rais itself up again, but may easily be caught. Wherefore it doth either always fly, or sits upon the Tops of Churches, Towers, or other ancient Buildings.

59. THE MARTIN, or Martinet, or Martlet, is fomewhat lefs than the common Swallow. Its Feet, to the very Claws, are covered with a white Down; by which Note it is easily diffinguishable from all its Fellows of the Swallow Kind. Its Head,

Neck, Back, Tail, and Wings, are of the fame Colour with the Houle-Swallow. Its Rump, Breaff, and Belly, Milk white. The Tail Islefs forked than the Houle Swallow. It is a very tame and innocent Bird; it builds its Neft of Mud, with a great deal of Art, under he Bayes of House, Windows, &c. and

feeds upon Flies, and other Infects.

60. THE Common HOUSE-SWALLOW is on the Head, Neck, Back, and Rump, of a very lovely thining purplish blue Colour. The Throat is of the fame Colour with the Neck; the Breast and Belly are white, with a Dash of red. The Tail is forked, confilling of twelve Feathers; the outmost of which are an Inch longer than the next, and end in tharp Points. The Wings are of the fame Colour with the Back. Swallows build in Chimnies; and feed upon Flies, Worms, and other Infects. What becomes of Swallows, Martins, and some other Birds, in Wintertime, whether they fly into other Countries, or fleep in hollow Trees, and the like Places, natural Historians are not agreed; nor, indeed, can they certainly determine. It feems more probable, that they fly away into hot Countries, viz. Egypt, Ethiopia, &c. than that either they lurk in hollow Trees, or Holes of Rocks, and ancient Buildings, &c. as has been

61. THE REDSTART is about the Bigness of a Robin-red breaft. The Breaft, Rump, and Sides under the Wings, are red; the lower Belly is white. The Head, Nock, and Back, are of a Lead Colour. It feeds upon Infects, and comes to us in Summertime. This Bird is faid to be of a very dogged and fullen Temper; for if it be taken when old, it will be difficult to make him feed; but if taken young, and brought up, it becomes gentle and very tame. The Redstart is thought to be the shyest of all Birds; for if the perceive you to mind her, when the is building, the will forfake what the has begun; and if you touch an Egg, she never comes to her Nest more; and if you touch her young ones, she will either flarve them, or throw them out of the Nefl, and break their Necks, as has been found by Experience more than







than once. If this Bird be kept warm in Winter, it will fing as well in the Night as the Day, and will

learn to whiftle, and imitate other Birds.

62. THE ROBIN RED-BREAST is a Bird fo well known in almost all Countries, that but little need be faid of it. In Winter time, to feek Food, it enters in o Houses with much Confidence, being a very hold Bird, fociable, and familiar with Man. In the Summer-time, when there is Plenty of Food in the Woods, it withdraws itself in the most defert Places. It is a fol tary Bird, and feeds fingly; whence the Proverb took its Rife, Unum Arbustum non alit duos Erithacos; One Shrub doth not produce two Robinred breafts. It feeds upon Infects, Ants Eggs, Crambs of Bread, &c. For a Song bird, it is, by fome, esteemed little inferior to the Nightingale. The Male may be known, and diftinguished from the Female. by the Colour of his Legs, which are blacker; and by certain Hairs which grow on each Side his Bill.

and his Breast being of a deeper red.

63. LARKS are diftinguished from other Sorts of Birds, 1. By their long Heel or Claw of the back Toe, which is the characteristic Mark of these Birds. 2. By the earthy Colour of their Feathers. 3. By their finging as they fly, mounting up in the Air. The common Sky Lark is not much bigger than an House Sparrow, yet longer-bodied. It builds its Neft fometimes in plain open Ground, under fome high Grafs; and though in Winter we fee great Flocks of them, yet we find the fewest of their Nests of any Birds, that are fo plentiful. It breeds thrice in a Year, in May, July, and August, rearing her Young very suddenly; so that, if you have a Nest, you must take them as foon as they are spoon-feathered, or else you run the Risque of losing them, for they will get them gone of a sudden. Young Nestlings may be brought up almost with any Meat; but if you give them Sneep's Heart and Egg chopt together, till they are about three Weeks old, it will not be amifs; and when they come to eat alone, give them Oatmeal. Hempfred and Bread, mixed together, with a little Egg. 64. THE

64. THE WOOD-LARK is diffinguished from the common Lark by the following Marks. 1. Whiftling like a Blackbird. 2. A Circle of white Feathers encompassing the Head, from Eye to Eye, like a Crown or Wreath. 3. The first or outmost Feather of the Wing being much shorter than the second; whereas in the common Lark it is near equal. 4. The outmost Feathers of the Tail have white Tips. 5. That it fits upon Trees. 6. It is leffer than the common Lark, but hath a fhorter, thicker, or rounder Body, for its Bigness. The Wood-Lark is comparable to the Nightingale for finging, and by fome preferred before it. It is a very tender Bird, and yet breeds the foonest of any in England. It builds most commonly in Lays, where the Grass has been pretty rank, and is grown ruffet, under some large Turf, to shelter its Nest from the Wind and Weather.

65. THE CRESTED-LARK differs from the common Lark, t. In Bigness 2. In the Creft. 3. In the Colour of the Back, which is less spotted, and not To beautiful. 4. In the Measure of the Tail, which in this Bird is shorter. 5. In that it soars not so much in the Air; and when it mounts up, stays not so long there. 6. That it flies not in Flocks, as they do. Lastly, it is frequently feen about the Banks of Lakes

and Rivers.

66. THE NIGHTINGALE, being the chief of all finging Birds, is about the Bigness of a Goldfinch, or Redstart, and long-bodied. Its Colour on the upper Part, viz. Head and Back, are of a deep Gold Colour, with a certain Mixture of green, like that of a Redwing. Its Tail is of a deeper Red; its Belly is white. The Parts under the Wings, the Breaft, and Throat, are of a darker Colour, with a Tincture of green. This Bird is not remarkable for any Variety or Beauty of Colours, but well known from its finging by Night. The Nightingale is very impatient of Cold, and therefore in Winter-time either hides itself in some lurking Place, or flies away into hot Countries. It breeds in the Spring-time about the Month of May, building its Nest of the



Leaves of Trees, Straw and Moss; and lays four or five Eggs. It feldom fings near its Neft, for fear of discovering it; but for the most Part about a Stone's

Cait diftant.

67. THE VIRGINIA NIGHTINGALE is nigh as big as a Blackbird. It has a Tuft on its Head of a fcarlet Colour; with which Colour alfo the Neck, Breaft, and Belly are adorned. The Ends of the Wings are not of fo deep a scarlet, as neither the Tail. The Colour of the whole is a lovely fcarlet, only the Head and Tail more faint. Seeing its Image in a Glass it has many strange Gesticulations, making an hissing Noise, lowering its Crest, setting up its Tail after the Manner of the Peacock, shaking its Wings; in fine, firiking at the Looking-Glass with its Bill.

68. The BLACK CAP is a very finall Bird, not weighing above half an Ounce. The Top of the Head is black; whence it took its Name; the Neck of an ash Colour; the whole Back of a dark green; the Wings of a dusky Colour, only that their Edges are a little green. The Tail is also of a dusky Colour. with a little Tindure of green. The nether Part of the Neck, the Threat, and upper Part of the Breaft. are of a pale ash Colour; the lower Belly white. tinctured with yellow. This Bird is common in

dtaly; it is also found in Eng'and, but more rarely.

60. THE HUMMING BIRD is the least of all Bird . The Head, together with the Feathers, is of the Bigness of a mean fized sweet Cherry; the Neck is three Quarters of an Inch long; the Body an Inch and a Quarter. The Body, together with the Feathers, is scarce equal in Bigness to a Spanish Olive. Its Colour is wonderfully resplendent, so that it cannot be well represented by any Painter; for with a green, such as is seen in the Necks of Peacocks, a golden Flame-Colour, and yellow, are strangely mixt: fo that being exposed to the Sun-Beams, it shines admirably. It makes its Nest in the Boughs of Trees. of the Bigness of an Holland Schilling; and lays very white Eggs, two for the most Part, of an oval Figure. not bigger than Peafe. It is fed and nourished with

Honey

Honey Dew, and the Juice of Flowers, which it fucks out of them with its Bil. It flies very fwift, and makes a humming Noife, like a Hornet, or Bec, hence it took its Name in English, of Humming-Bird.

70. The WREN is a very small Bird. It builds its Neft sometimes by the Walls of House, in the Backsides of Stables, or other Out houses that are covered with Straw, but more commonly in Wbods and Hickges. This Nest is of the Figure of an Egg, cred upon one End, and hath in the Middle of the Side a Door, by which it goes in and out. It lays nine or ten, and sometimes more Eggs, at a Sitting. It is sfringe to Admiration, that to small a bodied Bird should cover so great a Number of Eggs; and more strange that it should seed sich a Company of Young, and not miss one Bird, and that in the Dark also. Being kept tame, it strings kevetly.

71 TFT MICE are a Sert of fmall Birds that are found, for the most Part, about Trees, and live chiefly upon Infects which they find there. There are feveral Sorts of these Birds, voiz, the Marjo Timuvle, et Black Cap; the Blas Timunje, or Nus; the Corjet Timusje; the Long-tail'd Timusje, and fome others. Some of these build in Holes of Trees; others make Nells of an oval Figure, with an Hole left open in the Side to go in and out at. They are reflets Birds, never fitting long fill lin a Place, but fitting from Bough to Bough, and from Tree to Tree. They have finer Bills.

finall Bodies, and long Tails.

72. THE LONG-LOW IN DIAN-SPARROW is of equal Bigness to our House Sparrow. It hash a fhort thick Bill of a fearlet Colour. Its Head is blackin, with a Mixture of greenith Colour, inclining to blue. The Wings are of three Colours chiefly; first, that now mentioned; fecondly, a white, is appears in the Figure; thirdly, a black; to which locceeds, fourthy, a yellowift Colour. The Throat, and lower Scless of the Neck, the Beaft, and Bolly are white. The Tail is double, as in the Peacock; and also of two Colours; the leffer, which fulfains the greater, being as it were its Prop. is white; the greater, considing of four very narrow Peathers, of nine Incless





long, is of a deep black. The Legs and Fect are fpotted of black and white; the Talons are black, and, as in Birds of Prey, very tharp and hooked.

73. THE RING-PARRAKEET is about fourteen Inches long. Its Bill is thick, and all over red. The Head, and all the Body belides, green; but the Neck, Breaft, and whole under Side, more faint, or pale; the upper Side deeper coloured. It hath a red Circle, or Ring, which encompasseth the Backside of the Neck: This Ring is behind of the Breadth of one's little Finger; but grows narrower by Degrees towards the Sides, and ends under the lower Chap of the Bill. The Belly is of fo faint a green, that it feems almost to be yellow. The Tail is also of a yellowish green. The Legs and Feet are ash colour'd. This is faid to be the first of all Parrots brought out of India into Europe; and the only one known to the Ancients for a long Time, to wit, from the Time of Alexander the Great, to the Age of Nero.

74. THE FOOLISH SPARROW is in Bigness equal to the common Sparrow. The Colour of its whole Body is yellowish, spotted every where with oblong, rufty, or rather red Spots, which on the Back are longer and bigger than elfewhere. The Bill is red. thick, and thort; the Eyes great. The Tail and

Wings incline to black.

75. THE Common HOUSE-SPARROW is every where fo well known, that I shall only present

you with the Figure.

76. THE BULLFINCH is a very docile Bird. and will nearly imitate the Sound of a Pipe, or the Whitle of a Man, with its Voice. This Bird is much esteemed in England for its Singing, and defervedly, for therein it is thought to excel all small Birds, if perchance you except the Linnet. The Head, for the Proportion of the Body, is great. In the Male, a lovely fearler, or crimfon Colour adorns the Beaft, Throat and Jaws, as far as the Eyes. The Crown of the Head is black; the Rump and Tail white; the Neck and Back grey, with a certain Tincture of red; the Tail is black. The Cock is of equal Big-G 2

ness to the Hen, but hath a flatter Crown, and excels

her in the Beauty of his Colours.

77. The GÖLDFINCH, or Thiplit-Finch, is a very beautiful Bird; for the Elegancy of its Colours, and Sweetness of its Singing, every where well known and highly eltermed. It is of a mild and gentle Nature, as may even thence appear, that, pretently after it is caught, without using any Art or Care, it will fall to its Meat and Drink; nor is it for Gared and afrighted at the Prefence of a Man, as to strike its Bill and Wings against the Side of the Cage, as most other Birds are wont to do. It builds its Neft in Thorns, and Trees; and lays six or seven Eggs.

78. The Common LINNET is about the Size of the Goldinch. It is kept in Cages with us for the Sweetness of its Singing; for it hath a sweet Note, and is thought by some to excel all other small Birds. It builds in black or white Thorn Buthes; and lays

four or five Eggs.

79. Ties Red-beaded LINNET is fomething lefs than the common Linnet. The Crown of the Head is adorsed with a red Colour, but not very bright and filning; the reft of the Head and Neck round about of an aft Colour. The Shoulders, Back, and covert Feathers of the Wings are red, the Breaft is inclured with red, I thath a fine Note, equal to the common Linnet; and builds after the fame Manner with that Bird. It is common on the Sea-Coaft.

80. THE YELLOW. HAMMER is of the Bigness of a Sparrow. Its Head is of a greensh yellow, fiptied with brown. The Throat and Belly are yellow; the Breath has fomething of red mingled with it, as also the Sides under the Wings. The Rump is reddift. Yellow-Hammers build upon the Ground; be-

ing every where in England most common.

St. The WATER-WAGTALL is a Bird every where so well known, that it may seem enough to name it, not needing any Description. It is much conversant about the Brinks of Rivers, Ponds, and other watry Places, where it catches Flies, and Water Insects. It builds upon the Ground among the





Corn, making its Nest of Bents and the Stalks of Herbs, spreading Hairs within under the Eggs. It

lays at one Time four or five E gs.

82. Tirz CANARY BIRD is of the Bignefs of the common Timoufe. It hath a very fweet and shrill Note, which at ore Breath continued for a long Time, without Intermificion, it can draw out fometimes in length, fometimes raife very high, by a various and almost mufical Infection of its Voice, making very pleafant and artificial Melody. The Sound it makes is very flarp, and fo quavering, that fometimes, when it fretches and exercifes its little Throat and Chaps, whiltiling with all its Porce, it whementyly firlkes, and even deafens the Ears of the Hearers with its Shrillnefs. Many are delighted with this Kind of its Singing; many alfo are offended, faying, that they are flumed afford with it.

83. THE CRANE is a large bodied Fowl, weighing fometimes ten Pounds. Its Neck and Legs are very long. The Top of the Head is black; from the Bill to the hinder Part covered with black Hairs or Briffles, rather than Feathers. The Throat and Sides of the Neck are of a black Hue. The Back, Shoulders, covert Feathers of the Wings, Breaft, and all the Belly, and Thighs, are ash colour'd. In the Fen Countries in Lincolnsbire, and Cambridgesbire, there are great Flocks of Cranes : but whether or no they breed in England is not certainly known. Tho' the Crane be a Water Fowl, yet it is thought not to feed at all upon Fish, but only upon Herbs, Grain, and Seeds of divers Sorts; and also upon Infects. The Flesh of these Fowls is very favoury, and well-tasted. not to fay delicate.

84. THE BALEARIC CRANE is in the Shape of its Body like a Stork. It bath upon its Head a thick round Creft, made up with Brilles foread every Way, like to Hog's Brifles, of the Colour of the Prickles of a common Hedgehog; by which Note it may at fift Sight be known from all other Brids. It is found in the Country near Cape Freit. For Bignefs it is equal to our Country Crane. This Bird roofs after the Manner of a Peacock, whose Voice and Control of the Country Crane.

ditions it also imitates. It feeds upon green Herbs, and, together with Hens and Peacock, devours Bar-

lev. and other Grain.

'\$5. The Common HERON is, from the Tip of the Bill to the End of the Claws, four Feet long; to the Bnd of the Tail, about thirty-eight laches. It hash a black Creft on the Head four Inches high. The Feathers on the Crown of the Head and the Chin are white. The Neck, white and afth-clour'd, tinctured with red. The Throat white, being delicately painted with black Spots. The Breaft, Back, and Wings are various, inclining to yellow, afth, and black. It feeds upon Fifthes, Froga, 'Er. Herons build fometimes on the Tops of great Trees, like Rooks, and for the most Part many together.

86. THE Leffer ash colour'd HER'ON, called by the German, the Night-Rawan, is leffer than the common Heron, and hath a storter Neck. Its Back and Crown are black; its Neck ash-colour'd; its Throat and Belly tinclured with yellow. A white Line is extended from the Eyes to the Bill. From the hinder Part of the Head it hath a Crest of three Feathers, sive Inches long, hanging down over the Back; whereby it differs from all other Birds. Its Wings and Tail are of an ash-colour; its Bill black; its Legs and Feet of a yellowish green. This Bird is called Night-Rawan, because in the Night-Time it cries with any uncould Voice, like one that strains to vomit.

87. The BITTERN is near as big as the common Heron; its Head is fmall, narrow, or compressed at the Sides. The Crown is black; the Throat and Sides of the Neek are red, with narrow black Lines; the Back is party-colour'd, of a pale red and black. The back Claw of this Bird, which is semarkably thick and Ibng above the reft, is wont to be fet in Silver for a Pictooth; and is thought to have a singular Property of preferring Teeth. This Bird when it bellows makes a dreadful Noife; and it is faid, that it gives always an odd Number of Bombs at a Time, wiz, three or five, which by Obtervation has been found to be faife. It begins to bellow



low about the Beginning of February, and ceases when breeding Time is over. The common People are of Opinion that it thrufts its Bill into a Reed. by the Help whereof it makes that lowing or drumming Noise; others fay, that it thrusts its Bill into the Water, Mud, or Earth, and by that Means imitates the Lowing of an Ox. It hides itself commonly among Reeds and Ruthes, and fometimes lies in Hedges with its Neck and Head erect. In the Autumn, after Sun fet, this Bird is wont to foar aloft in the Air, fo high, that it gets quite out of Sight; in the mean Time making a fingular kind of Noise, nothing like to Lowing. This, without doubt, is that Bird our common People call the Night-Ravens and have fuch a Dread of, imagining its Cry portends no less than their Death, or the Death of some of their near Relations; for it flies in the Night, answers their Description, and hath such a Kind of hooping Cry as they talk of.

88. This Common or White STORK is bigger than the common Heron; its Neck is thicker and florrer; its Head, Neck, and Forepart white; the Rump and Outfide of the Wings black; the Belly white; the Quill Feathers of the Wings are black; the Tail white; the Bill long, and red like an Henon's; its Claws are broad, like the Nails of a Man; it is feldom feen in Ergland, and not untles driven over by a Storm of Wind, or fome other Accident. It makes a fnapping or clattering Noife with its Bill, by the quick and frequent Britking one Chapagainft the other. It readily east Froex Land-Smalls.

&c. but refuseth Toads.

80. The SPOON.BILL is a very large Fowl; the Colour of the whole Body is white like a Swan's; the Bill very much refembles a Spoon; whence affo the Bird itself is called. In a certain Grove at a Village called Savarehups, not far from Lydan in Holland, this Sort of Birds build and breed yearly in great Numbers on the Tops of high Trees; where also build Herons, Night Ravens, Shags, Cormorants, &c.

go. THE WOODCOCK is fomewhat leffer than a Partridge. The upper Side of the Body is party,

COTORI

coloured, of red, black, and grey, very beautiful to behold; from the Bill almoft to the Middle of the Head, it is of a reddifth aft colour. The Breaft and Belly are grey, with transverfe brown Lines; under the Tail, it is somewhat yellowsh; the Chin is white with a Tincture of yellow. Woodcocks are Birds of Passage, coming over into England in Autumn, and departing again in the Beginning of Spring; yet they pair before they go, flying two together, a Male and a Female. They frequent especially moift Woods, and Rivulets near Hedges. They are faid both to come and fly away in a Mist. Woodcocks Flesh, for the Delicacy of its Taile, is in high Estem.

91. The SNIPE or SNITE weighs about four Ounces. A pale red Line divides the Head in the Middle longways; the Chin under the Bill is white, the Neck is mingled of brown and red; the Beaft and Belly are almost wholly white; the Back and Wings are of a dusky Colour. Its Fleth is tender, wheet, and of an excellent Relifth. It lives effecially on the fatty Humour it fucks out of the Earth, but feeds alfo upon Worms, and other Infelds. It feeks its Food in moilt and fenny Places, Rivulets, &f., where alfo it hides tieffel; fo that it is Very hard to find or efpy it. Some Snipes abide with us all the Sommer, and build in our Moors and Marfhes, laying four or five Eggs at a breeding Time; the greatest Part leave us, and By away into other Countries.

92. THE GODWIT, called in fome Places the Yarwhyle, or Yarwhy, in others the Stone plaver, is like and equal to a Woodcock, or a little bigger. It lives, and feeks its Food on the fandy Shores by the Sca-fide, which for a great Space are uncovered when the Tide is out, where it hides not itself like the Woodcock, but walks up and down the Sands in

open View, like a Gull.

93. THE CURLEW is a pretty large Sea-Fowl, weighing about twenty-five Ownces; it is found on the Sea-coaffs on all Sides of England. The middle Parts of the Feathers of the Head, Neck, and Back, are black, the Borders or Outfides ath-coloured, with a Mixture of red; the Rump and Belly are white.



white. This Bird, for the Goodness and delicate Tafte of its Flesh, may justly challenge the principal Place among Water Fowl; of this our Fowlers are not ignorant, and therefore fell them dear. They have a Proverb among them in Suffolk:

A Curlew, be the aubite, be the black. She carries twelve Pence on ber Back.

94. THE REDSHANK is of a middle Size for Bigness, between a Lapwing and a Snipe, approaching to the Quantity of a Plover. The Head and Back are of a dofky ash Colour, spotted with black; the Throat is party-colour'd of black and white, the black being drawn down longways the Feathers. The Breaft is whiter, with fewer Spots. It is common on the fandy Shores about England, every where. It breeds in Marshes, and if any one comes near its Nest, it slies about, making a great Noise, like the Lapwing-

OF. THE LAPWING is a Bird in all Countries well known, and every where to be met with. In the North of England they call it Teewit from its Cry. It is of the Bigness of a common Pigeon. It lays four or five Eggs, of a dirty yellow, all over painted with great black Spots, and Strokes. builds its Nest on the Ground, in the Middle of some Field or Heath, open, and exposed to View, laying only fome few Straws, or Bents, under the Eggs, that the Nest be not feen ; the Eggs being so like in Colour to the Ground on which they lie, it is not eafy to find them, though they lie fo open. The Young, fo foon as they are hatcht, instantly forfake the Nest, running away with the Shells upon their Backs; for they are covered with a thick Down, and follow the old ones like Chickens. They fav. a Lapwing, the further you are from her Nest, the more clamorous the is, the nearer you are to it, the quieter the is, and less concerned the feems, that the may draw you from the true Place, and induce you to think it is, where it is not.

96. THE Tame SWAN is much the biggeft of all whole-footed Water Fowl with broad Bills : fome of them weighing about twenty Pounds. The whole

Body is covered with a foft delicate Plumage, in the old ones purely white, in the young ones grey. It is a very long-liv'd Fowl, fo that it is thought to attain the Age of three hundred Years, which by fome has been doubted of. My Author favs, for his Part, he could easily be induced to believe it; for that he had been affured, by credible Persons, that a Goose will live an hundred Years, or more. But that a Swan is much longer-liv'd than a Goofe, he bringeth many convincing Argaments to prove. The Swan feeds not upon Fish, but either upon Herbs growing in the Water, and their Roots and Seeds, or upon Worms and other Infects, and Shell-fish. Its Flesh is black, hard and tough, being no definable Dainty; yet for its Rarity, ferves as a Dish to adorn great Men's Tables, at Feafts and Entertainments. It lays feven or eight Eggs, and fits near two Months before its young ones are hatcht.

97. THE Tame GOOSE I shall say but little of, it being well known in all Nations. It is lesser shan a Swan, but bigger than a Duck. The Colour in these, as in other same Birds, is various; in some brown, in some green, &c. When it is angry, it hisses shike a Serpent. It is very long-liv'd, as has been mentioned

in the Description of the Swan.

98. THE Tame DUCK is as well, or better known than the Goofe; and there being nothing material in the Description of it, I shall only present you with the

Figure.

99. The WIGEON, or Whener, weighs about twenty-two Ounces. The Head, and upper End of the Neck, are red; the Crown towards the Bill is of a fact of the End of the Neck, are red; the Crown towards the Bill is of a fact of the Breath and Sides, as far as the Wing, is beautified with a very fair Tinduce, of a Red. Wine Colour, with fmall, transferfe, black Lines, The Middle of the Back is brown. It feeds upon Grafs and Weeds, growing in the Bottoms of Rivers, Lakes, &r. The Flelh of it, for Delicacy, is much inferior to that of a Teal, or indeed the wild Duck.

100. THE KNOT is a small Bird, weighing about four Ounces and an Half. Its Head and Back





are of a dußty ash Colour, or dark grey; the Rump varied with white and black Lines; the Breast and Belly white; the Sids under the Wings spotted with brown. About the Beginning of Winter, the self is are said to come into Lincolophire, where they continue two or three Months about the Sea-shores, and away again. They fly in Flocks. If fat, they are accounted excellent Meat.

101. THE RUFF, whose Female is called a Reeve. is bigger than a Knot. In the Cock Birds, a Circle, or Collar of long Feathers, something resembling a Ruff, encompasses the Neck under the Head : whence they took the Name of Ruffs. There is wonderful, and almost infinite Variety in the Colours of the Feathers of the Cocks; fo that the Springtime, there can fcarce be found any two exactly alike one to another. After Midfummer, when they have moulted their Feathers, they fay they become all alike again. The Hens are fomewhat less than the Cocks ; they change not their Colours Thefe Birds breed in Summer-time, in the Fens of Lincolnsbire, about Crow. land. They are fatte! with white Bread and Milk, as are also Knots, being shut up in close dark Rooms : for let in but the Light upon them, prefently they fall a fighting, never giving over till one has killed the other; especially if any body stand by. The Fowlers, when they fee them intent upon fighting, foread their Nets over them, and catch them before they be aware.

102. The Brafilian TAMATIA is of the Bignels of a Lark, or fmall Wood pecker, all flootted like a Throfile, or Mavis; on the Belly it has white Feathers, with duffey Spots. It is yellow under the Throat, as also about the Neck. It hath a long red Bill. Above the Noftlis Hand up certain flender Feathers, like Hairs or Briftles. Its Head and Bill are bigger than the Proportion of the Body requires.

ing about twenty-four Ounces. The Feathers about the Head and Neck are low, foft, and thick. The Colour all over the Body is black, deeper about the Head. It builds its Netl of Grafa, broken Reeds, &c.

floating on the Top of the Water, fo that it rifes and falls together with the Water; the Reeds, among which it is built, flop it, that it be not carried down Streams. This Bird, in the Figure and Make of its Body, refembles a Water-Hen. It feldom fits upon Trees. The Flesh of it, with us, is accounted no

good Meat; in Italy it is more effeemed.

of a Lapwing, weighing about nine Ounces. The Colour of the whole upper Side is black, thick fer with yellowith green Spots; the Breaft is brown, flotted with yellowith green; the Belly white. Its Fleth is tweet and tender, and therefore highly elemented, and accounted a choice Difth, as well in England, as beyond Scas. This Bird, from its Spots fomething refembling those of a Leopard, is called Paradalis.

105. THE Gray PLOVER is about the Size of the former. Its Head, Back, and leffer covert Feathers of the Wings, are black, with Tips of a greenift gray; the Chin is white; the Throat footed with brown or dufky Spots; the Breatl, Belly, and Thighs, are white. The Fleft also of this Bird is very tender, favours, and delicate; and in no lefs Efleem than that

of the former.

160. The DOTTREL is fomething lefs than the Plover. It is a very foolish Bird, but excellent Mear; and with fome accounted a great Delicacy. It is taken in the Night-time, by the Light of a Cardle, by imitating the Gestures of the Fowler; for if he stretches out an Arm, that also stretches out a Wing; if he a Foot, that likewise a Foot; in brief, whatever the Fowler doth, the same doth the Bird; and so being intent upon Men's Gestures, it is deceived, and revered with the Net spread for it. It is accounted a foolish Bird, even to a Froverb, we calling a soolish, dull Person, a Deutrel.

107. THE Common WATER-HEN, or Morr-Hen, is bigger than the Plover. The Breaft is of a lead Colour; the Belly inclining to grey, or aft Colour; the Back all over blackish. As it swims, or walks, it often flirts up its Tail. It will feed very fat.





Its Flesh is well tasted, and even comparable to that of Teal. It lives about Moats, and great Pools of Water near Gen lemen's Houses. It slies with its Feet hanging down. It builds upon low Trees and Shrabs by the Water fide, breeding twice or thrice in a Summer. Its Eggs are white, with a Tincture of green, spotted with reddish Spots. It strikes with its Bill like an Hen. It feeds upon Water insects that it finds among the Weeds, and on graffy Banks and Borders near Waters.

WOT. THE TEAL is the least of the Duck-kind. weighing only twelve Ounces. The Breaft and Belly are of a fordid white or grey Colour; the Back, and the Sides under the Wings, are curiously varied with Lines of white and black; the Wings are all over brown: the Tail is likewife of a brown or duffey Colour. This Bird, for the delicate Talte of his Flesh, and the wholesome Nourishment it affords the Body, doth defervedly challenge the first Place among

those of its Kind.

108. THE PELECAN is a very large Sea Fowl, being fixty Inches in Length, from the Point of the Bill to the End of his Tail; and almost equal in Bigness to a Swan. The Colour of the whole Body is white. It has a Bag which hangs down under the Bill, which makes the Pelecan greatly different from other Birds, which it fometimes contracts, and draws up to to the Bill, that it is fcarce to be fern : other Times it suffers it to be fo dilated, as to receive and contain many Pounds of Water, some-fay thirty. It feeds upon Fish. It lives to a great Age, fixty Years or upwards. Its Voice is faid to be like the Braying

100. THE CORMORANT is near as big as a Goofe. The Colour on the upper Side is dufky. flining with an obscure Tincture of green; the Breaft and Belly are white. It is very ravenous and greedy of Fish, which is its only Food. It builds its Nest on the Sea Rocks; and also upon high Trees in fome Places in England; which Thing is worthy the Notice taking; for besides this, and the Shag, we have not known, or heard of any whole-footed Bird, that is wont to fit upon Trees, much less build

its Nest upon them.

110. THE SHAG is fomewhat like the Cormorant, but a great deal less. It differs in the Colour of the Belly, which in this is blackish, in that white. It fwims in the Sea with its Head erect, its Body almost covered in the Water. When a Gun is difcharged at it, as foon as it fees the Fire flash, immediately it pops under Water like a Ducker, fo that it is a very hard Thing to thoot it.

III. THE Cornillo CHOUGH is like a Jackdaw. but bigger, and almost equal to a Crow. It differs chiefly from the Jackdaw in the Bill, which is longer and sharp, a little bowed or crooked. The Feet and Legs are like those of a Jackdaw, but red of Colour. The Plumage of the whole Body all over is black. It frequents Rocks, old Caftles, and Churches, by the Sea-fide. It is found not only in Cornwall, but also in Wales, and all along the Western Coast of England, about the Cliffs and Rocks near the Sea. Its Voice is like that of the common lackdaw, but more hoarfe.

112. THE SCARECROW is of the Bigness of a Blackbird. Its Head, Neck and Belly are black. Its Wings are ash-colour'd. Its Tail is a little forked. Its Legs and Feet fmall. The Male hath a white Spot under the Chin. They fly in Flocks for the most Part, twenty or thirty together. They catch Gnats, and other Water Infects. Their Flesh is good

to eat.

113. THE COCK of the Mountain, or Wood, for Bigness and Figure comes near to a Turkey. There is no Need of a particular Description of the Colour of the Feathers of this Bird, which vary much by Age, and perchance also Place, and other Accidents. It is chiefly black, with transverse Lines of white. This Bird is found on high Mountains beyond Seas, and, as they fay, in Ireland, but no where in England. The Flesh of this Bird is of a delicate Taste, and wholesome Nonrishment.





A DESCRIPTION of


FISHES.


BOOK III.

1. SONS HE WHALE is about fifty or fixty
To feet in Length, fometimes feventy;
and about twelve high, the Length of
SONS his Chap about eighteen Feet. The

Tongue is faid to be as big as a large Feather-bed. It has only two large Fins, which are fastened to the Shoulder-blades. The Tail is forked, like a Swallow's. Its Colour on the Back is blackift. the Belly white. The Back of the Fifth is commonly full of Scars and Scratches, which it is supposed to receive from its fwimming under the Ice. Whales are taken in large Numbers about Iceland, Greenland, and other Northern Countries, by the English, Hollanders, &c. Our South-Sea Company for feveral Years fent annually on this Expedition above 20 Sail of Ships, every Ship being above 300 Tons Burthen, and each carrying 45 Men. This Fleet usually fail'd about the End of March, but feldom began to fish till the Month of May. When they begin their Fishery, the Ship is fasten'd, or moor'd with Nose-hooks to the Ice. Two Boats, each mann'd with fix Men (which is the Complement of every Boat in the Fleet) are order'd by the Commodore, (which is an Officer, who is the Head of every Ship's Company, and appointed on Purpole to manage the Fishery) to look out for the Coming of the Fish, for two Hours, and then are relieved by two more, and so by Turns. These two Boats lie at some small Distance from the Ship, each separared from from the other, fattened to the Ice with their Boathooks, ready to let go in an Inflant, at the first Sight of the Whale. Here the Dexterity of the Whalehunters is to be admired; for fo foon as the Fifth shews herself, every Man to his Oar, and they rush on the Monster with a prodigious Swiftness; at the fame Time, taking Care to come abaft, or behind his Head, that he may not fee the Boat, which fometimes to scares him, that he plunges down again before they have Time to flrike him. But the greatest Care is to be taken of the Tail, with which it many Times does very great Damage, both to the Boats and Mariners. The Harpineer, who is placed in the Head or Bow of the Boat, feeing the Back of the Whale, and making the Onfet, thrufts the Harping-Iron with all his Might into its Body, by the Help of a Staff fixed in it for that Purpose, and leaves it in, a Line being fasten'd to it, of about two Inches in Circumference, and 126 Fathoms long. Every Boat is furnished with seven of these Lines, which being let run, from the Motion of it they observe the Course of the Fish. As foon as ever the Harpineer has struck the Whale, the third Man in the Boat holds up his Oar, with femething on the Top, as a Signal to the Ship; at the Sight of which, the Man who is appointed to watch, gives the Alarm to those that are alleep, who inflantly let fall their other four Boats, which hang on the Tackles, two on each Side, ready to let go at a Minute's Warning, all furnish'd alike with fix Men each, Harping-Irons, Lances, Lines, &c. two or three of these Boats row to the Place, where the Fish may be expected to come up again, the other to affift the Boat, that first struck the Whale, with Line; for the Fish will, fometimes, run out two or three Boats Lines, all fasten'd to each other; for, when the Lines of the first Boat are almost run out, they throw the End to the fecond, to be fastened to theirs, and then follow the other Boats, in Pursuit of the Whale, and so likewise does the second Boat, when their Lines are run out. A Whale fometimes, whea the is first struck, will run out above an hundred Fathoms of Line, before the Harpineer is able to take a









A Description of FISHES. 152


Turn round the Boat's Stem, and with that Swiftness, that a Man stands ready to quench it, if it should fire, which it frequently does; and I am told, there was a Boat lately to be feen in the South Sea Dock at Deptford, the Head of which was fawed off by the Swiftness of the Line's running out. Sometimes the Whale is kill'd on the Spot, without finking down at all. The Harping Iron would but little avail to the Deflruction of this Animal; but Part of the Rowers, either at the first Onfet, or when, in order to fetch its Breath, it difcovers itself to View, throwing aside their Oars, and taking up their very sharp Lances, they thrust it thro' the Body, till they fee it spurt the Blood thro' its Blower: the Sight of which is a most joyful Sign of the Creature's being mortally wounded. The Fiftermen, upon the Killing of a Whale, are each intitled to fome small Reward. After the Whale is killed. they cut all the Lines that are fasten'd to it, and the Tail off; then it infantly turns on its Back; fo they tow it to the Ship, where they fasten Ropes to keep it from finking; and when 'tis cold, begin to cut it up. The Body of a Whale is frequently found to be eighteen or twenty Inches thick of Fat; and yields fifty or fixty Puncheons of Oil, each Puncheon containing feventy-four Gallons; and about twelve hundred Pieces of Whale-bone, most of which are about fifteen Feet long, and twelve Inches broad, which are all taken out of the Jaws, being the Gills of the Fish : The whole Produce of a Whale being worth one thoufand Pounds, fometimes more or less, according to the Goodness of the Fith. Whilst the Men are at work on the Back of the Fish, they have Spurs on their Boots, with two Prongs, which come down on each Side of their Feet, left they should slip, the Back of the Whale being very flippery. Thefe Ships have Orders to quit those Seas by the 24th of June; for then the Fish begin to gender, and are very mischievous, The Male and Female, as the Whale-catchers relate, couple in a most loving Manner, by Conjunction, Leaping, and other Tokens of conjugal Love; and then fwim together, and always preferve the Friendthip begun, till the Female, fir'd by Luft, raifing her H 3

153 A Description of FISHES.

Body perpendicularly quite to her Tail, embraces the Male, meeting it in the fame Posture with its Fins. as it were with two Arms; and they closely continue their Careffes for half an Hour, or an Hour; and after this preserve an inviolable Chastity for each other, till Death. While they fwim, 'tis not easy to diffinouith the Male from the Female, unless from hence. that the latter is bigger than the former. The Female has Teats, and fuckles her Young after the Manner of Land-Animals. About ten Years ago, the Triton, one of our South-Sea Company's Ships, killed a Female Whale; and, whilft they were cutting her up along Side, a young one fwam about the Ship, and would not forfake the Dam; till at length the Commodore order'd the Boat out, to go and kill it; which they did; and it produced four Purcheons of Oil, Esc. There is a small Fish, by the Whale catchers called Loid, of which if the Whales devour any large Numbers, they become as it were drunk, and are transported with Rage and Fury, and exercise Ostrages against whatever comes in their Way. The Throat of the Whale is fo very ftraight, that it can hardly take in the Arm of a Man; therefore it is flrance, that this should be the Fish, that swallowed up Jonab; and more strange, when we are affored by Travellers, that no fuch Fifth is ever feen in those Seas. Some have imagined, that the Prophet was only in the Mouth of the Whale, which, indeed, is able so hold more than one Man; and more possible for a Man to continue alive there three Days, than in the Belly of the Fish; and the Whale often coming up to breathe, might the better afford the Man an Opportunity to breathe alfo. But it is more probable, that it was not the Whale that fwallowed up Jonah; for the Word Khros, which is translated the Whale, may as well fignify any other great Fish.

2. The SHARK is very large, and reckoned the bolder of all Fifth. Rondeltiu fays, that he faw a middling one, that weighed near ten hundred Weight. Gillius fays, that he was very credibly informed that a Fifth of this Sort, not weighing left shan four thousand nett Pounds, being diffected, had





a whole Man found in his Belly: He likewife fays, that the People of Marfeilles told him, that they had caught one, in which they found a Man armed with a Cost of Mail. The Head and Mouth of this Fish are large in Proportion to the rest of the Body. The Number of its Teeth is always uncertain, and varies according to the Age of the Fifn; it having been observed, and delivered by Men worthy of Credit, that this Kind breeds new Teeth every Year, as long as it lives. It is faid to have three Rows of Tceth, very hard, strong and sharp. This Fish is common in the West Indies, &c. and is very destructive to those Men who divert themselves by Swimming; it sometimes biting a Man afunder, at other Times at least taking away a Limb, &c. yet it is often catched and eaten by Sailors. When it feizes its Prev, it always turns itself upon its Back. Tho' it is vally flrong, yet when it takes the Bait, it is foon taken, if you play him with the Line. This Fish, when eaten, tastes flrong, and it has a very tough Skin.

3. THE PILOT.FISH is of a deep blue; the Belly is of a lighter Colour than the Back, or Sides. The Scales are smooth, like a Tench's: Its Back is speckled like a Seal's Skin. When swimming, it appears much like a Mackrel, and looks as if it were painted blue and white; like a Barber's Pole. They f y, that the Shark is always attended by one or two of these Fish; which he will not devour, tho' never fo hungry, because they find out the Prey for him. It


is reckoned a very good Fish to ear.


4. THE REMORA, or SUCKING-FISH, is about eight or nine Inches long, of a dark blue Colour; having a Sucker about two Inches long, on the Top of his Head. The Mouth is wide; the Eyes fmall; the under Jaw longer than the upper, with two Rows of small sharp Teeth. It has two Fins, one on each Side his Gills; two fmall ones under its Belly; two near the Tail; and one on the Ridge of the Back. It has its Name from its fucking the Shark. It is of a very flimy Nature, and commonly flicks fo fast to Sharks, and other large Fish, as not to be easily got off. It is faid, that Remoras are wont to cleave to Keels of Ships, and hinder their Courfe.

157 A Description of FISHES.

5. THE DOLPHIN is a large Fish, not much unlike the Porpoife. It fwims with two ftrong Fins. which, like the Arms of a Man, are joined to the Shoulder-blades; and is faid to be of that Swiftness. that it will easily overtake a Ship in full fail before the Wind. It produces its Young from Seed, and not from Spawn, perfect, one at a Time, and fometimes two: It goes with Young ten Months, and breeds only in the Summer. It lives about twentyfive or thirty Years. They fay, that 'tis a most certain Foreboder of a Tempest shortly to follow, when it more frequently moves its Body, and sports itself on the Water. They are much decrived, who imagine Dolphins to be of the Figure they are utually reprefented on Signs; that Error being more owing to the unbrided Licence of Statuaries, or Painters, than to any such Thing found in Fact: Though it must be own'd, that at the Approach of a Storm, whilft the Dolphins, leaping and springing from the Waves, are feen to precipitate themselves into the Deep, they are wont to deceive our Sight, and at that Time have some Resemblance of Crookedness. It is said it will live a long Time out of the Water: One taken at Rimini (according to Gelner) lived three Days upon Land. Dolphins fometimes swint in Shoals, sometimes the Male and Female together, but never fingly. Gillius favs, that when he was in a Ship, where many Dolphins were taken, he observed them so to deplore with Groans, Lamentations, and a Flood of Tears, their Condition, that he himself, out of Compassion, could not forbear weeping, and threw that which he objerved to groan more than ordinary (the Fisherman. being affeep) into the Water; as choosing rather to. damage the Fisherman, than not to relieve the Miserable. But this gave him but little Rest, for all the others increased their Groans, as seeming, by not obfcure Signs, to beg the same Deliverance. It has been. related, that Dolphins have been in great Request for Food with Princes, and purchas'd at an excessive Rate; tho', according to the Accounts of fome, their Flesh yields no very grateful Tafte.

6. THE.





6. THE FLYING-FISH is flender and long, with a large Eye. The Body is in Shape, Scales, and Colour, like one of our Mullets. The Wings and Fins are as represented in the Figure. It flies near a Gun-shot before it touches the Water: and, when it has wet its Wings, mounts up again; being chafed by the Dolphin, which swims so swift, that it often

catches it as it drops into the Water.


7. THE SEA-UNICORN is a Fish often found about Iceland, Greenland, and other Northern Islands ; fomewhat of the Nature of the Whale. On the Top of the left Part of the upper Jaw, or Forchead, it hath only one Tooth, or Horn, of a large Size, being fix or feven Feet in Length, fometimes more; and in Thickness equal in Proportion to its Length; firaight and tapering, curled or twifted about to the End. The Female is faid to have no Horn, but a Dent or Hollow, in that Place of her Forehead. The Horn is made use of by the Dutch as Ivory. This Fish is about nine Feet in Length. It casts its Young like the Whale, which is after the Manner of Land Animals : And is supposed to receive them into her Belly, when in Danger, One of our Greenland Ships, about eight or nine Years ago, found a Female of this Kind dead on the Ice, and in the Belly of it a Female young one, which was in Length, from the Tip of its Snout to the End of its Tail, fix Feet. It is not to be supposed, that a young one of that Bigness had been ever brought forth; or that the Dam devour'd it for Food; but rather that it took it in, to fecure it from some great Danger. This Account I had from two Persons worthy of Credit, who were Eye-Witnesses of this Fact.

8. A PICKED-DOG, or Hound-Fife, has a long, round, tapering Body, without Scales. It is covered with a fharp Skin, which is made use of to polifa Alabalter, Arrows, &c. Its Snout is long, and a little roundish at the Point. It feldem weighs twenty Pounds. Many of these Fish are taken in the British Ocean, and Irifh Sea.

9. THE PORPOISE is in Length, from the Tip of its Snout to the End of the Tail, about three or four Feet, and about two Feet and a half thick. Its Figure is fomewhat longish and roundish, continually tapering towards the Tail. It is covered with a flender, thin Skin, not fenced with Scales. The Colour of the Back is of a dark blue, inclining to black ; from the Middle of the Side it begins to whiten, the Belly altogether white. Its Eyes, for the Bigness of the Fish, are very small. It has only three Fins like the Dolphin; one on the Middle of the Back. and one on each Shoulder; the Tail is forked. When this Fish is cut up, its Flesh looks very much like Pork. There are great Numbers of Porpoifes feen on our English Coasts, especially in Mackrel and Herring Seafons; at which Times they are wont to do very great Damage to our Fishermen, by breaking and destroying their Nets to get at the Fish; and sometimes fo entangle and wrap themselves up in them, that they are often taken. Porpoifes fwim but a very little Way at a Time, before they come up to breathe; and, when they come up, blow or breathe very loud, fo that, in calm Weather, they may be heard at a great Distance. These Fish will sometimes pursue their Prev close to the Shore, nay even in the very Harbour. I myfelf have feen a Porpoife more than once come within half a Stone's Caft of the Houses. When they come up to breathe, preat Part of their Body is feen.

10. Tus SWOR D-FISH has a Stout for refembling the Figure of a Sword, that from thence it has its Name. Its Weight is femetimes above an hundred Pounds. They are frequently feen fifteen Feet in Length. It has a longish Body; towards the Heid thick, towards the Tail mall! a rough Skin, black on the Back, like a Shark; the Belly white; a midling Mouth, but no Teeth. Its Tail is like an Hild moon. Sword-fiftes are taken off the Coail of Naples, and the Sea of Sirály, after the following Manner: Spies are placed on high Cliffs that hang over the Sea, to observe the Place and every Motion of the Fifth, that they may tell the Fiftherman, who wait below in Boats, by Signs before agreed on, where to fleer; which the Fiftherman observing, as foon as





they draw nigh to the Fish, some one skilled in fishing gets up a small Mast in the Boat, erected for that Purpose, and observes the Motion of that Fish he defigns to firke at; and by Signs given, directs the Rowers where to row or turn about; and as foon as he is come very nigh the Fish, the Fisherman with an Instrument like the Harping-Iron strikes the Fish, and kills it, fomething like the Manner of killing of Whales. The Flesh is escemed by the Natives of those Places, upon whose Coasts this Sort of Fishes are

taken, to be as good as Sturgeon.

11. THE SHEAT FISH grows to a large Magnitude, one of them weighing fometimes eighty Pounds. There was one of them taken in the Wixel, a famous River of Poland, about fixteen Feet long, and about two broad. It is much of the Colour of an Eel; it has no Scales; and has only one small Fin on the Back; the Tail not forked. Its Flesh is much effeemed by many for the Agreeableness of its Tafte; and is wont to be ferved up at Tables, after the fame Manner with Eels. All feem to agree in this, that it is a very voracious Fish, and, wherever it is found, very mischievous. It is taken in the Elbe, the Wixel, and the Danube; and fometimes, but more rarely, in the Rhine; also in certain Lakes in Switzerland, Bawaria, Hungary, &c. especially the leffer and muddy ones; for it feems to love troubled Waters.

12. THE SEA-WOLF is taken at Hilligland. an Island not far from the Mouth of the Elbe. It is about three Feet in Length; it has a bigger and a rounder Head than a Shark. The Back, Sides, and Fins are of a bluish or a blackish Colour; about the Belly white. Its whole Skin is fmooth and flippery, without Scales. It is of a very voracious Nature, and furnished with very destructive Teeth. It is faid, that it will sometimes fasten on an Anchor with its Teeth, and leave the Print of them behind him, It has a double Row of sharp and round Teeth, ten or twelve in a Row, both in the upper and lower law.

13. THE BUTTERFLY-RISH is about five of fixthesis in Length; of a faint blue or ash Colour; having no Scales. It has a black Spot in the Fin on its Back. Its Flesh is fost and tender. At Venies, in the Month of Ordher, amongst other Fish, it is frequently exposed to Sale.

14. THE TRUMPET, or BELLOWS-FISH, is about three or four Inches long, hardly one Inch broad. The Snout, in Proportion to the Body, is very large. It is taken in the Ocean, when roused

by a Storm.

15. The SUN-FISH has a wide and floot Body. Its hinder Part is environed with a circular Pin, which ferves it inftead of a Tail; so that it may feem to be but the Head of a Fifth; or a Fifth but in part, rather than a whole one. It sometimes weighs an hundred Pounds, and its between two and three Feet in Length. It is not fealy, but covered with an hard, thick, and fluarp Skin; the Colour on the Back is black; on the Belly a filver Colour; its Sides partake of both. Its Fieth is very fost. Its Bones grilly and fost. It is taken in the Mediterraman, and also in the Ocean.


16. THE SEA ADDER (fo called by the People of St. 10-et) has a long, (mooth, and flender Body, without Scales. Its Colour is a greer, tinclured with red; the Eyes fmall. It is about the Bignefs of a Goofe-Quill, and three or four Inches long; it has


but one Fin, and that only on the Back.

17. The Fifth called FATHER-LASHER is about fix Inches long; the Head and fore Part of the Body very large, in Proportion to its Size; the hinder Part towards the Tail waxing left. It has no Scales. It feeds upon Shrimps, and other small Fish, and watery Infects. It is taken about the Coaft of Flunder; and Halland.

18. The BULL HEAD, or Miller's Thumb, is about three or four Inches long, feldom comes up to half a Poot. It has no Scales; the Back is yellowith, with a few little black Spots. It has a large blead, a great round Mouth, out of the Fins grow

feveral





feveral fharp Prickles, or Thorns, especially in the Parts towards the Head; fo that it is not eafily taken hold of, when alive, without wounding the fland, unless by the Tail. It is frequently feen in Rivuleis, Ponds, &c. in the Rocks about the Sea-shore. It feeds

on watery Infects.

10. THE SEA FOX, or APE, has (according to Rondeletius) its former Name from the Length of its Tail, and both together, from the Craftiness and Wiline's of its Nature, or elfe from its unfavoury Tafte or Smell; for it gives so bad and unwelcome a Flavour, whilst eaten, that it feems to participate much of the firong Scent and Tafte of a Fox. One of them will fometimes weigh an hundred Pounds Weight. This Fish is of a roundish and firm Body. It is in mighty Fear for its Young, and, when apprehensive of Danger, receives them into her Belly : Of which Matter Ronde letius declares himself to have bean an Eye with For (fays he) when a Fish of this Kind was diffected on the Shore, we faw young ones in its Belly, which the Fishermen thought it had devoured for Food ; but. feeing they were found to be alive, and unhurt, there was no Room to doubt, that the Dam had taken them in to rescue them from Danger. This Fish is sometimes taken in the Mediterranean.

20. THE MONK FISH, or Angel Fift, increases to a vast Bulk, and sometimes weighs near an hundred Pounds. The Colour of the Back and Sides is darkish; the Belly white. It is not approved of as good Food. This Fish is frequently feen near the

Coast of Cornavall, &c.

21. THE TURBOT is for etimes two Feet and a half long, and about two broad. It has no Scales ; all the upper Part of the Body is of an Ash Colour, variously sprinkled, and, as it were, marbled with black Spots, fome greater, and fome leffer. This Fish gives Place to few for Goodness, and Agreeableness of its Taste; and is thought, by some, to excel the Flounder, as much in Goodness as in Bulk. It is very often catch'd in the British and German Ocean.

22. THE PLAISE is a fmall, flat, firm Pift. fometimes a Foot, or more, long, and about feven Inches broad. The Back and Fins are spotted with round red Spots. This Fish being so plentiful in England, and every where so well known, no more need be faid of it.

23. THE DAB is somewhat thicker than the Plaife, and much of the same Size; has larger Scales, and no


reddith Spots.

24. THE FLOUNDER differs very little or nothing in Shape from the Plaife, unless that it is a little longer in the Body, and, when fully grown, fomewhat thicker; the Back is of a dark Olive-Colour, spotted. Some Flounders have yellowish Spots, both on the Back and Fins. The Flounder in its Tafte, and other Properties, agrees with the Plaife, no less than in its Shape and Colour. Flounders are taken in our Rivers. and Bays about England.

25. THE SOLE is a smooth Fish, of a longer and more contracted Body than the Flounder; being about a Foot or more in Length; the Back is of a darkish-Ash Colour; the Belly white. It is of a more firm and folid Flesh than the Flounder, and esteemed more excellent, for the Pleafantness of its Tafte, the Plenty of Nourishment it affords, and the Goodness of its Juice. Soles are taken in the British Seas, the Mediterrane-

an, &c.

26. THE COD.FISH, or Keeling, is in Shape and Colour like a Whiting, but something darker on the Back, diverlified with yellowish Spots. Some of these Fish are three Feet long, or more, and of a proportionable Thickness. Its Scales are small, flicking very close to the Skin; its Eyes are large. It is taken almost every where in the Sea about Britain. especially Northward. Its Flesh is most excellent, both fresh and salted. The Head of a large Cod, which is thick and fleshy, is, for the Deliciousness of its Taste, very much celebrated by Voluptuaries, and placed at the Tables of the Rich amongst their daintieft Diffes.









THE LING

A Defeription of FISHES. 172

27. THE HADDOCK is much less than the Cod, and differs fomewhat from it in Shape. It is of a blackish Colour on the Back; with small Scales. A black Line is carried on from the upper Corner of its Gills, to the Tail. In the Midale of the Sides, under the Line, a little beneath the Gills, there is a black Spot on each Side, which fomething refembles the Print of a Man's Finger and Thomb; of which there goes a Fable, that this was the Fifh, mentioned in the xviith of St. Matthew, out of the Mouth of which St. Peter took the Piece of Money, with which he paid Tribute for his Mafter and himfelf; and while he held the Fish, with his Fore-finger and Thumb (they fay) these Marks were impressed. The Fiesh is harder and thicker than the Flesh of a Whiting, and perhaps not quite fo good. Among the East Frieflanders, where the Sea is very mudov, and shallow, it is thought to excite Fewers; but in the Northumbrian Sea, which is very deep, full of Water, and clear, it is very innocent.

28. THE WHITING feldom much exceeds one Foot in Length, and is, in Proportion to its Bulk, thin and stender, especially towards the Tail; for about the Head it is thicker. Its Scales are small; the Back whiter than the rest of the Fish of this Make and Nature; from whence it obtained the Name of Whiting; the Belly is altogether white. It is taken almost every where on the English Coast, Str. The Fiesh of this Fish is both pleasant and innocent, and greatly esteemed by many People.


29. The LING is about two Feet in Length, of a long, round, flender Body, and has fmall Scales; the Back and Sides of fome are of an Olive-Colour, others grizized, or grey; the Belly white. This Fifth is in Shape and Colour pretty much like a Pike. It is taken in the North Seas, &c. Its Flesh, by fome People, is efteemed delicate, when feeth; and when falted and dried, preferred to all other Salt Fish.

173 A Description of FISHES.

30. THE MACKREL is usually about a Foot in Length, or more; the Body is thick, firm, and fleshy, slender towards the Tail; the Snout sharp, the Tail forked; the Back is of a lovely green; beautifully speckled, or as it were painted, with black Streaks; the Belly of a Silver-Colour; it has fmall Scales. It is a voracious Fifth, greedily swallowing down whatever Fish comes in its Way, that it can master. Physicians do not very much esteem this Fish for Food, as being hard of Digestion, and producing after it a Drowline's and Sleepine's; yet by its delicate Tafte it recommends itself to the Palate, and may possibly deserve the first Place amongst the most dainty Diffies. Mackrel fwim together in large Shoals, and are taken in great Numbers on our English Coasts, in the Months of May and June; and are also taken, and well known, in most Parts of the World.

31. THE HERRING, a Fish very well known. is about nine or ten Inches long, and about two and a half broad; it has large round Scales; a two forked Tail. The Body is of a fat, foft, delicate Flesh; if eaten too greedily, apt to breed Favers. The Her-ring is by fome called the King of Fish. They swim in Shoals, and fpawn once in a Year, about the Autumnal Equinox; at which Time, they, like the Generality of other Fish, are best. There are incredible Numbers of Herrings on our English Coasts, which are caught in Nets, as are also Mackrel; the former are chiefly taken in the Day, the latter in the Night, when roused by a Storm, it being a drowly, sleepy Fish. It has been frequently observed, that, after an hard Gale of Wind, very large Numbers have been taken : and I myfelf have known by Experience, that the Fishermen choose to go out to Sea in a windy, boiflerous Night; tho' fometimes there are taken very large Draughts of Mackrel, in a calm, fill Night. Mackrel and Herring commonly fwim near the Surface of the Water.

32. THE SPRAT, by fome, is thought to be no other than a young Herring; and it has been delivered by very worthy Men, that, upon the firiclest com-





paring of this Fish with the Herring, they could not find the least Difference in Figure, either in the external or internal Parts, or in the Taffe. They are taken in great Numbers about the Winter Solflice; and fold not by Weight, or Number, but in Measure. Sprats have been taken yearly about Easter-Time, for ten Days running, in a certain Lake about Cheshire, commonly called Rossern meer. At which Place have been caught with a Draught-Net twenty or thirty at a Time. At what Time, or little before they are taken in the Lake, they are also taken in great Numbers in the Salt Waters below Warrington Bridge, in the River Merfey; which River is washed by the Sea. in which it ebbs and flows feven or eight Miles below the Lake.

33. THE SMELT is in Length about eight or nine Inches, and one broad. The Back is of a dufky Colour; the Belly and Sides of a resplendent white, or Silver-Colour. The Head and Back, to a curious Observer, appear sprinkled with black Spots. Its Flesh is fost and tender, of a delicate Savour, yielding a most agreeable Scent, like that of a Violet. Smelts are taken in the Thames, and other large

34. THE POGGE is a Fish about two Spanslong, at the most. The Body, towards the Head, very thick; towards the Tail, slender and sharp. This Fish is often taken in the Sea, that washeth the Bishoprick of Durham.

35. THE SEA GUDGEON has a long and roundish Body. It feldom exceeds fix Inches in . Length. The Colour is various; the Tail and Fins, of a pale blue. The Head is large; it has a double Row of small Teeth. It has two Fins on the Back. The Tail, when extended, appears circular. It has fmall, sharp Scales. Whence now, as formerly, it is . in great Effeem amongst the Venetians.

36. THE LUMP, or Sea-Owl, is a thick, oddshaped Fish, as its Name seems to imply. Its Colour, from a blackith and faint red, varied: The Belly is red; it has no Scales: It is on all Sides rough, with tharp black Puffules, or Warts. On each

177 A Description of FISHES.

Side it has three Rows of sharp Prickles; it has two Fins on the Back. It is taken in many Places about England, and is often in the Fish-Markets at London. It is about a Foot in Length, and about ten Inches broad. Its Flesh is not comparable to many other Fishes.

37. THE GRAYLING is of a longer and closer Body than a Trout. It has a smooth Belly; a Back bowed. Some of the biggest that are caught in Ambre, a River of Lombardy, weigh about a Pound and a half. The Back is of a Colour betwixt a blue and a orcen; the Sides are grey, thining with a Refolendency of Gold Colonr. It has a fmall Head, a full Eye, and a forked Tail. It is frequently taken in Athelis, a River that passeth by Trent, and through Verona, into the Adriatick Sea; and in many Rivers of Germany and England. It feeds on watery Infects; it spawas in May. It is esteemed the tenderest, and best tasted, of

almost all River Fish.

38. THE SALMONS in the River Ribble in Yorkflire are, by the People in those Parts, the firth Year called Smelts, the fecond Sprods, the third Morts, the fourth Fork Tails, the fifth Half fift, and in the fixth Year, when thoroughly grown, Salmons. But in other Places they are called Salmons fooner. Some of the largest weigh thirty fix Pounds. The Salmon is a long Fish, scaled with small, slender Scales; it has a little Head, a sharp Snout, and a forked Tail; the Back approaching to blue; the reft of the Body white. Near the End of November they carry topether to the highest Places of the Rivers, both greater and lesser, what they unburden into them; and as far as they can, they get up for the Sake of fpawning. They look about for a Place to fpawn in, fuch as where the River is broken at the Bottom, or gravelly, and where the Stream runs rapidly; though fometimes they feem to delight in deep and troubled Waters. They begin not long after the Summer Soldice; and from thence, thro' Autumn and Winter, proceed to feawn; fome continue till the Beginning of March. The Flesh of a Salmon, before it is boiled, is white; but when boiled, or falted, becomes





GILT CHARRE



SALMON TROUT



TROUT

red. It is a fat, tender, fweet Fish: a little foon fa tisfies: It is thought to excel in Delicacy all Sea-Fish but not the most wholfome, especially for fick Persons. The Salmon feeds on Earth-Worms, Menows, and other small Fish.

39. THE GILT-CHARRE is much like the Trout: Its Scales are very fmall: The Colour of the Back is not so dark as the Trout's, diverlified with black Spots; the Belly is white; the Snout bluish. This Fish is esteemed very delicate by the Italians & nay, fo highly do they value it, that they think neither River or Pond-Fish equal or comparable to it ;, fo great is their Opinion of its Wholfomeness, that they give them to their fick and infirm People. Thefe Fish are found in the Lake Winander-meen, in Well moreland, as well as at Logo di garda, a Lake near Kenice.

40. THE SALMON-TROUT, in the Figure of its Body, refembles a River-Trout. The Head and Back of a Mixture of green and blue; the Body is beforinkled all over with black Spots : the Scales small, of a Silver Colour; the Tail forked, Salmon-Trouts frequently weigh thirty Pounds, and infome Places above forty. In the Beginning of Summer, their Flesh begins to redden, and holds that Colour till August. But some Time after St. 'James's Day, when they have done Spawning, it loses i's Redness. Salmon Trouts are effeemed by many People as very delicate Fish; their Flesh is folid, red, and of a good Relifh, and approaches very near to the Nature of Gilt-Charres. Upon Account of its Farnefs, it occasions a Loathing; as doth also Salmon; wherefore it should be eaten sparingly. Some prefer it to Salmon. If it be not dreffed foon after it is dead, it lofes much of its agreeable Tafle, as being a Fifth that from its great Quantity of Fat foon tends to Putrefaction.

41. THE TROUT, as to its Figure, is rather long than broad, like a Salmon. It has a short, roundish Head, a blunt Snout, and is in many respects like the Salmon. Trouts breed and live in fmall Rivers, &c. They feed on River Flies, watery Infects.

and some small Fish; and so greedy are they of Flies, that Fishermen, for Want of natural, may take them with artificial ones. The Trout is thought to be, by many People, the noblest Fish that is taken in fresh Waters. The Flesh of a Trout, especially when old. is drier than that of a Salmon, and therefore more hard of Digestion. Those are the best, that are taken in the pureft Waters. In the Month of December they spawn, making themselves Beds in the gravelly Bottoms of Ponds, Dykes, &c. Contrary to the Manper of other Fish, they are least esteemed when nearest Spawning: In the Month of July and August, they are most fat, and best tasted. The ancient Romans, fo far as we know, had no Latin Name for a Trout. which is the more to be wondered at, because in the Rivers near Rome there are now to be found many of these Fish; from whence there is little Reason to doubt they were there formerly.


42. THE TOBACCOPIPE FISH is about three or four Feet in Length : It has no Teeth ; the Body is in Shape fomething like a Snake: The Skin is very flippery; the Head is about a Foot long; the Eyes are about the Size of a Filbert, and like it in

Shape.

43. THE HORN-FISH, or Gar-Fift, has a long and flender Body; and a very long, fharp Snout. The Back green; the Sides and Belly of a Silver Colour; the Head of a bluish green. The under Jaw is longer than the upper; both are armed with very tharp Teeth; the upper Jaw, as in the Crocodile, ismoveable. The Flesh is hard, dry, and but indifferent Meat.

44. THE ANCHOVY is a Fish about four or five Inches long; fome have been feen more than a Span in Length. It is a long, flender Fish, with a round Body, transparent, unless where the Back-bone hinders; and without Scales. The Back is of a dusky, or a Mixture of green and Ash-Colour; the Belly of a Silver Colour, the Nose sharp, the Eyes large, the Tail forked. They are taken at Venice, Genca, &c. They are preserved in Barrels, falted, and fo brought over to England.





45. THE OLD-WIFE is a pretty large Fish .. It has a very small Mouth, large Eyes, a great Fin on the Back : the Body is of a deep blue ; the Fins are of a lighter Colour, and white under the Belly. The Flesh of this Fish is indifferent good Meat.

46. THE CAVALLO is about the Bigness of a Mackrel. The Fins, and Tail, are like a Dolphin's, It has a black Back, and a white Belly ; with a long black Streak from the Gills to the Middle of the Tail ;

the Eves are large.

47. THE CARP lives in Rivers, Ponds, &c. and arrives to a large Magnitude; fome have been feen above four Feet in Length, and not only long, but, for the most Part, fat, the Back rifing from its Head fomewhat sharp and edged. It is covered with very large, strong, broad Scales. It is of a yellowish Colour, especially when arrived to Age; the younger Sort are more inclined to a dufky Colour : the Head is short, in Proportion to the rest of the Body: It has no Teeth. It iwims with broad Fins: The Tail is broad, and fomewhat forked, of a Colour between a red and a black; as is also the last Fin. It has no Tongue; but in the room of that, Nature has given it a fleshy Palate, that it may relish its Food. It spawns five or fix Times in the Year. They are of a foft, moift, and clammy Nature : those which live in Rivers, near great Cities, and by that Means take in the Filth of them, are of a bad luice : notwithstanding by some Epicures they are very much esteemed. upon Account of their Largeness and Fatness: those are the most approved of, which live in rapid and pure Waters; those that are in Pools, and Ponds, have a muddy Tafte. In the Palatinate, at a Place called Michelsfield, in a Moat round a Tower (Gesner fays, that he received it from a Man worthy of Credit, that) a Carp was taken out of that Place, that had lived an hundred Years. Leonard Mascal, about 140 Years ago, fays, that he first brought Carps into England; though now they are common almost every where, in Rivers and Fish-ponds. Carps will live a long while out of the Water.

48. The STURGEON has a long Body, with

five Rows of Scales; two on each Side, and one onthe Back: The Scales of the upper Row, which is in the Middle of the Back, being greater than the reft, rife higher; of these there is no certain, or determinate Number. It has been observed, that some have eleven, force twelve, and others thirteen. This Row is extended from the Head, to the Fin of the Back, near the Tail. The Rows on the Sides extend from the Head to the very Tail: made up with about thirty tharp Thorns or Prickles. The lower Rows, which begin at the first Pair of Fins, and end at the fecond, are each made up of eleven, twelve, or thirteen: All the Scales of all the Rows in general have on their Tops a strong, sharp Thorn or Prickle, bending backwards. Befides thefe five Rows, it has only two Scales in the Middle of the Belly; the rest of the Belly being fmooth. It has a middling Head; very fmall Eyes for the Bulk of the Fish. The Snout is long, broad, and sharp: It has a little Mouth without Teeth: It has no Chaps; from whence it is manifest it feeds by fucking. The Tail is cloven, like that of the Shark; the upper Fork, or Horn, shoots. out beyond the lower a confiderable Way. The upper Part of this Fish is of a fordid Olive-Colour, or. betwixt a grey and a black; the Belly of a Silver-Colour. The River Sturgeons are vaftly bigger than the Sea; the latter not much exceeding a Foot and half, the former fometimes above fourteen Feet. In the Elle there are fometimes Sturgeons taken, that weigh two hundred nett Pounds. Sturgeons are often exposed to Sale in the Markets of Venice and Rome; and are frequently caught in the Adriatick and Tyrwhene Sea. Sturgeons are taken principally in the Nile, the Tanais, the Danube, and the Po. Bellonius writes, that they are very frequent in the Black Sea, and in the Meer of Maotis; from which Places their Eggs, which are otherwise black, being carried, made up in a huge Mass, salted, and put up into Barrels, are fold amongst the Turks, Greeks, and Venetians; which by them is called Caviary. In Holland they cut Sturgeons in Pieces, and preferve them (being first seasoned) in Barrels. The Flesh, thus



falted and pickled, is in great Request with us. Sturgeons are bred in the Sea; but come to their Perfection in Rivers. They are taken with Nets, feldom or

never with Hooks.

49. THE SILVER-FISH is smooth, broad, and thin; of a shining Pearl-Colour; It has five imall dark Streaks crofs the broadest Part of the Body, at his two long yellow Fins; one of them being on the Back, the other under the Belly; from which runs a small darkith-feather'd Fin, almost to the Tail; and has two small dark Fins on each Side the Gills, It has fix tharp Prickles from the long yellow Fins towards the Head; and three under the Belly. It has a large Mouth, sharp Teeth, and a forked Tail.

CO. THE GOLD FISH is very beautiful, fhap'd in the Body almost like the Silver-Fish, except the long Fins; and is all of a Gold-Colour, bating a few black Streaks. It has a large Mouth, but no Tech.

Its Flesh is good to eat.

SI. THE LADY-FISH is a small Sort, about three Inches long, and one broad. Her Fins and Tail are yellow; her Belly white: Her Back and Sides marbled with yellowish brown Spots, and

Streaks very beautiful to look at.

52. THE PIKE is of a long and roundish Body; has a plain smooth Head. It is covered with fmall close-set-together Scales, of a white Colour: The Body is on all Sides sprinkled with vellowiffs Spots; the young ones are more green. The upper law has no Teeth; the Teeth by Turns are moveable and fixed; as for Example: The first moveable, the fecond fixed; the third moveable, the fourth fixed; and fo throughout. The Pike inhabits Rivers. Lakes, Ponds, &c. and is very common with us in England. It is no Sea-fish, nor very often found in the Mouths of Rivers, unless carried thither by the Force and Violence of the Waves, and then it is void of Juice, unpleasant, and ready to purrefy. From its Greedine's of eating, it will often difforge its Stomach of those Fish it had taken in : Sometimes it will swallow a Fish not a great deal less than itself. taking the Head in foremost, the Tail hanging our

189 A Description of FISHES.

of the Mouth; and so draws it in by little and little at a Time, till he has compassed the whole. The Pike is of a white, firm, dry Flesh; and without doubt whollome: The larger and older, the more eiteemed by us.

51. THE BREAM is a broad Fish, of a small Head, fharp Snout, the Top of the Head pretty broad and smooth; the Back bending, edged, rising fenfibly from the Head, like a Swine's. Its Back is betwixt blue and black; its Sides and Belly white, especially in those that are young, and lean; for, as for those that are grown up, and fat, the Sides shire with a golden Colour : The Belly is red. Its Mouth, in Proportion to its Size, is very small, and without Teeth. Its Palate foft and fleshy, like that of Carps: its Flesh is fost and clammy. Voluptuaries are most delighted with its middle Part. Breams are very common with us in Rivers, Pools, and Fish-ponds, They foawn in May: The Males in Spawning-time are marked about the Head with white Spots. They feldom weigh above four or five Pounds. In March, and April, they are in highest Esteem.

54, SEA.TORTOISES are of various Sorts: all of them are good Food, especially the Green, and the Logger head. Some are fo large, that they weigh near four hundred Pounds. They are taken, when fleeping on the Water, or Land, by turning them on their Backs; for they cannot turn over again. The Females go ashore, to lay their Eggs in the Sand, above Ligh-water Mark; where they will lay fifty or fixty at a Time, and cover them with Sand, which by the Heat of the Sun are hatched; and the young Ones, as foon as they are out of the Shell, crawl back to the Sea. Their Eggs are round, and about the Bigness of a Hen's. They lay two or three Times in a Year; fo that they increase vastly. The Lean of the Green Tortoise tastes and looks like Veal, without any fifty Sayour; the Fat is as green as Grafs, and very fweet.



THE BREAM



SEA TORTOISE



DRAGONS

A Description of Serpents and Insects.

BOOK IV.

ME HE DRAGON, as describ'd in the nu-T Writers, may be juftly questioned whemerous Fables and Stories of feveral ther he exists. I have read of Serpents bred in Arabia, called Sirence, which have Wings; being very fwift, running, or flying, at Pleasure; and when they wound a Man, he dieth instantly. These are suppos'd to be a Kind of Dragons. It is faid, there are divers Sorts of Dra. gons, or Serpents that are fo called; which are diftinguish'd partly by their Countries, partly by their Magnitude, and partly by the different Form of their external Parts. They are faid to be bred in India and Africa; those of India are much the largest, being of an incredible Length; and of these there are also faid to be two Kinds, one of them living in the Marshes, which are flow of Pace, and without Combs on their Heads; the other in the Mountains, which are bigger, and have Combs noon their Heads; their Backs being fomewhat brown, and their Bodies lefs fcaled. Some of them are of a yellow, fiery Colour; having fharp Backs, like Saws. These also have Beards. When they fet up their Scales, they shine like Silver. The Apples of their Eyes are (as it is faid) precious Stones, and as bright as Fire, in which, it is affirmed, there is great Virtue against many Diseases. Their Aspect is very fierce and terrible. Some Dragons are faid to have Wings, and


193 A Description of SERPENTS.


no Feet; fome again have both Feet and Wings, and others neither Feet nor Wings; and are only diftinguithed from the common Sort of Serpents, by the Combs growing upon their Heads, and their Beards. Some do affirm, that the Dragon is of a black Colour; the Belly fomewhat green, and very beautiful; that it has a triple Row of Teeth in each Jaw; and very bright filming Eyes; that it has allo two Dewlaps growing under the Chin, which hang down like a Beard, of a red Colour, and the Body is fet all over with flarp Scales; and on the Neck with thick Hair, much like the Brilles of a wild Boar.

2. THE DART is so called from his flying like an Arrow from the Tops of Trees, and Hedges, upon Men, by which Means he stings, and wounds them to Death. It is bred in Libra, Rhodes, Italy, Sicily, Germany, and some other Countries. It is in Thickness about the Bigness of a Man's Finger, and proportionable in Length. The Top of the Back is black, and has two black Lines in the Middle, from Head to Tail. The Body is of an Ash Colour, full of round * black Spots, no bigger than the Seed of Lentiles ; each Spot having a round Circle about it, like an Eye; the Belly is white. Of this Kind, some think, was the Viper, which came upon the Hand of St. Paul. Some a'fo conjecture, that of this Sort were the fiery Serpents, fent by God Almighty, to annoy the rebellious Ifraelites in the Wilderness.

3. The COCKATRICE is called the King of Serpents, not from his Bignefs, for he is much inferior, in this Refpedt, to a great many Serpents; but because of his majelite Pace, for he does not creep upon the Ground, like other Serpents, but goes half upright; for which Caule all other Serpents avoid him; and, if eems, Nature defigned him that Pre eminence, by the Crown or Coronet upon his Head. Writers differenceming the Production of this Animal. Some are of Opinion that it is brought forth of a Cock's Egg, which is generated of the putefied Seed of an old Cock, and fat upon by a Snake, or Toad, and fo becomes a Cockatrice. It is faid to be about









Rattle Snake



A Description of SERPENTS. 195

half a Foot in Length ; the hinder Part like a Serpent, the fore Part like a Cock. Others are of Opinion, that the Cock that lays the Egg, fits upon, and hatches it himself. These Monsters are bred in Africa and some other Parts of the World. Authors differ about the Bigness of it; some say it is a Span in Compass, and half a Foot long; others will have it to be three or four Feet long, and fome the Thickness of a Man's Wrist, and proportionable in Length. The Eyes of a Cockatrice are red. Its Poifon is fo firong, that there is no Cure for it. As all other Serpents are afraid of the Sight and Hiffing of a Cockatrice, so is the Cockatrice itself very fearful of a Weefel; which, after it has eaten Rue, will fet upon, and destroy the Cockatrice. Besides this little Animal, it is faid, there is no other Creature in the World able to contend with it. The Poison insects the Air to that Degree, that no other Creature can live near him. It kills, not only by his Touch, but

by Sight and Hissing.

4. THE ASP is a small Serpent, like to the Land-Snake, but of a broader Back. Its Neck swells, when provoked, to a great Degree; and, if it stings any Person in that Passion, there can be no Remedy. The Stroak of its Eyes is exceeding red and flaming. There are two Pieces of Flesh, like an hard Skin, which grow out of its Fore-head. Its Teeth are very long, and grow out of its Mouth like a Boar's, and through two of the longest are little Hollows, out of which it injects its Poison. These Holes are covered with a thin Skin, which slides up, when the Serpent bites, by which Means the Poifon comes out of the Holes, which Skin afterwards returns to its Place again. The Scales of the Afp are hard, dry, and red, above all other venomous Beafts; and, by reason of its exceeding Drought, it is also accounted deaf. Asps are said to be from three to fix Feet in Length, and fome not above a Foot and half; the shortest is faid to kill the foonest. They are bred in feveral Countries, but chiefly in Africa, where they are most venomous, and will kill a Man inflantly, without any possible Remedy. The Egyptians are said to shew a

1 2

196 A Description of SERPENTS.


great Veneration to these very dangerous Creatures, and will not destroy them, but suffer them to come into their Rooms; and, when they have dined or supped themselves, always provide something for the Asps, which they will receive in a courteous Manner; and, when they have done, retire without doing any Harm.

5. THE RATTLE SNAKE is fo called from certain Rattles at the End of the Tail; these Rattles feem like so many perished Joints, being a dry Husk over certain Joints; and the common Opinion is, that there are as many Rattles or Joints, as the Snake is Years old; they have generally eleven, twelve, or thirteen of these Joints; but the young ones of a Year or two old have no Rattles; but they may be known notwithstanding, being very regularly diced or chequered black and grey on the Backs. The old shake and shiver these Rattles with wonderful Nimbleness: when they are any way diffurb'd, their Bite is very deadly, yet not always of the same Force, but more or less mortal, according as the Snake is in Force or Vigour; and therefore in June and July much worfe, and more mortal, than in March and April. This Snake is a very majestic Sort of Creature, and will fcarce meddle with any Thing, unless provoked; but if any Thing offend it, it makes direftly at it. The best Method of curing its Bite is to burn the Part immediately.

6. The SALAMANDER is like a small common Luzard, except in its Size, in which Respect it is larger. It has four Legs, which are longer than a Luzards, and also a Tail longer than a Luzards. It has a pale white Belly, the sometimes the Belly is yellowish. One Part of its Skin is exceeding black, and the other yellow; both of them very bright and glittering, with a black Line going all along the Back, where those Spots are, out of which, as some Writers will have it, a certain Liquor or Humour proceeds, which quenchet the Heat of Fire, when it is in the same. Salemanders are bred in the Albis.



197 Salamander



A Desc ription of SERPENTS. 198

Alpr, and in fome Parts of Germany, in marfhy, wet Places; and are faid to be cold as Ice. The vulgar Notion, agreeing with the Opinion of feveral ancient Writers, that a Salamander can live in, and not be burnt by the Fire, is without any Foundation of Truth, for the Experiment has been tried, as Pliny affirms, and the Salamander was confumd and burnt to Afhes. The Truth is, as long as the Humour before-mentioned runs, the Fire cannot hurt it; but when that Moilture is dired up, the Fire confumes the Salamander, and that inflantly. The Bite of this Creature is very deadly and fatal. It is a Saying in France, that a Man bit by a Salamander fhould have as many Phylicians to cure him, as the Salamander.

has Spots.

7. THE VIPER, or Adder, is about a Foot and a half in Length. The Tail curl'd at the End. very fmall and sharp. The Head is very broad, compar'd with the Body; and the Neck much narrower than the Head. It is commonly black on the Back, fometimes greenish, or yellowish. The Eyes are very red. and flaming; the Belly winding, upon which it goeth, and fides along very nimbly. Its Teeth upon the upper Chap are very long, and upon either Side it hath four. Those upon the lower Chap are so fmall, that they can fcarce be feen, except you take away a little Bladder, in which they lie concealed; in which Bladder it carries Poison, which it instantly infuseth into the Wound it makes with its Teeth. The Scales of a Viper are more sharp than a Snake's; and 'tis of a hotter Nature than a Snake, and therefore lives more in the Shade, and lies for the most part quoil'd up like a Rope. It is a crafty, venomous Creature, biting fuddenly those that pass by it. It is faid, that when a Viper is thirsty, and goes to drink, the first of all voids up her Venom. left by drinking it descend into her own Bowels, and so destroy herself; and, when she has drank. licks it up again. Vipers are bred in most Nations of the World; those of Europe are much less than shole of many other Countries. The Viper is faid

K 3

199 A Description of SERPEN TS.

to conceive Eggs within her, which she does not law after the Manner of other Serpents ; but in her Body they are hatched into living Vipers. The young ones are faid also to eat their Way out of their Mother's Belly, when the is ready to bring them forth. The Bite of this Creature is very dangerous, and for the most part mortal, unless instantly reliev'd.

8. OF FROGS there are two Kinds; one living both on the Land and in the Water, and common in Marshes, standing Pools, running Streams, and Banks of Rivers; but never in the Sea. The other Sort is frequently in Gardens, Meadows, hollow Rocks, and among Fruits. The Frog in Shape very much relembles a Toad; it is without Venom, and the Female is greater than the Male. The fore Part of the Tongue cleaveth to the Mouth, as in a Fish; the hinder to the Throat, by which it fendeth forth its Voice. It hath two Bladders upon either Side of the Mouth, which it filleth with Wind, and from thence proceedeth the Voice. When it croaketh, it putteth its Head out of the Water, holding the nether Lip even with the Water, and the upper Lip above the Water; and this is the Voice of the Male provoking the Female to Luft. The hind Legs are very long, which they use in leaping; the fore Legs are shorter, having divided Claws, which are joined together with a thin broad Skin, which helpeth them in fwimming. It is faid, that Frogs in the Winter-time hide themselves in the Earth. and fometimes they enter into their Holes in Autumn. before Winter, and in the Spring-time come out again.

O. THE TOAD is in all outward Parts like unto a Frog, the fore Legs being short, and the hinder long; but the Body more heavy and fwelling, and of a blackish Colour; the Skin rough, clammy, and very hard. It hath many deformed Spots on it, especially on the Sides. The Belly exceedeth in Bigness all other Parts of the Body, flanding out in fuch, a Manner, that being hit with a Stick it yieldeth a Sound, as if it were from a Vault, or hollow Place.



Butterflies



A Description of SERPENTS. 200

Place. The Head is broad and thick. The whole Aspect of the Toad is extremely unpleasant and disagreeable. The Toad does not leap as the Frog, its Pace is a foft creeping Pace ; yet fometimes in Anger it raiseth up itself, endeavouring to do Mischief. If its takes hold of any Thing in its Mouth, it will not let go till it dies. It is faid, that the Toad, well knowing the Weakness of her Teeth for her Defence, gathereth abundance of Air into her Body, with which the greatly fwelleth, and then by fighing uttereth that infected Air as near to the Person that offendeth her as the can; and thus the worketh her Revenge, killing by the Poison of her Breath. The Spider is a great Enemy to the Toad. The Toad, when shefighteth with a Spider, is faid to make use of an Herb to preferve herfelf from its Poison; of which I have read the following Story: That a certain Earl travelling near Wouborn in Bedfordsbire, some of his Company espied a Toad fighting with a Spider, under an Hedge by the High-way Side; whereat they stood ftill, till the Earl came also to behold the same; and there he faw how the Spider still kept her Standing, and the Toad divers Times went back from the Spider, and did eat a Piece of an Herb like a Plantain : at last, the Earl having feen the Toad do it often, and still return to the Combat against the Spider, ordered one of his Men to go and cut off that Herb; which he performed, and brought it away. Prefently after the Toad returned to feek it, and, not finding it, according to her Expectation, swelled and burit afunder; for, having received Poifon from the Spider in the Combat, Nature taught her the Virtue of that Herb, to expel and drive it out; but wanting the Herb, the Poifon did inftantly work, and deliroy ber.

Of INSECTS.

FCATERPILLARS there are many different Sorts; fome of them are rough, hard, and fliff; fome are foft, fmooth, and tender; fome horned either in the Head or Tail; others without Horns; all have many Feet. The Caterpillar, Fig. 1. is hairy, has it Original from the Seed of a Butterfly, which it leaves on the Leaf of a Nettle. It continued changing for the Space of nineteen Days: and then proceeded from it a most elegant Buttersty (fee Fig. 1.) having four Wings. When first the Butterfly came forth, its Wings scemed like to moift, or wetted Paper, from which certain fmall watery Drops distilled; and, which seems worthy Observation, in the Space of half an Hour they became expanded, and fit for flying. It lives on Honey, that it fucks out of fweet Flowers, &c. It is much delighted with corrupt Fruit; for the Sake of which there are often desperate Battles fought between some of these Species. In the Winter-time, Butterflies hide themselves in the Chimneys of Country houses, and in hollow Trees, &c. As this Caterpillar was derived from the Eggs of fuch Butterfly, fo are all Caterpillars from the Eggs of their respective Butterflies. The Butterfly is the Infect in Perfection : the Caterpillar, Grub, or Worm, are certain Mimicks or Disguises of it for a Time, in which one and the fame Animal is circumvested by Nature, for various Uses, viz. with the Difguise of a Caterpillar, that it may eat this or that Food; but of a Grub or Worm, that its loints may be finished or hardened. The Caterpillar delights in the Leaves of Nettles; nor does is prepare itself for Transmutation, or abstain from Food, fo long as this Herb is in its Bloom or Vigour. The Caterpillar, Fig. 2. began to be changed. the 23d of June, and on the 19th of July was produced a Butterfly, marked with beautiful Colours. These Butterflies are found all the Winter in the Stables-





Stables of Beafts. The Caterpillars proceeding from this Sort of Butterflies are extremely voracious. Caterpillars feed upon hard, dry Food, such as the Leaves of Trees, &c. but the Butterflies on Flowers, Honey, and liquid Food. Fig. 3. The Food of these Caterpillars is the Leaves of Elm-trees. When the Time of their Transformation draws nigh, they betake themselves to Houses or Barns; there they fasten the hinder Members of their Bodies to a certain Wall, Board, or Table, hanging with their Head downwards, that when they have perfected their Transmutation, they may the more easily get out of the Crust or Shell they are inclosed in. Before that, in the Assumption of their new Shape, when they put off their old Skin, they feem anxiously to labour, by shaking, tossing, and tumbling, as if they were feized with an acute Fever. And this wonderful Change is produced in a very short Space of Time, infomuch that it may be diffinctly feen and observed; for no sooner is the old Skin laid aside, than this Transfiguration is feen. This Caterpillar began to be changed the 12th of June; and on the 20th of the same Month became a most beautiful Butterfly. It would be an endless Task to enumerate the very great Variety of Butterflies, and Caterpillars, with respect to their Colours, and other different Properties. I hope, from what I have here briefly related of these Infects, the Reader will be able to conceive fomething of the Nature of the whole Species in ge-

11. THE LOUSE is a Creature so officious, that it will be known to every one at one Time or other; so busy and so impudent, that it will be intruding itself in every one's Company; and so proud and alpiring withal, that it sears not to tample on the best, and affects nothing so much as a Crown, feeds and lives very high and that makes it so faucy, as no pull any one by the Early that comes in its Way, and will never be quiet till it has drawn Blood; it is troubled at nothing so much as at a Man that seratches his Head, as knowing that Man is plotting

and contriving some Mischief against it; and that makes it oftentimes skulk into fome meaner and lower Place, and run behind a Man's Back, though it go very much against the Hair; which Ill-conditions of it have made it better known than trufted. gare, taken by the Microscope, represents it climbing on a Hair, with its Belly upwards. It is a Creature of a very odd Shape; it has a Head shaped like that express'd in the Figure ; on either Side behind the Head (being the Place where other Creatures Ears stand) are placed its two black, shining, goggle Eyes, looking backwards, and fenced round with feveral small Hairs that encompass it. It has two Horns that grow before it, in the Place where one would have thought the Eyes should be; each of these has four Joints, which are fringed, as it were, with small Bristles; the Head seems very round and tapering, ending in a very sharp Nose, which feems to have a small Hole, and to be the Passage through which he fucks the Blood. It hath fix Legs, covered with a very transparent Shell, and jointed exactly like to a Crab's, or Lobster's; each is divided into fix Parts by these Joints, and those have here and there feveral small Hairs; and at the End of each Leg it has two Claws, very properly adapted for its peculiar Use, being thereby enabled to walk very securely both on the Skin and Hair. The Belly is covered with a transparent Substance likewise; for it is grained all over the Belly, just like the Skin in the Palm of a Man's Hand.

12. This FLEA appears by the Microfcope to be all over adorned with a curioufly politi'd Suit of fable Armour, nearly jointed, and befet with Multitudes of fharp Pins, flasped almost like a Porcupine's Quills. The Head is on either Side beautified with a quick and round black Eye. It hath fix Legs, the Joints of which are fo adapted, that he can, as it were, fold them fhort one within another; and, when he leaps, fprings them all out, and thereby exerts his whole Strength at once. In the Fore-part of his Head, between the two Fore legs, the last two fmall



A Bee-hive



long-jointed Feelers, or rather Smellers, which have four Joints, and are hairy, like those of several other Creatures: between these it has a small Probe. It has also two Chaps or Biters, which are somewhat like those of an Ant.

13. THE BEE, that noble, though fmall Infect, is about three Quarters of an Inch long, having four Wings curioufly shap'd, with long Fibres round and cross them; fix Legs, a long Head, but very small Neck, and very flender in the Waift, or middle Part. Nature hath provided it with two Sorts of Instruments for War and Defence, wiz, her Mouth, wherein are her Teeth, that meet fideways, and not one over the other, with which it defends itself, and affaults others; and the Sting, which is in its Tail. With its Fangs it lays hold on Robbers, which come to steal its Honey, whilst another comes to its Assistance with its Sting, which generally carries Death to any of its own Kind, that it pierces; and, for the most part, Death to itself, when it pierces any of the human Species. The Sting is very taper and tharp, apt, when exerted by the Bee, to pierce the Skin, or other harder Body. It contains its Poifon about the Middle of it, which may be discover'd by the Help of Glasses. The Eyes are very large, cover'd over with a thick horny Membrane, which occasions the Dimness of its Sight. But to supply this Defect, Nature hath given it two Horns, which grow above its Eyes, about the Tenth of an Inch long, in each of which there are two Joints, one in the Middle, and another near the End, by which it can put them forth, when it will, to the full Length, and draw them in at Pleasure. These are its Instruments of Feeling. The Tongue is much longer than the Mouth will contain, and fo is doubled underneath, and reacheth a good way down the Breast. The Body is all over hairy like a Fox's, and the Head too; nay a great Part of the Eyes is covered with fmall Hairs, but fo fmall, that they cannot be discern'd by the naked Eye, without the Help of a Miscroscope, which will also discover the Brain in


the Head. Within the Breast it hath a reddish Flesh. with Heart and Lungs, proper Instruments for Breathing. In the hinder Parts there is a Gut, &c. as also a Bottle or Bag, in which it carries its Honey, which it emptieth into the Honey-comb. In this Bag it often fetches Water, to mix up its Sandarach, or Bee bread, for the Feeding its Young; about which it is very careful, till they can shift for themselves. That which has commonly been called the Drone, appears at length to be nothing else than the Male Bee, and is about half as big again as the Female, which only is the working Bee; fomewhat longer, and not quite fo dark coloured about the Head and Shoulders; especially his Head and Eyes much larger than the Honey Bee, and Voice more loud and dreadful, often caufing Fear where no Fear is, especially to the Fair and timorous Sex; for he, having no Sting, cannot in the least hurt any Creature, but is wholly under the Dominion of the Females. He is fmooth about the Neck, and very hairy all over his Back. His Tongue is much shorter than that of the Females: neither can he work if he would, his Tongue not being long enough to reach the Honey out of the focketed Flowers. This Male Bee, or supposed Drone, is not only helpful, but necessary to the Females, in the managing of their Young; for, by his great Heat, he fits and hatches the Brood, keeping the Eggs warm, whilft the Honey-Bees, or Females, follow their delightful Vocation of gathering and bringing home the Honey; during which Time the Drone Bees are not suffered to stir from the Brood, but about one or two of the Clock, when the chief Part of the Day's Work is over with the Bees, most of them, repairing home, take Care of their own Brood; and so give Leave to these their obedient masculine Servants to recreate themselves abroad, their Heat now being no longer necessary within Doors. Then you shall fee the Male Bees thick about the Mouth of the Hive, flying to and fro five or fix large Circuits, to recreate and empty themselves, then returning again to their beloved Honey, where they are for a Time, especially in May

and June, their chief Breeding-times, kindly receiv'd by their imperious Dames. The forward Stocks of Bees begin to breed in February; and the latter, or those that are not so lusty, leave not off till the latter End of July. So that there are fix Months in which Bees are bred; and the fooner they begin, the fooner they make an End; tho' generally there are more Bees bred in the two Months of May and Tune, than all the reft. It must notwithslanding be own'd, that according to the Forwardness, or Backwardness of the Spring, the chief Month may be fooner, or later. A Bee is first an Egg: This Egg, which in Time becomes a Bee, is exceeding white, fomething bigger than the common Fly blow, but not fo long nor fo big as an Aut's Egg. Eggs of Bees are cast into the empty Cells; not carelessly into any Cells, but only the middle Cells, which are always appointed for the breeding Cells, while those all round the Hive are referved for the Honey. The Eggs of Bees, when first hatch'd, are Maggots, before they become Bees. In the warm Weather, how long foever it continue, the Bees leave their Hives in quest off Honey; as feeming to be fenfible, that, if they should lose the Opportunity of gathering Horey in the Spring, and cold Weather fliguld come on, especially if the Stock be not very rich, many young Bees coming to Hand that must be fed, and the bad Weather continuing to hinder their provident Mothers from working, both Young and Old must die together. In warm wet Weather, when they cannot go abroad, they bury their Dead; which they do by flying with them some Distance from the Hive, and dropping them. Bees hardly live above a Year, or thereabours. The Bee hath feveral Enemies, wiz. the Moufe, which in the cold Weather, when the Bees are not in Vigour, will enter in at the Mouth of the Hive; and, first, gnaw the lowermost Part of the Comb, where there is but here and there a little Honey; but waxing bolder as the cold Weather increases, and the Bees are more still, ascends into the Hive, and feizes on those Combs which are next to the Sides of the Hive, where commonly the richeft

Treaf

Treasure lies, will eat Holes thro' them, and so conte and go thro' them at Pleasure. This Fact of the Mouse exposes them to other Enemies, viz. the Bers of other Stocks, who, fmelling the fresh Honey, come in like Thieves, when a Neighbour's House is on Fire, not to help the Diffressed, but to plunder them of their remaining Goods. Now, tho' they should be able to defend themselves against these latter Enemics, yet conceiving a Distalle against their Hive, by reason of the detestable Smell of the Mice. they take a warm Day, and fly away all together, tho' perhaps to an equal, if not a greater, exposing themselves to Death, than if they had staid at home; and have fometimes left Quarts of Honey behind them. The Bee hath, besides the Mouse, these Enemies following, viz. the Moth, the Ear-wig, the Hornet, the Wafp, the Swallow, and the Sparrow: of which, as well as of many other Things relating to the Bees, those, who defire farther Accounts, I refer to them who have diffinelly treated of these Infects, particularly to Mr. Joseph Warder's True Amazons, or Monarchy of Bees; from which Treatile I have extracted this Account of Bees; that Gentleman, from his nice, curious, and long Observations on this pleasant, and no less profitable Subject, being thought to have discovered more of the Nature, Properties, &c. of Bees, than any that went before him. The Queen Bee is of all Bees the most glorious. Her Body is much bigger and longer than that of the Honey Bee; yet the Wings are no longer than the others; which shews, that she is not design'd for Labour, nor long Flights, which is the continual Bufiness of her Subjects. As for her Shape and Colour, her upper Parts are of a lighter brown than the rest; her hinder Parts from the Waist, (which is very fmall) as it is much longer than that of the Drone or Honey-Bee, fo that is much more taper than theirs. And whereas the Drone and common Bee are brown all over the hinder Part, the Oveen in that Part is as black as Jet, or polish'd black Marble. And, whereas the two great Legs of the Commons are quite black, hers are all as vellow as Gold, as also





the is all along the under Part of the Belly. In short, the Queen doth as far surpass her Subjects in Shape and Beauty, as the finest Horse does the common Forester. And, as she does far surpass her Subjects in Shape and Beauty, fo the also differs from them in Breeding. First, the Egg of her Royal Mother is cast into a Cell, made by her Vassals for that very Purpole, different from the rest, being exactly round, much thicker in Wax, and the Cell, proportionably to her Body, much larger than those the common Bees make for themselves. But this round Palace is never among other Cells, but always by itself. No Monarch has a completer Submission from his Subjects, than the Queen Bee from the common Bees. Bees fwarm most in May and June, tho' fometimes in April, and often in July. There happen frequent and desperate Wars amongst the Bees, one Party fometimes endeavouring to plunder another of its Honey; for which it will fight vigoroufly: But if it should so happen, that the plunder'd Bees have loft their Queen, then they will fide with the Robbers, and suffer the Honey to be carried all-out of their Hive. Sometimes Bees driven from their own Hives, and feeking new Quarters, by that Means occasion great Battles.

14. THE SCORPION is an Infect of Persia, &c. The coal-black Scorpion is accounted the most venomous; and is, both in Thickness and Length, about the Size of a Man's Finger. The Body fomewhat refembles an Egg, and all together is like a Craw-fish; only it has a blunter Head, and a lefs Body. It has eight Legs, and two Claws, a long knotted Tail, which Knots appear like fo many little Bladders : at the End of which it has a very venomous Sting. Some Scorpions are faid to have two Stings in their Tails; and some to have yenomous Teeth, with which they give a deadly Bite. It is reported, that the Inhabitants of Persia do not sleep in Ground-Rooms, for Fear of these Creatures. Oil, in which Scorpions have been infufed, is a prefent Remedy for the Sting of this Creature.

This very remarkable concerning this Infect, what an ingenious Gentleman, who lived feveral Years in Barbary, faid he had many Times tried; that, if it be furrounded with a Circle of burning Coals, it does, upon the Senfe of the Fleat, turn itielf violently every Way to make an Bicape; but finding it impoffible, and the Pain from the Fire increating, it firstes itielf twice or thrice with the Sting on the Back, and immediately dies of the Wounds.

DESIGNING this little Book for the Use of such, who should not have Lessure, or be willing to be at the Expence of purchasing larger Treatises, and having already swelled it beyond the Bulk as first proposed; I have forborne to crowd it with any more particular Descriptions; and shall therefore only present the Reader with the Figures of these following, wis: The GRASS-HOPPER. The SPIDER. The HORNET. The FLY. The GNAT. The WASP, The BERTLE. The DRAGON-FLY. The EAR-WIG; and the ANT.

FINIS.

Just Published,

Being a Supplement to this Book,

Defeription of a great Variety of Animals and Vegetables; viz. Beafts, Birds, Fifhes, In-fects, Plants, Fruits, and Flowers. Extracted from the molt confiderable Writers of Natural History; and adapted to the Ufe of all Capacities, but more particularly for the Entertainment of Youth. Illustrated with above Ninety Copper Plates, whereon is ouriously engraven every Animal and Vegetable deferibed in the whole Book. The Second Edijlop. Price 5 s.







